



## Product information

### Ergo-III

#### Skid table, adjustable in height.

**Frame** of powder-coated steel tube with asymmetrically-positioned legs (cantilever) on steel skids with kicking protection. All steel tubes in round profile.

**Table** with continuous height adjustment with winding handle.

**Tabletop** made from melamine-resin-coated chipboard. With a seamlessly cast-on safety edge, a cast-in storage shell and an integrated stop rail, each made from (PUR) polyurethane.



**Features of top.** Maintenance-free, continuously inclinable working top (0°-16°) with horizontal storage shelf, releasable from pupil's side.

**Accessories and options.** Glides for hard and soft floors and briefcase (satchel) hooks. Plywood or grid bookshelf or chair suspension for all VS school chairs (PantoSwing up to size 4).

**Important notice.** The table height can vary slightly depending on the glides. PUR edges are extremely robust, but can show signs of discoloration over time.

**The following material groups are available:** Frame made of steel tube: M1; Top made of chipboard with PUR edge: L9.

**Further products on this page:** PantoMove-LuPo.

		Table heights (± 0.8 in) for students' desks ● 3 = 23.25 in ● 4 = 25.2 in ● 5 = 28 in ● 6 = 29.95 in ● 7 = 32.3 in			
Ergo III	Chipboard-PUR	d = 25.6 in		<b>02974</b>	<b>02975</b>
		w in		29.55	51.2
		Variable height adjustment		23.25-32.3 in (3 4 5 6 7)	