

http://links.vs-service.com/downloads/70-231_V03_DEEN_OfficeBox-Rollcontainer.pdf


Operating Instructions

OfficeBox mobile storage containers

Intended use: These containers are intended exclusively for use in closed office and educational spaces. No liability will be assumed for any use other than that intended, (e.g. in workshops, storage areas or damp locations). Applicable to the models 40500-05, 40510-15, 40520-25 and 40530-35.

General note on reading and retaining these Instructions: Read these Instructions, the instructions for the associated assembly parts and, in particular, the safety instructions carefully before using the products and adhere to these. Keep these Instructions in a safe place for future consultation and communicate them to other users.

General note on safety: The following symbols and notes are used in our Instructions for Use:

 **Important!** This symbol indicates an important assembly note.

 **Caution!** This symbol indicates a very important note.

Standards: Tested in accordance with DIN EN 14073, Part 2; DIN technical report 147 EK5_AK3. Office furniture on castors ProdSG.

On the Web: These Instructions are also available online for download via the link indicated at the top of the page.

Scope of delivery: The products are supplied fully assembled.

Use: Please take account of the notes on the reverse.





Faults and service: If any faults occur, please contact our Customer Service: kundenservice@vs-moebel.de

Maintenance and cleaning: On the Internet: vs.de/kataloge/reinigung/en

Product transfer: If the product is transferred to another party then it must be accompanied by these Instructions. For information on the environmentally responsible disposal of the product, please contact your relevant local authority department.

The indicated electric and electronic components must not be disposed of with the ordinary waste. They must be removed from the furniture unit before the unit is sent for disposal. They are to be disposed of at authorized collection and return points.





Moving the mobile storage containers (Figure 1): The OfficeBox mobile storage containers are each equipped with 4 castors. The front castors possess wheel locks (1). These wheel locks must be released before moving the containers. On reaching the destination, they must be immediately released again to ensure the stability of the container.

Important! Lock the drawers before moving the mobile storage containers.

Caution! To avoid damage, do not wheel the units over door sills or uneven surfaces.

Push to open (Figure 2): When you press gently on the surface of the drawer it will open and slide out. To close it, press gently again until you hear and feel the spring of the pull-out unit engage again.

Models with folding handle (Figure 3): Fold the handlebar (2) forwards. There must not be any objects in its path when you do this. Proceed as described above. When you have reached your destination, fold the handle back again.

Important! There must not be any objects on the container when you move it.

Caution! The folding handles are only intended to be used to push or pull the unit occasionally.



Cushion seats (Figure 3): The models with 9.5 and 10.5 HU are available with cushion seats (3). You can find notes on how to care for these cushions on the Internet: vs.de/kataloge/reinigung/en

Pull-out lock/central locking: If one drawer is open then all the other drawers are locked and cannot be opened. Exception of materials drawer: This can always be opened.

Important! First close the open drawer in order to be able to open another drawer.

Internal partitioning (Figures 4 and 5): The partitions (4) are placed from above in the required position in the holes in the side walls of the drawers and pushed downwards until they are in place. Dividers (5) are positioned from above between two partitions or between a partition and the front or rear of the drawer. They must then be pushed downwards until you hear them engage and they are fixed in place.

Caution! Partitions and dividers must be inserted parallel to the front or sides of the drawer.



Opening the combination lock (Figure 5): Choose the factory-set code 0000 (4) or the defined code. Open the lock by turning to the right. The digit wheels are reset to 0000 (to cancel the previous code).

Changing the code (Figure 6): Choose the factory-set code 0000 (4) or the defined code. Press the locking bar (5) down until you hear a click. Enter the new code (6). Press the locking bar up until you hear a click. The new code is stored.