

Product Catalog Agile furniture solutions by VS

Curious minds and growing bodies absolutely need freedom. *To twist. Flex. And fidget.* Leading with ergonomics. That's our priority. And what leads to greater comfort, better health, and higher performance.

Contents

Seating	12
Soft Seating	70
Shift+	84
Tables	102
Storage	138
Mobile screens & walls	190
Materials	196

Educational Furniture. VS has always been focused on designing inspiring spaces for learning. As one of the leading manufacturers of school furniture and a full-range supplier with a wide portfolio, this is what we offer our customers: comprehensive, stimulating furniture solutions for educational establishments. In addition, we offer an extensive range of services such as planning, project support, and customer service.

Our products stand out for their quality, functionality, and durability, as has been proved by comparisons worldwide. Sustainability is extremely important to us, as is safety.

We hope you enjoy browsing, discovering new ideas, and planning your space! If you need answers to any questions, advice, or project support, our qualified customer support staff will be delighted to assist you personally.





Ahead of the curve *since 1898.*



VS America, Inc. provides highly adaptable, ergonomic, and environmentally-friendly educational furniture solutions which allow for the creation of agile learning environments across K-12 schools, colleges, libraries, and more.

VS America originates from a history of ergonomic innovation that dates back to 1898 with VS Vereinigte Spezialmöbelfabriken GmbH & Co. KG in Germany, the leading manufacturer of educational furniture. Focused on best practices for educational facilities, VS develops flexible, sustainable furniture of the highest quality and design for all learning environments. At VS, we believe successful learning should balance the needs of the body, mind, and soul. We always encourage mobility and natural curiosity. From our fully adjustable chairs to modular tables that encourage collaboration, we believe that learning is an active process. When students engage their senses while learning, the long-term benefits include a heightened focus, stronger motivation, and a sense of well-being.

VS' innovative and integrative products continue to inspire creativity, promote autonomy, and encourage collaboration throughout educational facilities worldwide.

Reliable, sustainable — *responsible.*

As a large, family-owned company, VS stands for a reliable, responsible, and independent business approach. The company has adopted a long-term strategy geared towards sustainability. This has given it its successful competitive position.

Continuity at the company site

VS develops and manufactures all its products directly at its headquarters in Tauberbischofsheim, Germany, and continuously invests in modern production facilities and highly efficient processes. This results in the creation of economically attractive furniture with exceptional functionality.

Facts:

- VS was founded in 1898 as Vereinigte Schulbankfabriken; one of the milestones in the company's history was the development of the wooden skid chair in 1950.
- VS is a family-owned company; its Managing Director is Philipp Müller.
- VS is a member of the UN Global Compact initiative, and as such has pledged to act as a role model in the observance and constant

monitoring of ethical, social, and ecological business standards.

Quality and environmental standards:

- Quality management system according to DIN EN ISO 9001
- Environmental management system according to DIN EN ISO 14001
- Energy management system according to DIN EN ISO 50001
- VS is proud to be one of the first companies in the world to receive the Level 3 certification from the European furniture association FEMB.
- In addition, VS products have been awarded a range of quality and environmental certificates by external institutes, for example the BIFMA Level 3 sustainability certificate, the Cradle to Cradle certificate, the GS label for tested safety, the LGA pollutant-tested label, the AGR Healthy Back Campaign quality label (Aktion gesunder Rücken e.V.), the GREENGUARD certificate, and more.





Make peace with fidgeting.


Children in particular, whose physical and mental development processes are not yet complete, require more regular movement stimuli than adults. That's how we can also explain the everyday image of students tipping their chair back to balance it on two legs – their unconscious is ordering them to move in order to prevent emotional, mental, and physical disorganization.

Elementary school-age children cannot sit still for longer than one minute, on average. And it's suggested that young people and adults shouldn't hold a body posture for longer than 15 to 20 minutes.

As soon as muscle fibers are activated, there are positive effects for body, mind, and soul:

- Blood circulation is increased, organs such as the brain receive more oxygen
- Biochemical messenger substances are released that lead to positive metabolic outcomes (including hormones, proteins, enzymes) for fat and sugar metabolism and promote neuroplasticity (growth and wiring of nerve cells)
- Students are more emotionally engaged and there is a positive impact on school performance

Research supports that low-intensity activities promote good health when done regularly (Banzer 2011; Levine 2002; Burzynska et al. 2014; Altenburg et al. 2015). Jean Piaget, psychologist, showed that sensomotoric skills are foundational to a child's development, and a lack of proprioceptive experiences can lead to issues with posture, concentration, and learning. Conversely, integrating exercise into school life has been linked to improved academic performance.



(Project "Schnecke" by the Ministry of Education in the State Hessen/Germany 2014)


Movement stimulates higher test scores.

Studies show that students with regular movement breaks have significantly better test scores. Even small, responsive changes like flexible seating can improve performance. Movement is integral to thinking and learning, with everyday activities (e.g., fidgeting) being essential for cognitive and physical health.

"Watching a child makes it obvious that **development of body and mind** comes through *movement*."

– Maria Montessori





Seating Chart Recommendation:

One size *does not* fit all—customizing seating enhances collaboration and productivity.

Choosing the right sizes for you.


VS' tables and chairs are ergonomically designed. Their outstanding ergonomic properties are confirmed by the quality label awarded by the Healthy Back Campaign (*Aktion Gesunder Rücken e.V.*).

Correct sitting and ergonomic working can only be achieved when the student's chair is regularly adapted to suit their height. In the DIN EN 1729 standard, body height and seat/table height have been correlated and six table and seat sizes have been determined. The decisive factor is the regular checking of the size and individual selection because the height of students in one class depends on their individual development and can vary considerably. In other words, each student needs a chair and table which suits his or her height. Children vary in size. This is why they often sit at furniture combinations that are not suited for them. Appropriately sized furniture is essential for optimum concentration levels and growth. Without correctly sized furniture, students could suffer from posture damage, and head and back pain.

The six chair sizes can be easily recognized by their colored dots. They range from a seat height of 12.25 inches in size 2 up to a seat height of 20.1 inches in size 7. The corresponding sit at table heights range from 20.9 inches to 32.3 inches. This range provides students, whether they are 3 foot 6 inches or 6 foot 9 inches tall, with the correct sitting and working conditions.

Physical activity is not only healthy, it's smart. ——

Consider the evidence.



No Exercise

Exercise

Movement is the way forward.

Thinking and learning do not just happen in the head. From the moment of birth until an advanced age, the body is an integral part of well-being and of all intellectual processes. This also includes many intuitive activities that most of us are not even aware of and that emerge rather incidentally.

Researchers refer to these as "Non-exercise activity thermogenesis" (NEAT) (Levine 2002). They include all musculature activities that are not consciously organized and include everyday physical activities such as moving a chair back and forth, intuitive changes of position when standing or working on the floor, moving one's hands while talking, and even nervous foot-tapping.

Interior design contributes to an enriched learning environment.

Neuroscientific research highlights how enriched environments stimulate neuroplasticity and enhance learning. An active learning environment improves brain function and memory. Regular physical activity has cognitive benefits, especially for children with ADHD. The benefits of movement extend to longterm health and academic success.

Interaction between an organism and its environment can lead to important neurobehavioral changes – having a powerful effect on brain functions and structure, on learning and memory functions.

(Ickes et al., 2002 / KEMPERMANN et al., 1997 / ROJAS VEGA et al., 2010)

Ergo-Dynamics

Furniture in learning spaces plays a crucial role in influencing learning behavior and social interactions, offering opportunities for posture changes and movement. Research shows that relying solely on traditional furniture, like chairs and tables, leads to physical and mental health issues. Studies highlight the dangers of passive sitting, with low energy expenditure linked to obesity, type II diabetes, high blood pressure, dementia, and even cancer (Dunstan et al. 2012; Katzmarzyk et al. 2009; Haly et al. 2017; Healy et al. 2008). In Western culture, children often sit for up to 10 hours a day, with poor posture, creating a harmful pattern that needs to be addressed.

People aged...

- 6 –10 should not sit still more than 5 minutes at a time.
- 11 15 should not sit still more than 10 minutes at a time.
- 16+ should not sit still more than 20 minutes at a time.

A healthy recommendation for the school day.

- 50% sitting (dynamic sitting on agile chairs)
- 30% standing
- 20% movement within the space





Seating opens up the conversation.

When you specify chairs, they should enable a high degree of freedom in your learning space. Easily adjustable to individual body heights. And flexible enough to respond to free flowing body movements.

It's key to understand that students at any age are not able to sit still for long periods of time. Having the ability to sit, stand, and move around is always optimal for healthy, growing, and often fidgety bodies. That's why chairs should not be used for long-term sitting and should feature agile, threedimensional sitting, enabling micro and macro movements.

Multi-dimensional seat mobility promotes the right kinds of complex interactions between legs, pelvis, spine, shoulders, and head. In particular, "unlocking" of the pelvis is very important. The biomechanical analysis of the body shows pelvic movement activates the entire muscular and skeletal systems, benefiting the body in myriad ways.







FIGURE FROM: LUDWIG AND BREITHECKER 2008 On the top right quadrant, you'll see a significant increase of oxygen supply while seated on a chair with 3D function. Compare this image to the left-hand side, which shows how sitting in a rigid chair leads to deficient circulation.





JUMPER Air Stool

Four-legged stool, cross-legged stool.

Four-legged stool.

Frame made of welded, powder-coated or chrome-plated tubular steel. Optionally with castors. **Stool** in 5 fixed heights.

Seat shell made of double-walled, structured polypropylene (Air) for comfortable sitting with air cushion effect. Seat with rounded corners and concealed fastening.

Features and options. Glides or castors for hard or soft floors or 2C universal glides. See table for maximum stacking quantity.

Cross-legged stool.

Frame consisting of an aluminium cross base and a gas spring with plastic cover. Optionally with castors. **Height-adjustable** and swivelling stool.

Seat shell made of double-walled, structured polypropylene (Air) for comfortable sitting with air cushion effect. Seat with rounded corners and concealed fastening.

Features and options. Glides or castors for hard or soft floors or 2C universal glides.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4.

		Seating heights (± 0.4 in) for students' stools 3 = 13.8 in 4 = 15 in 5 = 16.95 in 6 = 18.15 in 7 = 20.1 in	\bigwedge		<u>↓</u>
JUMPER Air Stool	Fix		33700	33702	
	Lift				33714
		Fixed height	34567	6	
		Variable height adjustment			15.4-20.4 in (466)
		Seat w×d in		13.4×13.4	4
		Stacking height	1	0	
		Height increase with castors in			+ 1



JUMPER Air Stool Plus

High stool.

Frame made of welded, powder-coated or chrome-plated round steel tube with footrest.

Stool in 5 fixed heights.

Seat made of double-walled, structured polypropylene (Air) for comfortable sitting with air cushion effect. Seat with rounded corners and concealed fastening.

Features and options. Glides for hard or soft floors or 2C universal glides. See table for maximum stacking quantity. **The following material groups are available:** Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4.

JUMPER Air Stool Plus		33704	33706	33708	33710	33712
	Total h in	24.05	28.35	29.95	31.15	32.7
	Seat to foot position h in			18.15		
	Seat w×d in			13.4×13.4		
	Optimum table height in	33.1-35.85	37.45-40.2	39-41.75	40.2-42.95	41.75-44.5
	Stacking height			7	· · · · · ·	



JUMPER Air Active

Forward-flexing cantilever student chair.

Frame made from bent, powder-coated, or chrome-plated round steel tube. For sizes 4-7 with extra sturdy cross-strut between the skids. The chair is stackable (see table).

Chair sizes in 6 fixed heights in accordance with DIN EN 1729.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole. Seat shell available in 4 sizes. Comfort model for sizes 5 and 6 offer a larger seat shell for added comfort.

Equipment and options: Glides for hard floors, soft floors, or 2-component universal glides.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4.

		Seating heights (± 0.4 in) for students' chairs 2 = 12.25 in 3 = 13.8 in 4 = 15 in 5 = 16.95 in 6 = 18.15 in 7 = 20.1 in	3	R	2
JUMPER Air Active				33400	
	Comfort				33401
		Fixed height	23	4567	
		Fixed height in			16.95(18.15)
		Seat shell	S S	MMLXL	L XL
		Stacking height		5	



JUMPER Air Active

Forward-sprung cantilever teacher chair.

Frame made from bent, powder-coated, or chrome-plated round steel tube. Comes with extra sturdy cross-strut between the skids. The chair is stackable (see table).

Seat shell made from double-walled, structured polypropylene (Air) for comfortable sitting with air-cushion effect. The shell is manufactured with an inset groove for concealed frame attachment and is available in size L. Optionally available with upholstered seat consisting of plastic core with taut fabric cover.

Equipment and options: Glides for hard floors, soft floors, or 2-component universal glides.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4; Fabric cover: S40,46,51,52,64,74,78,79,80,82.

	Upholstery: Seat 0.6 in.		
JUMPER Air Active		33400	33402
	Seat w×h×d	17.35×18.15×16.75	5 17.95×18.75×16.75
	Total w×h×d	20.7×	32×20.6
	Seat shell		L
	Stacking height		5



JUMPER Air Active

Forward-flexing cantilever chair.

Frame made from bent, powder-coated, or chrome-plated round steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from double-walled, structured polypropylene (Air) for comfortable sitting with air-cushion effect. The shell is manufactured with an inset groove for concealed frame attachment and is available in sizes L and XL. Optionally available with upholstered seat, or all-around upholstery, each with taut fabric cover.

Equipment and options: Glides for hard floors, soft floors, or 2-component universal glides.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4,(white); Fabric cover: S40,46,51,52,64,74,78,79,80,82.

	Upholstery: Seat 0.6 in. Backrest 0.4 in.	3	3	F	F	Z	2
JUMPER Air Active		33410	33412	33413	33415	33416	33417
	Seat w×h×d	18.55×18.35×18.15	19.1×18.9×18.15	18.55×18.35×18.15	19.1×18.9×18.15	17.35×18.15×16.75	17.95×18.75×16.75
	Total w×h×d	21×33.45×21.55	21×33.65×21.55	24.25×33.45×21.55	24.25×33.65×21.55	20.45×3	2×20.3
	Armrest h		26.35				
	Seat shell		Х	L		Ĺ	
	Stacking height	5	i	3	3	5	



JUMPER Air Move

Height-adjustable swivel student chair.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. Available as Fixed model with nonadjustable seat height or height-adjustable Lift model.

Chair in fixed height or height-adjustable options.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole.

Equipment and options: Casters for hard floors or soft floors; plastic, felt, or 2-component universal glides. With piggyback hook for chair suspension on tabletops. Lift models optionally available with adjustable foot ring and with particularly easy-to-use 3D rocking mechanism. Model 33502 with reduced weight gas spring mechanism suitable for children.

The following material groups are available: Foot of aluminum: M1; Seat and backrest: C4.

	X	<i>S</i>	Seating heights (\pm 0.4 in) for students' chains 3 = 13.8 in 4 = 15 in 5 = 16.95 in 6 = 18.15 in 7 = 20.1 in When fitted with castors, the height increases by 0.95 in.		
		33501		Fix	JUMPER Air Move
33506	33502			Lift	
		6	Fixed height		
16.5-21.5 in (66)	13.8-17.3 in (345)		Variable height adjustment		
L	М	L	Seat shell		



JUMPER Air Move HS

Height-adjustable swivel student chair for multi-year environments.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism.

Chair for raised sitting at 28" high tables.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole.

Equipment and options: Casters for hard floors or soft floors; plastic, felt, or 2-component universal glides. With piggyback hook for chair suspension on tabletops. Optionally available with adjustable foot ring and with particularly easy-to-use 3D rocking mechanism.

The following material groups are available: Foot of aluminum: M1; Seat and backrest: C4.

		Seating heights (± 0.4 in) for students' chairs	
JUMPER Air Move HS	Lift		33503
		Variable height adjustment	16.5-21.5 in (3 4 5)
		Seat shell	М
		Optimum table height in	28



JUMPER Air Move

Height-adjustable swivel chair for kindergarten teachers.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism.

Chair sizes optimized for kindergarten teachers and adjustable to particularly low seat heights for eye-level work with children. **Seat shell** made from double-walled, structured polypropylene (Air) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole. Optionally available with upholstered seat consisting of plastic core with taut fabric cover.

Equipment and options: Casters for hard floors or soft floors; plastic, felt, or 2-component universal glides. With piggyback hook for chair suspension on tabletops. Optionally available with particularly easy-to-use 3D rocking mechanism.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4; Fabric cover: S40,46,51,52,64,74,78,79,80,82.

		Upholstery: Seat 0.6 in. When fitted with castors, the height increases by 0.95 in.		X
JUMPER Air Move	Kita (Low)		33538	33537
		Seat w×h×d	17.95×14.3-17.85×16.75	17.35×13.75-17.25×16.75
		Total w×h×d	23.65×28	-31.5×23.65
		Seat shell		L



JUMPER Air Move

Height-adjustable swivel chair for seated and standing workplaces.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. **Plus** model for raised seated/standing workplaces with casters that lock when subjected to weight, and a height-adjustable foot ring that can be adjusted in 1.2" increments. Available as both a chair and armrest chair.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options: Depending on the model, casters for hard floors or soft floors; plastic, felt, or 2-component universal glides. Optionally available with particularly easy-to-use 3D rocking mechanism.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated, high polished Alu); Seat and backrest: C4,(white); Fabric cover: S40,46,51,52,64,74,78,79,80,82.

		Upholstery: Seat 0.6 in. Backrest 0.4 in.	K.	× ×	K	K	- Contraction of the second se			
JUMPER	Lift		33510	33512	33513	33515		33517		
Air Move		Seat w×h×d	18.55×17.6-22.6×18.15	19.1×18.2-23.2×18.15	18.55×17.6-22.6×18.15	19.1×18.2-23.2×18.15		17.95×17.1-22.05×16.75		
		Total w×h×d	27.05×33.4-38.4×27.05	27.05×32.75-37.8×27.05	27.05×33.4-38.4×27.05	27.05×32.75-37.8×27.05		23.7×30.75-35.8×23.7		
		Armrest h			263	1.05				
		Seat shell		Х	L			L		
		Height increase with castors		+ ().4			+ 0.95		
	Plus		33520	33522	33523	33525	33526	33527		
		Seat w×h×d	18.55×20.9-30.65×18.15	19.1×21.5-31.25×18.15	18.55×20.9-30.65×18.15	19.1×21.5-31.25×18.15	17.35×19.85-29.6×16.75	17.95×20.4-30.2×16.75		
		Total w×h×d	27.05×36.7-46.5×27.05	27.05×37.3-47.1×27.05	27.05×36.7-46.5×27.05	27.05×37.3-47.1×27.05	23.7×34.05	-43.8×23.7		
		Armrest h			29.35	5-39.1				
		Seat shell		Х	L		l	-		
		Height increase with castors		- 0	.08		+ 0	+ 0.95		



JUMPER Air Four Four-legged student chair.

Frame made from bent, powder-coated, or chrome-plated round steel tube. The chair is stackable (see table). **Chair sizes** in 6 fixed heights in accordance with DIN EN 1729.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole. Seat shell available in 4 sizes.

Equipment and options: Glides or casters for hard or soft floors or 2-component universal glides.

Accessories: Stacking trolley model 31198 for 1 stack of chairs (Size 6).

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4.

	Seating heights (± 0.4 in)		
	for students' chairs		
	• 2 = 12.25 in	\frown	
	• 3 = 13.8 in	$\langle \rangle$	
	• 4 = 15 in		
	• 5 = 16.95 in		
	• 6 = 18.15 in		
	●7 = 20.1 in		•
JUMPER Air Four		33300	33319
	Fixed height	234	567
	Seat shell	SSM	M L XL
	Stacking height	Į.	5



JUMPER Air Four Plus Chair for high sitting.

Frame made from bent, powder-coated, or chrome-plated round steel tube. The chair is stackable (see table). **Chairs** in 4 fixed heights for sitting at sit-stand or stand-at tables.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole.

Equipment and options: Glides for hard floors, soft floors, or 2-component universal glides.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4.

			R		
JUMPER Air Four Plus		33304	33305	33306	33307
	Seat w×h×d in	17.35×24.05×16.75	17.35×28.35×16.75	17.35×29.95×16.75	17.35×32.7×16.75
	Total w×h×d in	20.4×37.45×21.85	20.6×41.75×22.55	20.65×43.35×23.55	20.65×46.15×24.5
	Distance of seat to floor in	24.05	28.35	29.95	32.7
	Distance of seat to foot position h in		18	15	
	Optimum table height in	33.1-35.85	37.45-40.2	39-41.75	41.75-44.5
	Seat shell		l	-	
	Stacking height		Ę	5	



JUMPER Air Four Four-legged teacher chair.

Frame made from bent, powder-coated, or chrome-plated round steel tube. The chair is stackable (see table). **Seat shell** made from double-walled, structured polypropylene (Air) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole. Optionally available with upholstered seat consisting of plastic core with taut fabric cover.

Equipment and options: Glides or casters for hard or soft floors or 2-component universal glides.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4; Fabric cover: S40,46,51,52,64,74,78,79,80,82.

		Upholstery: Seat 0.6 in.		
JUMPER Air Four			33316	33317
		Total w×h×d	20.2×31.9	9×20.85
	Castors		33320	33321
		Total w×h×d	21.1×31.	5×21.8
		Seat w×h×d	17.35×18.15×16.75	17.95×18.75×16.75
		Seat shell	Ĺ	
		Stacking height	5	



JUMPER Air Four Four-legged chair.

Frame made from bent, powder-coated, or chrome-plated round steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from double-walled, structured polypropylene (Air) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole. Optionally available with upholstered seat or all-around upholstery, each with taut fabric cover.

Equipment and options: Glides or casters for hard or soft floors or 2-component universal glides.

Accessories: Stacking trolley model 31198 for 1 stack of chairs.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4,(white); Fabric cover: S40,46,51,52,64,74,78,79,80,82.

		Upholstery: Seat 0.6 in. Backrest 0.4 in.			TRA			
JUMPER Air Four			33310	33312	33313	33315	33316	33317
		Total w×h×d	21.2×33×22.3	21.2×33.3×22.45	24.25×33×22.3	24.25×33.3×22.45	20.2×31.9×20.85	
	Castors		33323	33325	33326	33328	33320	33321
		Total w×h×d	22.05×33×24.5	22.05×33.3×24.5	24.1×33×23	24.1×33.3×33.6	21.1×31.	5×21.8
		Seat w×h×d	18.55×18.15×18.15	19.1×18.75×18.15	18.55×18.15×18.15	19.1×18.75×18.15	17.35×18.15×16.75	17.95×18.75×16.75
		Armrest h			25	.8		
		Seat shell		Х	L		L	
		Stacking height	5	5	3		5	



JUMPER Air Meet

Backward-flexing cantilever chair.

Frame made from bent, powder-coated, or chrome-plated round steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from double-walled, structured polypropylene (Air) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options: Glides for hard floors, soft floors, or 2-component universal glides.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4,(white); Fabric cover: S40,46,51,52,64,74,78,79,80,82.

	Upholstery: Seat 0.6 in. Backrest 0.4 in.	R		12		R	
JUMPER Air Meet		33610	33612	33613	33615	33616	33617
	Seat w×h×d	18.55×18.6×18.15	19.1×19.15×18.15	18.55×18.6×18.15	19.1×19.15×18.15	17.35×18.6×16.75	17.95×19.2×16.75
	Total w×h×d	20.95×35×22.45	20.95×35.2×22.45	24.25×35×22.45	24.25×35.2×22.45	20.2×33.	45×20.7
	Armrest h			27	.3		
	Seat shell		Х	L		Ĺ	-
	Stacking height	Ę	5	3	}	5	5





JUMPER Ply Stool

Four-legged stool, cross-legged stool.

Four-legged stool.

Frame made of welded, powder-coated or chrome-plated round steel tube. Optionally with castors. **Stool** in 5 fixed heights.

Seat with rounded corners made of plywood with anti-slip coating and concealed seat fastening. Optionally with an upholstered seat.

Equipment and options. Glides or castors for hard or soft floors or 2C universal glides. See table for maximum stacking quantity.

Cross-legged stool.

Frame consisting of an aluminium cross base and a gas spring with plastic cover. Optionally with castors.

Height-adjustable and swivelling stool.

Seat with rounded corners made of plywood with non-slip coating and concealed seat fastening. Optionally with an upholstered seat.

Equipment and options. Glides or castors for hard or soft floors or 2C universal glides.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1,(natural oak); Fabric cover: S46,51,52,74,78,79,80.

	r .	Seating heights (± 0.4 in) for students' stools 3 = 13.8 in 4 = 15 in 5 = 16.95 in 6 = 18.15 in 7 = 20.1 in					×	×
JUMPER Ply Stool	Fix		33750		33752			
		with upholstery		33751		33753		
	Lift						33764	
		with upholstery						33765
		Fixed height	34560	67	(6		
		Variable height adjustment					14.3-19.35 in (4 5 6 🕖)	14.9-19.95 in (466)
		Seat w×d cm			×13.4			
		Stacking height		10				
		Height increase with castors mm					-	+1



JUMPER Ply Stool Plus

High stool.

Frame made of welded, powder-coated or chrome-plated round steel tube with footrest.

Stool in 5 fixed heights.

Seat with rounded corners made of plywood with anti-slip coating and concealed seat fastening. Optionally with upholstered seat.

Features and options. Glides for hard or soft floors or 2C universal glides. See table for maximum stacking quantity.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1,(natural oak); Fabric cover: S46,51,52,74,78,79,80.

JUMPER Ply Stool Plus											
JUMPER Ply Stool Plus		33754		33756		33758		33760		33762	
	with upholstery		33755		33757		33759		33761		33763
	Total h in	24.	24.05		35	29.95		31.15		32.7	
	Seat to foot position h in		18.15								
	Seat w×d in					13.4>	:13.4				
	Optimum table height in	33.1-3	35.85	37.45-40.2		39-41.75		40.2-42.95		41.75-	-44.5
	Stacking height					7	'				



JUMPER Ply Active

Forward-flexing cantilever student chair.

Frame from bent, powder-coated, or chrome-plated round steel tube. For sizes 4-7 with extra sturdy cross-strut between the skids. The chair is stackable (see table).

Chair in 6 fixed heights in accordance with DIN EN 1729.

Seat shell made from plywood (Ply) with anti-slip paint, with hidden frame attachment and grip hole. Comfort model for sizes 5 and 6 offer a larger seat shell for added comfort.

Equipment and options: Glides for hard floors, soft floors, or 2-component universal glides.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1.

		Seating heights (± 0.4 in) for students' chairs 2 = 12.25 in 3 = 13.8 in 4 = 15 in 5 = 16.95 in 6 = 18.15 in 7 = 20.1 in	2		
JUMPER Ply Active				33450	
	Comfort				33451
		Fixed height	23	4560	
		Fixed height in			16.95(18.15)
		Seat shell	S S	MMLXL	L XL
		Stacking height		5	



JUMPER Ply Active

Forward-flexing cantilever chair.

Frame made from bent, powder-coated, or chrome-plated round steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from plywood (Ply) with anti-slip paint, with hidden frame attachment and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options: Glides for hard floors, soft floors, or 2-component universal glides.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1,(natural oak); Fabric cover: S40,46,51,52,64,74,78,79,80,82.

	Upholstery: Seat 0.6 in. Backrest 0.4 in.	and the second s		3	T	T	F	3
JUMPER Ply Active		33460	33461	33462	33463	33464	33465	33466
	Seat w×h×d	18.55×18.35×17.45	19.1×18.	9×17.45	18.55×18.35×17.45	19.1×18.	9×17.45	17.35×18.35×16.65
	Total w×h×d	21×33.6	5×21.55	21×33.8×21.55	24.25×33	8.6×21.55	24.25×33.8×21.55	20.45×32.15×20.3
	Armrest h					26.35		
	Seat shell			X	L			L
	Stacking height		5			3		5



JUMPER Ply Move

Height-adjustable swivel student chair.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. **Chair** is height-adjustable.

Seat shell made from plywood (Ply) with anti-slip paint, with hidden frame attachment and grip hole.

Equipment and options: Casters for hard floors or soft floors; plastic, felt, or 2-component universal glides. With piggyback hook for chair suspension on tabletops. Optionally available with adjustable foot ring and with particularly easy-to-use 3D rocking mechanism. Model 33552 with reduced weight gas spring mechanism suitable for children.

The following material groups are available: Foot of aluminum: M1; Seat and backrest: H1.

		Seating heights (± 0.4 in)		
		for students' chairs		
		● 3 = 13.8 in		
		• 4 = 15 in		
		• 5 = 16.95 in		
		• 6 = 18.15 in		
	\mathbf{Q}	•7 = 20.1 in		
		When fitted with castors, the		
		height increases by 0.95 in.		
	33552		Lift	JUMPER Ply Move
16.35-22.35 in (66)	13.15-17.1 in (345)	Variable height adjustment		
L	М	Seat shell		



JUMPER Ply Move HS

Height-adjustable swivel student chair for multi-year environments.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism.

Chair for raised sitting at 28" high tables.

Seat shell made from plywood (Ply) with anti-slip paint, with hidden frame attachment and grip hole.

Equipment and options: Casters for hard floors or soft floors; plastic, felt, or 2-component universal glides. With piggyback hook for chair suspension on tabletops. Optionally available with adjustable foot ring and with particularly easy-to-use 3D rocking mechanism.

The following material groups are available: Foot of aluminum: M1; Seat and backrest: H1.

		Seating heights (\pm 0.4 in) for students' chairs \bigcirc 3 = 13.8 in \bigcirc 4 = 15 in \bigcirc 5 = 16.95 in When fitted with castors, the height increases by 0.95 in.	
JUMPER Ply Move HS	Lift		33553
		Variable height adjustment	16.45-22.45 in (345)
		Seat shell	М
		Optimum table height in	28



JUMPER Ply Move

Height-adjustable swivel chair for kindergarten teachers.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism.

Chair sizes optimized for kindergarten teachers

and adjustable to particularly low seat heights for eye-level work with children.

Seat shell made from plywood (Ply) with anti-slip paint, with hidden frame attachment and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options: Casters for hard floors or soft floors; plastic, felt, or 2-component universal glides. With piggyback hook for chair suspension on tabletops. Optionally available with particularly easy-to-use 3D rocking mechanism.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,74,78,79,80,82.

		Upholstery: Seat 0.6 in. When fitted with castors, the height increases by 0.95 in.			
JUMPER Ply Move	Kita (Low)		33587	33588	33589
		Seat w×h×d	17.35×13.2-17.15×16.65	17.95×13.8-17.75×16.65	17.95×13.8-17.75×16.65
		Total w×h×d	23.65×27.45	5-31.4×23.65	23.65×27.6-31.6×23.65
		Seat shell		L	



JUMPER Ply Move Height-adjustable swivel chair for seated and

standing workplaces.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. **Plus** model for raised seated/standing workplaces with casters that lock when subjected to weight, and a height-adjustable foot ring that can be adjusted in 1.2" increments. Available as both a chair and armrest chair.

Seat shell made from plywood (Ply) with anti-slip paint, with hidden frame attachment and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options: Depending on the model, casters for hard floors or soft floors; plastic, felt, or 2-component universal glides. Optionally available with particularly easy-to-use 3D rocking mechanism.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated, high polished Alu); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,74,78,79,80,82.

		Upholstery: Seat 0.6 in. Backrest 0.4 in.	No.	e de la companya de l		N.	A A A A A A A A A A A A A A A A A A A	A A		
JUMPER	Lift		33560	33561	33562	33563	33564	33565		
Ply Move		Seat w×h×d	18.55×17.75-23.75×17.45	19.1×18.35-	24.3×17.45	18.55×17.75-23.75×17.45	19.1×18.35-	24.3×17.45		
		Total w×h×d	27.05×33.4-3	39.4×27.05	27.05×33.6-39.4×27.05	27.05×33.4-3	39.4×27.05	27.05×33.6-39.4×27.05		
		Armrest h					25.95-31.9			
		Seat shell	XL							
		h+ (with castors)	+ 0.4							
	Plus		33570	33571	33572	33573	33574	33575	33576	
		Seat w×h×d	18.55×21.3-32.1×17.45	19.1×21.9-3	32.7×17.45	18.55×21.3-32.1×17.45	19.1×21.9-	32.7×17.45	17.35×20.05-32.7×16.65	
		Total w×h×d	25.8×36.95-47.8×25.8	25.8×37.55-48.4×25.8	25.8×37.75-48.6×25.8	25.8×36.95-47.8×25.8	25.8×37.55-48.4×25.8	25.8×37.75-48.6×25.8	23.7×34.3-45.15×23.7	
		Armrest h					29.5-40.3	-		
		Seat shell			XL					
		h+ (with castors)			+ (0.08			+ 0.95	



JUMPER Ply Four Four-legged student chair.

Frame made from bent, powder-coated, or chrome-plated round steel tube. The chair is stackable (see table). **Chair** in 6 fixed heights in accordance with DIN EN 1729.

Seat shell made from plywood (Ply) with anti-slip paint, a hidden frame attachment, and grip hole.

Equipment and options: Glides or casters for hard or soft floors or 2-component universal glides.

Accessories: Stacking trolley model 31198 for 1 stack of chairs (Size 6).

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1.

	Seating heights (± 0.4 in)		
	for students' chairs		
	• 2 = 12.25 in		
	● 3 = 13.8 in		
	• 4 = 15 in		
	●5 = 16.95 in		
	●6 = 18.15 in		
	•7 = 20.1 in		
JUMPER Ply Four		33350	33369
	Fixed height	234	567
	Seat shell	S S M	M L XL
	Stacking height		5



JUMPER Ply Four Plus Chair for high sitting.

Frame made from bent, powder-coated, or chrome-plated round steel tube. The chair is stackable (see table). **Chairs** in 4 fixed heights for sitting at sit-stand or stand-at tables.

Seat shell made from plywood (Ply) with anti-slip paint, a hidden frame attachment, and grip hole.

Equipment and options: Glides for hard floors, soft floors, or 2-component universal glides.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1,(natural oak).

JUMPER Ply Four Plus		33354	33355	33356	33357
	Seat w×h×d in	17.35×24.05×16.65	17.35×28.35×16.65	17.35×29.95×16.65	17.35×32.7×16.65
	Total w×h×d in	20.4×37.6×21.95	20.6×41.9×22.65	20.65×43.55×22.9	20.75×46.3×23.4
	Distance of seat to floor in	24.05	28.35	29.95	32.7
	Distance of seat to foot position h in		18.	15	
	Optimum table height in	33.1-35.85	37.45-40.2	39-41.75	41.75-44.5
	Seat shell		l		
	Stacking height		Ę	;	



JUMPER Ply Four Four-legged chair.

Frame made from bent, powder-coated, or chrome-plated round steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from plywood (Ply) with anti-slip paint, a hidden frame attachment, and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options: Glides or casters for hard or soft floors or 2-component universal glides.

Accessories: Stacking trolley model 31198 for 1 stack of chairs.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1,(natural oak); Fabric cover: S40,46,51,52,64,74,78,79,80,82.

		Upholstery: Seat 0.6 in. Backrest 0.4 in.							
JUMPER Ply Four			33360	33361	33362	33363	33364	33365	33366
		Total w×h×d	21.2×33	1×22.35	21.2×33.3×22.35	24.25×33	3.1×22.35	24.25×33.3×22.35	20.2×31.65×21
	Castors		33373	33374	33375	33376	33377	33378	33370
		Total w×h×d	22.05×33	3.15×24.5	22.05×33.3×22.95	24.1×33.1	15×22.95	24.1×33.35×22.95	21.1×31.7×21.8
		Seat w×h×d	18.6×18.15×17.45	19.15×18.	75×17.45	18.6×18.15×17.45	19.15×18.	.75×17.45	17.35×18.15×16.65
	Armrest h						25.8		
		Seat shell			Х	L			L
		Stacking height		5			3		5



JUMPER Ply Meet

Backward-flexing cantilever chair.

Frame made from bent, powder-coated, or chrome-plated round steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from plywood (Ply) with anti-slip paint, with hidden frame attachment and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options: Glides for hard floors, soft floors, or 2-component universal glides.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1,(natural oak); Fabric cover: S40,46,51,52,64,74,78,79,80,82.

	Upholstery: Seat 0.6 in. Backrest 0.4 in.				1 A		1	
JUMPER Ply Meet		33660	33661	33662	33663	33664	33665	33666
	Seat w×h×d	18.55×18.15×17.45	19.1×18.2	75×17.45	18.55×18.15×17.45	19.1×18.	75×17.45	17.35×18.15×16.65
	Total w×h×d	20.95×35	5.1×22.45	21.7×35.3×22.45	24.25×35	5.1×22.45	24.25×35.3×22.45	20.2×33.65×20.7
	Armrest h				27	.3		
	Seat shell			X	L			L
	Stacking height		5			3		5



PantoSwing-LuPo

Forward-flexing cantilever student chair.

Frame made from bent powder-coated or chrome-plated round steel tube. For sizes 4-7 with extra sturdy cross-strut between the skids.

Chair in 6 fixed heights in accordance with DIN EN 1729.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole. Comfort model for sizes 5 and 6 offer a larger seat shell for added comfort. **Equipment and options:** Glides for hard floors, soft floors, or 2-component universal glides. Optionally available with table edge protection for piggyback chair mounting.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1.

		Seating heights (± 0.4 in) for students' chairs ● 2 = 12.25 in ● 3 = 13.8 in ● 4 = 15 in ● 5 = 16.95 in ● 6 = 18.15 in ● 7 = 20.1 in	Optionally with table-edge protection for piggy-back chair mounting.	A N		
PantoSwing-LuPo					31400	
	Comfort					31401
		Fixed height		23	4560	
		Fixed height in				16.95(18.15)
		Seat shell		S S	MMLXL	L XL



PantoSwing-LuPo

Forward-flexing cantilever teacher chair.

Frame made from bent powder-coated or chrome-plated round steel tube.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options: Glides for hard floors, soft floors, or 2-component universal glides. Optionally available with table edge protection for piggyback chair mounting.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1; Fabric cover: S51,52,74,78,79,80.

	Upholstery: Seat 0.8 in. Backrest 0.6 in.	Optionally with table-edge protection for piggy-back chair mounting.			
PantoSwing-LuPo			31400	31479	
PantoSwing-Soft					31415
	Seat w×h×d		16.95×18.15×16.15	17.75×18.9×16.15	18.9×18.9×17.75
	Total w×h×d		20.7×3	2×19.9	20.5×32.9×21.5
	Seat shell		l	-	XL



PantoSwing-LuPo

Forward-flexing cantilever chair.

Frame made from bent powder-coated or chrome-plated round steel tube. Available as both a chair and armrest chair. **Seat shell** made from double-walled, structured polypropylene (LuPo) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole. Optionally with a taut, all-round fabric cover (Soft).

Equipment and options: Glides for hard floors, soft floors, or 2-component universal glides. Optionally available with table edge protection for piggyback chair mounting.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1,(white); Fabric cover: S51,52,74,78,79,80.

	Upholstery: Seat 0.8 in. Backrest 0.6 in.	Optionally with table-edge protection for piggy-back chair mounting.		R	Z	R
PantoSwing-LuPo			31410	31412		
PantoSwing-Soft					31413	31414
	Seat w×h×d		17.75×18	.15×17.75	18.9×18	.9×17.75
	Total w×h×d		20.5×32.5×21.5	22.65×32.5×21.5	20.5×32.9×21.5	22.65×32.9×21.5
	Armrest h			25.6		25.6
	Seat shell			Х	L	



PantoMove-LuPo

Height-adjustable swivel student chair.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. Available as Fixed model with nonadjustable seat height or height-adjustable Lift model.


Chair in fixed height or height-adjustable options.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole.

Equipment and options: Casters for hard floors or soft floors; plastic, felt, or 2-component universal glides. With piggyback hook for chair suspension on tabletops. Lift models optionally available with adjustable foot ring and with particularly easy-to-use 3D rocking mechanism. Model 31505 with reduced weight gas spring mechanism suitable for children.

The following material groups are available: Frame made of steel tube: M1; Seat and backrest: C1.

		Seating heights (\pm 0.4 in) for students' chairs 3 = 13.8 in 4 = 15 in 5 = 16.95 in 6 = 18.15 in 7 = 20.1 in When fitted with castors, the height increases by 0.95 in.	J.	J.	
PantoMove-LuPo	Fix		31501		
	Lift			31505	31506
		Fixed height	6		
		Variable height adjustment		13.45-16.95 in (345)	16.7-21.75 in (5 67)
		Seat shell	L	М	L



PantoMove-LuPo HS

Height-adjustable swivel student chair for multi-year environments.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism.

Chair for raised sitting at 28" high tables.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole.

Equipment and options: Casters for hard floors or soft floors; plastic, felt, or 2-component universal glides. With piggyback hook for chair suspension on tabletops. Optionally available with adjustable foot ring and with particularly easy-to-use 3D rocking mechanism.

The following material groups are available: Frame made of steel tube: M1; Seat and backrest: C1.

		Seating heights (± 0.4 in) for students' chairs	A CONTRACTOR
PantoMove-LuPo HS	Lift		31509
		Variable height adjustment	16.2-21.25 in (345)
		Seat shell	М
		Optimum table height in	28



PantoMove-LuPo

College chair with tray.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole.

Tray made from white solid core board, swiveling and mounted on a support on the right or left.

Equipment and options: Glides or casters for hard or soft floors or 2-component universal glides.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1.

		When fitted with castors, the height increases by 0.95 in.		l		
PantoMove-LuPo	Fix			31580		
	Lift					31581
		h in		18.15		16.25-19.75
		Seat shell				
		Tablet	left	right	left	right



PantoMove-LuPo

Height-adjustable swivel teacher chair.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole. Optionally available with upholstered seat consisting of plastic core with taut fabric cover.

Equipment and options: Depending on the model, casters for hard floors or soft floors; plastic, felt, or 2-component universal glides. Optionally available with particularly easy-to-use 3D rocking mechanism. With piggyback hook for suspension of chair on tabletops.

Plus model for raised seated/standing workplaces (26.8-45.3") with casters that lock when subjected to weight, and a heightadjustable foot ring that can be adjusted in 1.2" increments.

Kiga model optimized for kindergarten teachers and adjustable to particularly low seat heights for eye-level work with children. **The following material groups are available:** Frame made of steel tube: M1; Seat and backrest: C1; Fabric cover: S51,52,74,78,79,80.

		Upholstery: Seat 0.8 in. When fitted with castors, the height increases by 0.95 in.	A A		Contraction of the second seco		X	A.
PantoMove-LuPo	Lift		31506	31577				
	Plus (High)				31507	31578		
	Kiga (Low)						31508	31579
		Seat w×h×d	16.95×16.7-21.75×16.15	17.75×17.5-22.55×16.15	16.95×19.85-29.6×16.15	17.75×20.6-28.5×16.15	16.95×13.95-17.5×16.15	17.75×14.75-18.25×16.15
		Total w×h×d	23.7×30.9	5-36×23.7	23.7×34.1-	43.9×23.7	23.7×28.2-	31.65×23.7
		Seat shell			l	-		



PantoMove-LuPo

Height-adjustable swivel chair.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. Available as both a chair and armrest chair.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole. Optionally with a taut, all-round fabric cover (Soft).

Equipment and options: Glides or casters for hard or soft floors or 2-component universal glides. Optionally available with particularly easy-to-use 3D rocking mechanism.

Plus model for raised seated/standing workplaces with casters that lock when subjected to weight, and a height-adjustable foot ring that can be adjusted in 1.2" increments.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated, high polished Alu); Seat and backrest: C1,(white); Fabric cover: S51,52,74,78,79,80.

		Upholstery: Seat 0.8 in. Backrest 0.8 in.	e la	A Co				X C		
PantoMove-LuPo	Lift		31510	31511						
	Plus (High)				31512	31517				
PantoMove-Soft	Lift						31513	31514		
	Plus (High)								31515	31516
		Seat w×h×d	17.75×18.8-2	23.85×17.75	17.75×21.9	-31.7×17.75	18.9×19.4-2	4.45×17.75	18.9×22.65	-32.5×17.75
Total w		Total w×h×d	27.6×33.35	-38.4×27.6	27.6×36.9-	-46.7×27.6	27.6×34-3	9.05×27.6	27.6×37.05-	47.65×27.6
		Armrest h		25.6-30.2		28.9-38.75		25.6-30.6		28.9-38.75
		Seat shell				X	íL			



Compass-LuPo Four-legged student chair.

Frame made of bent and welded, powder-coated or chrome-plated round steel tube.

Chair in 6 fixed heights.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect. With concealed frame attachment and grip hole.

Equipment and options. Glides or castors for hard or soft floors or 2-component universal glides.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1.

		Seating heights (± 0.4 in)		
		for students' chairs		
		• 2 = 12.25 in		
		● 3 = 13.8 in		
		• 4 = 15 in		
		• 5 = 16.95 in		
		• 6 = 18.15 in		6 6
		•7 = 20.1 in		6
Compass	LuPo		31300	31304
		Fixed height	234	567
		Seat shell	S S M	M L XL



Compass-LuPo Plus Chair for high sitting.

Frame made from bent and welded powder-coated or chrome-plated round steel tube.

Chair in 3 fixed heights.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole.

Equipment and options: Glides for hard floors, soft floors, or 2-component universal glides.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1.

			R		
Compass Plus	LuPo		A2536	A2537	A2538
		Seat w×h×d in	16.95×24.05×18.95	16.95×28.35×18.95	16.95×29.95×18.95
		Total w×h×d in	21.15×37.8×23.75	21.5×42.1×26.3	21.65×3.7×27.25
		Seat to floor in	24.05	28.35	29.95
		Seat to foot position h in		18.15	
		Optimum table height in	33.1-35.85	37.45-40.2	39-41.75
		Seat shell		L	



Compass-LuPo

Four-legged teacher chair.

Frame made from bent and welded powder-coated or chrome-plated round steel tube.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole. Optionally available with upholstered seat consisting of plastic core with taut fabric cover.

Equipment and options: Glides for hard floors, soft floors, or 2-component universal glides.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1; Fabric cover: S51,52,74,78,79,80.

		Upholstery: Seat 0.6 in.	R	
Compass	LuPo		31300	31379
		h	18.15	18.75
		Seat w	16.95	17.75



Compass-LuPo Four-legged chair.

Frame made from bent and welded powder-coated or chrome-plated round steel tube. Models available with armrests with plastic cover, as a chair with row connector, or as a chair with tablet arm.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable sitting with air-cushion effect, with concealed frame attachment and grip hole. Optionally with a taut, all-round fabric cover (Soft).

Equipment and options: Glides or casters for hard or soft floors or 2-component universal glides. Certain models optionally available with storage basket under the seat.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1,(white); Fabric cover: S51,52,74,78,79,80.

		Upholstery: Seat 0.8 in. Backrest 0.6 in.	R	R	R	R	R	R	
Compass			LuPo			Soft			
			31310	31312	31306	31382	31384	31381	
		Total w×h×d	20.1×32.55×20.9	23.65×32.55×20.9	25.1×32.95×30.55	20.1×32.7×22.45	23.65×32.7×22.45	22.85×32.7×34.9	
	RV		31311			31383			
		Total w×h×d	21.5×32.55×20.9			21.5×32.7×22.45			
	Castors		31315	31317	31318	31387	31388	31389	
		Total w×h×d	21.3×32.55×20.9	23.65×32.55×20.9	25.55×32.95×30.55	21.3×32.7×22.45	23.65×32.7×22.45	25.55×32.7×30.75	
		Seat w×h×d		17.75×18.15×17.75		18.9×18.9×17.75			
		Armrest h		25.05			25.05		
		Seat shell			XI	L			
		RV spacing	21.1			21.1			



PantoSwing-VF

Forward-flexing cantilever student chair.

Frame made from bent powder-coated or chrome-plated round steel tube. For sizes 4-7 with extra sturdy cross-strut between the skids.

Chair in 6 fixed heights in accordance with DIN EN 1729.

Seat shell made from plywood (VF) with anti-slip paint, with hidden frame attachment and grip hole. Comfort model for sizes 5 and 6 offer a larger seat shell for added comfort.

Equipment and options: Glides for hard floors, soft floors, or 2-component universal glides. Optionally available with table edge protection for piggyback chair mounting.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1.

		Hauteur d'assise (± 1 cm) pour chaises scolaires • 2 = 31 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm • 7 = 51 cm	En option avec protection des chants pour appui sur table.	R		
PantoSwing-VF					31420	
	Comfort					31421
		Hauteurs fixes		23	4560	
		Hauteurs fixes cm				43(46)
		Coque assise		S S	MMLXL	L XL



PantoSwing-VF

Forward-flexing cantilever chair.

Frame made from bent powder-coated or chrome-plated round steel tube. Available as both a chair and armrest chair. **Seat shell** made from plywood (VF) with anti-slip paint, with hidden frame attachment and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options: Glides for hard floors, soft floors, or 2-component universal glides. Optionally available with table edge protection for piggyback chair mounting.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,74,78,79,80,82.

	Upholstery: Seat 0.6 in. Backrest 0.6 in.	Optionally with table- edge protec- tion for piggy- back chair mounting.						Ż
PantoSwing-VF			31430	31431	31432	31440	31441	31442
	Seat w×h×d		17.75×18.15×17.75	17.75×18.	75×17.75	17.75×18.15×17.75	17.75×18.	75×17.75
	Total w×h×d		20.5×33.5×21.5 22.65×33.5			2.65×33.5×21.5		
	Armrest h						25.6	
	Seat shell				X	-		



PantoMove-VF

Height-adjustable swivel student chair.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism.

Chair is height-adjustable.

Seat shell made from plywood (VF) with anti-slip paint, with hidden frame attachment and grip hole.

Equipment and options: Glides or casters for hard or soft floors or 2-component universal glides. With piggyback hook for chair suspension on tabletops. Optionally available with adjustable foot ring and with particularly easy-to-use 3D rocking mechanism. **The following material groups are available:** Frame made of steel tube: M1; Seat and backrest: H1.

		Seating heights (± 0.4 in) for students' chairs		
		3 = 13.8 in		
		• 4 = 15 in		
		• 5 = 16.95 in		
		• 6 = 18.15 in		
		•7 = 20.1 in		
		When fitted with castors, the		
		height increases by 0.95 in.		
PantoMove-VF	Lift		31525	31526
		Variable height adjustment	12.95-16.9 in (3 4 5)	16.35-22.35 in (66)
		Seat shell	М	L



PantoMove-VF HS

Height-adjustable swivel student chair for multi-year environments.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism.

Chair for raised sitting at 28" high tables.

Seat shell made from plywood (VF) with anti-slip paint, with hidden frame attachment and grip hole.

Equipment and options: Glides or casters for hard or soft floors or 2-component universal glides. With piggyback hook for chair suspension on tabletops. Optionally available with adjustable foot ring and with particularly easy-to-use 3D rocking mechanism.

The following material groups are available: Frame made of steel tube: M1; Seat and backrest: H1.

	Seating heights (± 0.4 in) for students' chairs 3 = 13.8 in 4 = 15 in 5 = 16.95 in When fitted with castors, the height increases by 0.95 in.	
PantoMove-VF HS Lift		31529
	Variable height adjustment	16.25-22.25 in (345)
	Seat shell	М
	Optimum table height in	28



PantoMove-VF

Height-adjustable swivel teacher chair.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism.

Seat shell made from plywood (VF) with anti-slip paint, with hidden frame attachment and grip hole.

Equipment and options: Glides or casters for hard or soft floors or 2-component universal glides. Optionally available with particularly easy-to-use 3D rocking mechanism.

Plus model for raised seated/standing workplaces with casters that lock when subjected to weight, and a height-adjustable foot ring that can be adjusted in 1.2" increments.

Kiga model optimized for kindergarten teachers and adjustable to particularly low seat heights for eye-level work with children. **The following material groups are available:** Frame made of steel tube: M1; Seat and backrest: H1; Fabric cover: S40,46,51,52,64,74,78,79,80,82.

		Upholstery: Seat 0.8 in. Backrest 0.8 in. When fitted with castors, the height increases by 0.95 in.					
PantoMove-VF	Lift		31526				
	Plus (High)			31527			
	Kiga (Low)				31530	31531	31532
		Seat w×h×d	16.95×16.35-22.35×17.35	16.95×19.95-30.7×17.35	16.95×13.05-17.05×17.35	16.95×13.85-17.8×17.35	16.95×13.85-17.8×17.35
		Total w×h×d	23.7×31.95-37.95×23.7	23.7×35.5-46.3×23.7		23.7×28.65×32.6×23.7	
		Seat shell			L		



PantoMove-VF

Height-adjustable swivel chair.

Frame consisting of an aluminum star-foot and a plastic-covered gas spring mechanism.

Seat shell made of plywood (VF) with anti-slip paint, with hidden frame attachment and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options: Depending on the model, casters for hard floors or soft floors; plastic, felt, or 2-component universal glides. Optionally available with particularly easy-to-use 3D rocking mechanism.

Plus model for raised seated/standing workstations with casters that lock when subjected to weight, and a height-adjustable foot ring that can be adjusted in 1.2" increments.

The following material groups are available: Frame made of steel tube: M1,(high polished Alu, chrome-plated); Seat and backrest: H1; Fabric cover: \$40,46,51,52,64,74,78,79,80,82.

		Upholstery: Seat 0.8 in. Backrest 0.8 in.			X	A A		X	
PantoMove-VF	Lift		31540	31541	31542	31545	31546	31547	
		Seat w×h×d	17.75×17.5-23.45×17.75	17.75×18.25-24.25×17.75		17.75×17.5-23.45×17.75	17.75×18.25-2	24.25×17.75	
		Total w×h×d	27.6×33.9-39.9×27.6	27.6×34.65	40.7×27.6	27.6×33.9-39.9×27.6	27.6×34.65-	40.7×27.6	
		Armrest h				25.75-31.7			
		Seat shell			X	XL			
	Plus (High)		31550	31551	31552	31555	31556	31557	
		Seat w×h×d	17.75×21-31.75×17.75	17.75×21.8-3	2.55×17.75	17.75×21-31.75×17.75	17.75×21.8-3	2.55×17.75	
		Total w×h×d	27.6×37.25-48×27.6	27.6×38-4	8.8×27.6	27.6×37.25-48×27.6	27.6×38-4	8.8×27.6	
		Armrest h					29.2-39.95		
		Seat shell			X	L			



Compass-VF Four-legged chair.

Frame made from bent and welded powder-coated or chrome-plated round steel tube. The chair is stackable (see table). **Chair** in 6 fixed heights in accordance with DIN EN 1729.

Seat shell made from plywood (VF) with anti-slip paint, with hidden frame attachment and grip hole.

Equipment and options: Glides or casters for hard or soft floors or 2-component universal glides.

Accessories: Stacking trolley model 31198 for 1 stack of chairs size 6 (18.15").

The following material groups are available: Frame made of steel tube: M1,2,7; Seat and backrest: H1,2.

		Seating heights (± 0.4 in)		
		for students' chairs	~	
		• 2 = 12.25 in		
		• 3 = 13.8 in		
		• 4 = 15 in		
		● 5 = 16.95 in		
		• 6 = 18.15 in		
		●7 = 20.1 in	ll l	6
Compass	VF		31320	31324
		Fixed height	234	567
		Seat shell	SSM	M L XL
		Stacking height	1	0



Compass-VF Four-legged chair.

Frame made from bent and welded powder-coated or chrome-plated round steel tube. Models available with armrests with plastic cover, as a chair with row connector, or as a chair with tablet arm. The chair is stackable (see table).

Seat shell made of plywood (VF) with anti-slip paint, with hidden frame attachment and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options: Glides or casters for hard or soft floors or 2-component universal glides. Certain models optionally available with storage basket under the seat.

Accessories: Stacking trolley model 31198 for 1 stack of chairs size 6 (18.15").

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,74,78,79,80,82.

		Upholstery: Seat 0.6 in. Backrest 0.6 in. VF/RV: w +1.4 in	P A		R	R	R	R	Provide the second seco	
Compass	VF		31330	31331	31332	31340	31341	31342	31350	
	VF (RV)		31335	31336	31337					
		Seat w×h×d	17.75×17.55×17.75 17.75×18.15×17.75			17.75×17.55×17.75	17.75×18.15×17.75		17.75×17.55×17.75	
		Total w×h×d		20.1×32.9×22.45			23.25×32.9×22.45			
		Armrest h					24.85			
		Stacking height			1	0				
		Seat shell		XL						
		RV spacing		21.1						
	VF (Castors)		31360	31361	31362	31365	31366	31367	31370	
		Seat w×h×d	17.75×17.75×17.75	17.75×18.	35×17.75	17.75×17.75×17.75	17.75×18.	.35×17.75	17.75×17.75×17.75	
		Total w×h×d		21.5×33.1×22.45			23.25×33.1×22.45		22.85×33.1×34.9	
		Armrest h					25.05			
		Stacking height				5				
		Seat shell				XL				



VS Stakki

Stackable, three-legged plastic chair.

Made from durable and extremely scratch-resistant glass-fiber reinforced polypropylene. Made from a single part and consisting of 100% recycled material (slight color variations possible due to recycled material). Able to be used indoors and outdoors - UV-rated to withstand the elements. The chair is stackable (see table).

Chair in 2 fixed heights.

Equipment and options: With 2-component universal glides.

Accessories: Stacking trolley model 03836 for 1 stack of chairs.

The following material groups are available: Body made of plastic: C6.

	Seating heights (\pm 0.4 in) for students' chairs • 4 = 15 in • 6 = 18.15 in	R
VS Stakki		03811
	Fixed height	4 6
	Seat w×d in	17.75×17.75 21.2×21.95
	Stacking height	7



Hokki/Hokki+


Wobble stool, height-adjustable wobble stool.

Made from durable and extremely scratch-resistant polypropylene, fully recyclable. Comes with a lightweight foam pad (grey) or optionally with an extra-soft padded artificial leather cushion (black). Thermoplastic base screwed to the polypropylene body. **Stool** in 4 fixed heights and 2 versions with gas spring height adjustment accessible from any position.

Function: Iconic wobble promotes flexibility and freedom of movement, allowing for a natural, 360-degree range of motion. Scalloped edge allows for a hang-on desk feature. The stools can be stacked together to save space. The fixed-height models are especially light and easy to carry by all ages.

The following material groups are available: Body made of plastic: C2.

		Seating heights (± 0.4 in) for students' stools • 2 = 12.25 in • 4 = 15 in • 5 = 16.95 in • 6 = 18.15 in • 7 = 20.1 in			
Hokki	Fix		03825		
Hokki+	Lift			03813	03814
		Fixed height	2460		
		Variable height adjustment		15-19.7 in (4 5 6 🕖)	19.7-26.8 in (🅖)
		Seat w in		13.6	
		Optimum table height	2460	24.05-31.5 in (4567)	28.8-38.6 in (🕖)



Solo

Four-legged stool.

Frame made from welded powder-coated round steel tube. The stool is stackable (see table). **Stool** in 5 fixed heights, with 4 foot rings positioned at different levels to serve as footrests. Seat made from plywood, wide seat pan without rivets so it won't catch on clothing. Features and options: Plastic or felt glides.

The following material groups are available: Frame made of steel tube: M1; Seat made of wood: H1.

Solo						03826
	Seat w in		13	3.8		
	Distance of seat to floor in	18.15	20.5	24.05	25.6	32.7
	Distance of seat to foot support h in	9.8/11.75/13.75/15.7	/15.7 11.75/13.75/15.7/17.65			
	Optimum table height in	27.2-29.95	29.55-32.3	33.1-35.85	34.65-37.45	41.75-44.5
	Stacking height			4		



LuPoStool Skid stool.

Frame made from welded U-shaped skid and seat supports made from chrome-plated or powder-coated oval steel tube. Piggyback design for storage on tabletops. The taller 2 heights come with a footrest. The chair is stackable (see table). **Stool** for high sitting in 3 fixed heights in accordance with DIN EN 1729.


Seat made from double-walled, structured polypropylene for comfortable sitting with air-cushion effect.

Equipment and options: Glides for hard floors, soft floors, or 2-component universal glides.

Accessories: Stacking wagon model 03414 for 2 stacks of stools and stacking trolley model 03415 for 1 stack of stools (18.15" height).

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C(black grey RAL 7021, dolphin grey).

		R			B	S	A A A A A A A A A A A A A A A A A A A
LuPoStool				03428			03429
	Seat w in			14	.6		
	Distance of seat to floor in	18.15	22.05	24.05	18.15	22.05	24.05
	Distance of seat to foot support h in		15.	75		15.	75
	Optimum table height in	27.2-29.95	31.15-33.9	33.1-35.85	27.2-29.95	31.15-33.9	33.1-35.85
	Stacking height	6	2	3	6	2	3



Rondo

Four-legged stool, height-adjustable swivel stool.

Rondo-Fix.

Frame made from welded powder-coated round steel tube. The stool is stackable (see table). **Stool** in 6 fixed heights.

Seat made from plywood with hidden frame attachment.

Features and options: Glides for hard floors or soft floors.

Rondo-Lift.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism.

Stool is height-adjustable.

Seat made from plywood.

Features and options: Glides or casters for hard or soft floors or 2-component universal glides. Stool can be swiveled. **The following material groups are available:** Frame made of steel tube: M1; Seat made of wood: H1.

		Seating heights (± 0.4 in) for students' stools		
		- 3 = 13.8 in		
		• 4 = 15 in		
		• 5 = 16.95 in		
		● 6 = 18.15 in		
		•7 = 20.1 in		
		When fitted with castors, the height increases by 1 in.		X
Rondo	Fix		03823	
	Lift			03822
		Fixed height	3 4 5 6 7 21.7 in	
		Variable height adjustment		14.8-19.7 in (4 🖯 🌀 🕖)
		Seat ø in	13	.8
		Optimum table height in	34567 30.75-33.5 in	23.85-31.5 in (4567)
		Stacking height	5.95	



Rondo Plus

Four-legged high stool.

Frame of welded powder-coated round steel tube with footrest.


Stool in 3 fixed heights.

Seat of plywood with hidden frame attachment.

Features and options: Glides for hard floors or soft floors.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat made of wood: H1.

Rondo	Plus		03816	03817	03818
		Seat ø in		13.8	
		Distance of seat to floor in	25.6	29.95	32.7
		Distance of seat to foot support h in	18.15	20.5	
		Optimum table height in	34.65-37.45	39-41.75	41.75-44.5



KN-39

Four-legged chair.


Frame made from welded powder-coated or chrome-plated round steel tube. The chair is stackable (see table). **Chair** in 2 fixed heights.

Seat and backrest of plywood with visible seat attachments. Optional firm upholstery on one side.

Features and options: Glides for hard floors or soft floors.

Accessories: Stacking cart model 03834 for 2 stacks and stacking trolley model 03835 for 1 stack of chairs of chair size 6. The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,74,76,78,79,80,82.

	Seating heights (\pm 0.4 in) for students' chairs \bullet 5 = 16.95 in \bullet 6 = 18.15 in			
KN-39		03901	03902	03903
	Fixed height	5 6		•
	Stacking height		10	



KN-39 Four-legged chair.

Frame made from welded powder-coated or chrome-plated round steel tube. Chairs with solid beech armrests or beech plywood writing tablet (left or right) available. Some models are stackable (see table).

Seat and backrest of plywood with visible seat attachments. Optional firm upholstery on one side.

Features and options: Glides for hard floors or soft floors, or steel caps. When using row linking (RV), the same types can be combined. Optionally with removable writing tablet (left or right).

Accessories: Stacking cart model 03834 for 2 stacks and stacking trolley model 03835 for 1 stack of chairs.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,74,76,78,79,80,82.

		Upholstery: Seat 0.6 in. Backrest 0.4 in.	R			R	R	R	R	R	R	
KN-39			03901	03902	03903	03916	03917	03918	03913	03914	03915	
	RV		03904	03905	03906							
		Seat w×h×d	15.6×18.15×17.55	15.6×18.	75×17.55	15.6×18.15×17.55	15.6×18.75×17.55		15.6×18.15×17.55 15.6×18.75×17.55		75×17.55	
		Total w×h×d	19	.55×30.95×20.9		22	2.85×30.95×20.9			22.3×30.95×26.7		
		Armrest h					28.05					
		Stacking height		10								
		RV spacing		19.95								

Seats worthy of a sigh.

Soft seating and lounge furnishings support the natural and changing need for hard work and recovery as well as excitement and relaxation. Depending on the work, they can also be used for relaxed and informal sharing or information processing, such as reading a book, quiet work, and more.

Lounge furniture with acoustic insulation offers places for retreat, relaxation, or private conversations.







ClubLounge

Seat and couch elements.

Upholstered-element system with table and seating elements.

Seating elements are stools, easy chairs, sofas, benches, and corners sofas in two different seat heights. Individual elements can be combined into entire seating landscapes. Elements made of a floor plate with plastic, felt, or 2-component universal glides, and a cushioned section of flame-retardant MVSS-302 foam material with leatherette cover.

Table element same as the stool, but with an internal chipboard body and a graphite-grey (RAL 7024) powder-coated sheet metal covering that can be used as a table and playing surface.

The following material groups are available: Fabric cover: \$40,64,82.

									\bigcirc
ClubLounge	Seat h = 13.4	09390	09391	09392	09393	09394	09395	09396	
	Total w×h×d	20.9×13.4×21.5	41.75×13.4×21.5	62.6×13.4×21.5	20.9×25.2×24.6	41.75×25.2×24.6	62.6×25.2×24.6	41.75×25.2×41.75	
	Seat h = 16.55	09350	09351	09356	09352	09353	09357	09354	
	Total w×h×d	25.6×16.55×22.05	51.2×16.55×22.05	70.9×16.55×22.05	25.6×31.5×34.65	51.2×31.5×34.65	70.9×31.5×34.65	51.2×31.5×51.2	
	Table h = 16.55								09355
	w×d								25.6×33.5



Series Lounge Swivel armchairs.

Range of upholstered furniture consisting of armchairs with low or high backrests.

Design consisting of a stable, wood-based body with foam cushioning and cotton wool fleece lining. With a close fit between seat surface and backrest.

Frame made from a 5-spoke tubular steel structure with two seat heights and gas spring with swivel function, depth suspension, and optionally with spring-back function (for model 30188). Glides for hard floors or soft floors.

Equipment and options: Round upholstered cushion with central button-type gathering.

The following material groups are available: Frame made of steel: M(chrome-plated, black RAL 9011); Fabric cover: S46,51,78,79,80.

			R	-
Serie Lounge		30186	30188	30189
	w×h×d	31.7×52.2×32.3	31.85×28.75 (29.95)×31.85	17.75×3.95×17.75
	Seat w×h×d	17.7×16		
	Seat h retrorotation function		16.55 (17.75)	
	Total h retrorotation function		28.35 (29.55)	



Serie Lounge

Linear seating elements.

Range of upholstered furniture including stools, benches, armchairs, and sofas based on the use of cubic elements with low, high, or no backrest. With functional gap between the seat surface and backrest for the insertion of variable-position armrests. **Design** consisting of a stable, wood-based body with foam cushioning and cotton wool fleece lining.

Frame made from round steel brackets with two seat heights. Glides for hard floors, soft floors, or 2-component universal glides and .78" height adjustment.

Combination: Individual elements can be combined to form full seating landscapes.

The following material groups are available: Frame made of steel: M(chrome-plated, black RAL 9011); Fabric cover: S46,51,74,78,79,80.

												Eller A	
Serie Lounge		30120	30121	30122	30125	30126	30127	30110	30113	30111	30191	30190	30195
	Seat w×d	31.5×31.5	47.25×31.5	63×31.5	31.5×19.7	47.25×19.7	63×19.7	31.5×19.7	47.25×19.7	63×19.7			
	Total w×d				31.5×31.5	47.25×31.5	63×31.5	31.5×31.5	47.25×31.5	63×31.5	10.25×22.05		
	Seat h					15.75 (18.15)							
	Total h		15.75 (18.15)			28.35 (30.75)			53.95 (56.3)		5.95		
												Connector set	Powersocket



Series Lounge

Chaise lounge and corner elements.

Range of upholstered elements consisting of corner elements and chaise lounges, based on the use of cubic elements with low backrest. With functional gap between the seat surface and backrest for the insertion of variable-position armrests. **Design** consisting of a stable, wood-based body with foam cushioning and cotton wool fleece lining.

Frame made from round steel brackets with two seat heights. Glides for hard floors, soft floors, or 2-component universal glides and .78" height adjustment.

Combination: Individual elements can be combined to form full seating landscapes.

The following material groups are available: Frame made of steel: M(chrome-plated, black RAL 9011); Fabric cover: S46,51,74,78,79,80.

						Start Start
Serie Lounge		30130	30131	30132	30133	30190
	w×h×d					
	Seat w×h×d					
						Connector set



Series Lounge

Curved seating elements.

Range of upholstered furniture including stools, benches, armchairs, and sofas based on the use of curved 60° or 90° elements with low, high, or no backrest. With functional gap between the seat surface and backrest for the insertion of variable-position armrests.

Design consisting of a stable, wood-based body with foam cushioning and cotton wool fleece lining.

Frame made from round steel brackets with two seat heights. Glides for hard floors, soft floors, or 2-component universal glides and .78" height adjustment.

Combination: Individual elements can be combined to form full seating landscapes.

The following material groups are available: Frame made of steel: M(chrome-plated, black RAL 9011); Fabric cover: S46,51,74,78,79,80.

	0 47.3 0 110.25 0 110.25		2						Stand P
Serie Lounge		30123	30124	30128	30129	30112	30114	30192	30190
	Seat w×d	23.65/55.15×31.5	33.5/78.8×31.5	23.65/55.15×19.7	33.5/78.8×19.7	23.65/55.15×19.7	13.8×19.7		
	Total w×d	55.15×31.5	78.8×31.5	55.15×31.5	78.8×31.5	55.15×31.5	31.5×31.5	0.4.1×0.9.0.04	
	Seat h								
	Total h	15.8	(18.15)	28.4 (30.75)	53.95 (5	56.3)	5.95	
	Arch segment	60°	90°	60°	90°	60°	90°		
									Connector set



Series Lounge

Vis-a-Vis elements.

Range of upholstered furniture with 90° corner elements based on the use of cubic elements with high backrest. With functional gap between the seat surface and backrest for the insertion of variable-position armrests. A technical element makes it possible to integrate a table, display, and light.

Design consisting of a stable, wood-based body with foam cushioning and cotton wool fleece lining.

Frame made from round steel brackets with two seat heights. Glides for hard floors, soft floors, or 2-component universal glides and .78" height adjustment.

Combination: Multiple elements can be combined to create a closed-off island for communication.

The following material groups are available: Frame made of steel: M(chrome-plated, black RAL 9011); Fabric cover: S46,51,74,78,79,80.

										and the second s	.V.	
Serie Lounge		30115	30117	30119	30116	30118	30114	20115	20116	30190	30193	30194
Vis-a-Vis	Seat w		31.5/51.2			31.5/51.2	13.8					
	Seat h		15.75 (18.15)									
	Seat d			1	9.7							
	Total w	47.25	63	31.5	47.25	63	31.5	32.5	48.25			
	Total h			53.9	(56.25)			26.8 (29.15)			
	Total d		31.5	12.05			31.5					
	Segment		left	centre		right	90°					
										Connector set	Screen holder	LED lamp




Series Lounge Occasional tables.

Individual tables consisting of a tabletop with two skids of round steel bars with glides for hard floors, soft floors, or 2-component universal glides.

Tabletop of laminated- or veneer-coated LIGNOpal chipboard with plastic or wooden edge and square corners. **The following material groups are available:** Frame made of steel tube: M(chrome-plated, black RAL 9011); Top made of LIGNOpal: L6; Top veneered: F1.

Serie Lounge		20106	20100	20102	20101	20114
	w×d / ø	23.65×23.65	31.5×31.5	63×31.5	43.35	25.6×11.85
	h		7.5(1	2.8)		24.05(26.4)



Series Lounge Occasional tables.

Individual tables consisting of a tabletop and 4-spoke steel tube frame. Articulated glides with felt, plastic, or steel cap. Tabletop of laminated- or veneer-coated LIGNOpal chipboard with plastic or wooden edge and square corners. The following material groups are available: Frame made of steel tube: M(chrome-plated, black RAL 9011); Top made of LIGNOpal: L6; Top veneered: F1.

			\sim		
Serie Lounge		20110	20111	20112	20113
	w×d / ø	23.65×23.65	27.6	23.65×23.65	27.6
	h	13	.8	26	.8



AddLounge-Q

Lounge and laptop table with round tubular column.

Frame consisting of a square column and a rectangular disc base, with felt glides, each powder-coated.

Table top, rectangular, made of melamine resin, laminate or veneer-coated chipboard with glued-on plastic or wooden edge or a high-strength HPL solid core board .

The following material groups are available: Frame made of steel tube: M(black RAL 9011); Top made of chipboard: L6; Chipboard with laminate: L2; Top veneered: F1; HPL-top: L4,(white writable).

AddLounge-Q		20107
	w×d in	21.7×15.75
	h in	18.85 (26.7)
	maximum load kg	15



AddLounge-R

Lounge and laptop table with round tubular column.

Frame consisting of a round column and a round plate base, with felt glides, each powder-coated.

Table top, round, made of melamine resin, laminate or veneer-coated chipboard with glued-on plastic or wooden edge or a high-strength HPL solid core board

The following material groups are available: Frame made of steel tube: M(black RAL 9011); Top made of chipboard: L6; Chipboard with laminate: L2; Top veneered: F1; HPL-top: L4,(white writable).

		F
AddLounge-R		20108
	øin	19.7
	h in	18.85 (26.7)
	maximum load kg	15



RondoLounge-Q

Lounge table with square tubular column and square plate base.

Frame consisting of a square central column and a square plate base, with plastic or felt glides, each powder-coated. **Table top**, square, made of melamine resin, laminate or veneer-coated chipboard with glued-on plastic or wooden edge or high-strength HPL solid core board.

The following material groups are available: Frame made of steel tube: M2; Top made of chipboard: L6; Chipboard with laminate: L2; Top veneered: F1; HPL-top: L4,(white writable).

				\diamond
RondoLounge-Q		22250	22251	22252
	w×d in	27.6×27.6	31.5×31.5	35.45×35.45
	h in		15.4 (17.75)	
	Disc foot w×d in		21.7×21.7	



RondoLounge-R

Lounge table with round tube column and round plate base

Frame consisting of a round central column and a round disc base, with plastic or felt glides, each powder-coated.

Table top, round, made of melamine resin, laminate or veneer-coated chipboard with glued-on plastic or wooden edge or highstrength HPL solid core board.

The following material groups are available: Frame made of steel tube: M2; Top made of chipboard: L6; Chipboard with laminate: L2; Top veneered: F1; HPL-top: L4,(white writable).

			T	J
RondoLounge-R		22254	22255	22256
	ø in	27.6	31.5	35.45
	h in		15.4 (17.75)	-
	Disc foot w×d in		24.05	



Watch David's thought starters and product tutorials.

"The elements of Shift+ *allow educators* to continually find *new applications.*"

- David A. Stubbs II, Designer of Shift+

Recreating the learning environment.

Shift+ is a unique set of tools, enabling educators to easily create their own environments. All of the Shift+ furniture adapts to a multitude of teaching and learning styles simultaneously, fulfilling the needs of the specific occupants of the space at a precise point in time.

Our goal is to allow educators to begin with a blank canvas by selecting a set of tools that respond to their specific learning and teaching environments. From there they can efficiently move selected accessories in and out of the space depending on what they are trying to accomplish. With **Shift+**, students and teachers are in a position to make new configurations themselves, without having to call on others for assistance.

Shift+ uniquely allows us to support the unlimited variety of learning possibilities and teaching styles in the most simplistic way possible. Every component within the **Shift+** family is light, mobile, and can be easily reorganized. They can be efficiently stacked, creating open areas. They are not constrained to a specific educational space – they are specifically designed to be transitioned and re-purposed throughout a school facility.

Shift+ -



Drum, Shift+ Landscape Cylindrical table with integrated storage space for floor-level learning.

Body made from conical ABS plastic. The table is stackable.

Top made from phenolic (HPL). The top can be removed to access the storage space and is equipped with a groove to protect it from slipping. The storage space can accommodate carpets (09440) or upholstered mats (09445).

Padded mats consisting of a thick foam-padded body with anti-slip bottom, side carrying loop, and a black all-round surrounding strap. The top seat surface consists of a hard-wearing colored covering.

Equipment: Optionally available with a black polypropylene pen insert in the top.

The following material groups are available: Body made of plastic: C(white, black grey RAL 7021); Top made of phenolic (HPL): L4; Fabric cover: S40,64,82.

	DIN EN ○ 0 = 15.75 in			\bigcirc	\bigcirc	0
Drum			09447	09440	09445	01486
	w in		41.75	16.	15	
	d in		9.85×34.3	13	.2	
	h in		3.15	0.3	1.2	15.75
	ø in					25.05/18.65
	Arc		60°			
	Storage in the table until max.			30	20	



Leaf

Tent element for floor-level learning.

Tent elements for creating withdrawal areas in the classroom for individual children or small groups. The triangular elements can be combined with the mats from the Shift+ series to create tent configurations and nooks and crannies. Similarly, the textile sail-type elements can be fixed to any magnetic surface (cabinets from the Shift+ series) using magnetic fastenings. A tent pole, which can also be used in combination with the Drum storage table and/or the triangular Shift+ Landscape mats, makes it possible to construct a round tent consisting of a maximum of 6 sail elements.

Fabric sail element consisting of a stretch fabric and glass-fiber rods for tensioning the triangular surface. With 3 connection points on one end and one connection point on the other (pointed) end.

Tent pole is a solid wood pole with a stand plate made of HPL solid board, with a connection point positionable in two heights to affix up to 6 Leaf elements.

Shift+ Landscape mats optionally with connection points to attach Leaf (see above).

Magnetic fixings to fasten the sail elements to any magnetic surface.

Storage bag for transporting and storing the sail elements and curved glass-fiber rods.

The following material groups are available: Fabric sails: S77; Fabric cover: S40,64,82.

								CC CC CC
Leaf		09448	09449	01486	09450	09446	09447	09444
	w	circa 37.8			42.55	41.35	41.75	2
	h	circa 89	67.75	15.75		3.15		1.2
	d				15.75/5.15	33.5	9.85×34.3	
	ø		18.15	25.2/18.55				
	Arc						60°	
	Quantity							4
								Magnetic fitting



Shift+ Landscape

Padded mats and carpets for floor-level learning.

Padded mats consisting of a thick foam-padded body with anti-slip bottom, side carrying loop, and a black all-round surrounding strap. Available in rectangular form or as a 60° wedge-shaped element to match the Shift+ cabinets. Can be used as a floor covering for one person, for groups, or as a chair covering. The top seat surface consists of a hard-wearing colored covering. **Carpet** consisting of a top surface made from black hard-wearing artificial fibers, a rubberized slip-proof bottom, and side carrying loop. Available in rectangular form or as a 60° wedge-shaped element to match the Shift+ cabinets. **The following material groups are available:** Fabric cover: S40,64,82.

					\bigcirc			
Shift+ Landscape			Carpet		Padded mats			
		09440	09441	09442	09445	09446	09447	
	w×d	16.15×13.2	41.35×33.5	41.9/9.45×34.6	16.15×13.2	41.35×33.5	41.85/9.85×34.2	
	w							
	h		2.8		11.85	31.5		
	Ø							
	Arch			60°			60°	



Shift+ Landscape

Soft seating and storage elements.

System consisting of upholstered seating elements as well as storage elements.

Upholstered elements are straight, curved, or angled stools. Individual elements can be combined to form complete landscapes. Elements have a floor plate with glides for hard floors, soft floors, or 2-component universal glides and a foam cushion with leatherette cover.

Seating sizes in 3 fixed heights in accordance with DIN EN 1729.

Storage units of laminated LIGNOpal chipboard with plastic edge. With glued center wall for partitioning the body and rows of holes (1") for adjustable shelf inserts, and a perforated-metal back panel.

Function: Curved seating and cabinet elements can be combined linearly and, thanks to the matched inner and outer radii, back-to-back to create circular and serpentine seating/cabinet landscapes.

The following material groups are available: Body made of LIGNOpal: L4; Perforated metal: M1; Fabric cover: \$40,64,82.

	Seat heights for students' seating elements • 2 = 11.85 in • 4 = 15 in • 6 = 18.15 in	FE				0				
Shift+ Landscape		45298	45297	09325	09328	09329	09326	09327		
	w in	41.55	41.75	20.8	41.55	41.75	55.45/41.55			
	h in	16	.5	11.85×15×18.15						
	d in			20.8		28.6/20.8				
	Size			2×4×6						
			60°			60°				
	Shelves	two sides	one side							



Shift+ Up Table-bench stand for presentations and floor-level learning.

Multipurpose unit which can be used as a stand, table, or bench. Stand-on landscapes of a maximum of two levels can be created from the rectangular and triangular elements. Designed with the same widths as the Shift+ cabinets and mats. Frame made from round steel tube with all-round rectangular tube edge. The legs are equipped with conical stacking and glides and can be securely stacked on top of one another up to a height of two using a spring buffer. Elements located next to one another (max 20 sqm) must be linked together using a flexible rotary connector. Optionally with guide for plastic Gratnells boxes.

Tops made from plywood. One side is non-slip and used for standing on, the other is used as a flat desk surface. The top can be turned without the need for any tools. The sides can be closed off with an insertable panel for use as a stand. **Transport cart** for the tops and the elements inserted in one another.

The following material groups are available: Frame made of steel tube: M1; (plain black); Gratnells plastic box: C3.

		\checkmark	\bigtriangledown	\bigcirc			•	Ş
Shift+ Up		09451	09452	09453	09454	09456	09457	09455
	w×d	41.55×33.5	41×41			68.55×32.7		
	w			30.55	38.6			
	h	12	2.6	8.9		35.85		
	h (2-high)	23	.25					
			60°					
	Capacity of transport trolley					6 platforms		
	Packaging unit							2 pieces



Shift+ ThumbPrint

Stackable four-legged tables (concave/convex).

Frame made from welded round steel legs with a central frame of rectangular steel, all powder-coated. The table is stackable (see table).

Table in 7 fixed heights or with Allen-key height adjustment, heights in accordance with DIN EN 1729.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL) with plastic edge or a phenolic (HPL) top. All with round corners.

Function: It is possible to combine the two mirrored concave-convex shapes in many ways to create circles, rows, or freely shaped groups.

Equipment and options: Tables with 2 glides and 2 lockable casters or with 4 glides for hard floors, soft floors, or 2-component universal glides. Tables are equipped with stacking protection on the underside of the frame.

Please note: A maximum of 3 stacked (non-loaded) tables may be moved on the casters.

The following material groups are available: Frame made of steel: M1; Top made of CPL: L2,(white writable); Top made of phenolic (HPL): L4.

	Table heights (± 0.8 in)		
0	for students' desks	-	R
	○0 = 15.75 in		
	• 2 = 20.9 in		
	• 3 = 23.25 in		
Ľ	• 4 = 25.2 in	~	
	• 5 = 28 in		
	• 6 = 29.95 in		
	●7 = 32.3 in	↓ I'	' •
Shift+ ThumbPrint		01440	01441
	Form	convex	concave
	Cover plug	black	silver
	w×d in	38.15×21.3/15.4	38.8×21.3/15.35
	Fixed height	023(4660
	Height adjustable in steps	3 4 5 29	1.15 in 🌀 🕖
	max. stacking height (stacked transportable)	6	(3)



Shift+ Fusion

Freeform group tables.

Frame made from welded round steel legs with a rectangular steel top frame, all powder-coated. Model 01448 is stackable (see table).

Table in 7 fixed heights or with Allen-key height adjustment, heights in accordance with DIN EN 1729.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL) with plastic edge or a phenolic (HPL) top. All with round corners.

Equipment and options: Tables with 4 lockable casters or with 4 glides for hard floors, soft floors, or 2-component universal glides.

The following material groups are available: Frame made of steel: M1; Top made of CPL: L2,(white writable); Top made of phenolic (HPL): L4.

Further products on this page: JUMPER Air Move.

	Table heights (\pm 0.8 in) for students' desks $\bigcirc 0 = 15.75$ in 2 = 20.9 in 3 = 23.25 in 4 = 25.2 in 5 = 28 in 6 = 29.95 in 7 = 32.3 in		
Shift+ Base		01445	01448
	Top w×d in	55.45	×31.05
	w×d Total in	55.45×31.05	55.45×34.95
	Fixed height		4560
	Height adjustable in steps	3 4 5 29	1.15 in 🌀 🕖
	Stacking height		8
	Stacked footprint w×d in		65.1×34.95



Shift+ FusionFlip Freeform folding table.

Frame made from two curved powder-coated steel tubes with a centrally positioned steel cross-piece with an articulated bracket.

Table in 4 fixed sitting heights, 2 fixed standing heights, or 2 step height adjustable options, heights in accordance with DIN EN 1729.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL) with plastic edge or a phenolic (HPL) top. All with round corners.

Function: The table can be flipped using a two-handed safety mechanism under the tabletop and the top locks in both horizontal and flipped positions. When the top is flipped the tables can be nested together to save space.

Equipment and options: Tables with 4 lockable casters. Optionally with writable tabletop surface, turning the table into a projection or display surface.

The following material groups are available: Frame made of steel: M1; Top made of CPL: L2,(white writable); Top made of phenolic (HPL): L4.

Further products on this page: JUMPER Air Move.

	Table heights (± 0.8 in) for students' desks Sitting (Annex A) Standing (Annex C) $\bullet 4 = 25.2$ in $\bullet C4 = 34.65$ in $\bullet 5 = 28$ in $\bullet 6 = 29.95$ in $\bullet C6 = 41.75$ in $\bullet 7 = 32.3$ in		et and
Shift+ Base			01451
	w×d in		141×79
	Fixed heights	h Sitting	45 29.15 in 6
		h Standing	C4C6
	Height-adjustable, type 1	h Sitting	45 29.15 in 6
	Height-adjustable, type 2	1	29.15 in 🌀 🕖
		h Standing	C4 38.2 in



Shift+ BaseStation Semicircular tables.

Frame made from welded round steel legs with a 5-cornered rectangular steel top frame, all powder-coated.

Table in 7 fixed heights or with Allen-key height adjustment, heights in accordance with DIN EN 1729.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL) with plastic edge or a phenolic (HPL) top. All with round corners.

Equipment and options: Tables with 5 casters (2 lockable) or with 5 glides for hard floors, soft floors, or 2-component universal glides. Model 01443 with lockable drawer for a laptop or device, pre-equipped cable outlet for monitor arm, optional "Flo" monitor holder, fastening set for monitor holder, and with cable storage compartment under the tabletop.

The following material groups are available: Frame made of steel: M1; Top made of CPL: L2,(white writable); Top made of phenolic (HPL): L4.

Further products on this page: PantoMove-LuPo.

Table heights (\pm 0.8 in) for students' desks \bigcirc 0 = 15.75 in \bigcirc 2 = 20.9 in	
● 3 = 23.25 in ● 4 = 25.2 in ● 5 = 28 in ● 6 = 29.95 in ● 7 = 32.3 in	
	01442 01443
w×d in	63×30.75
Fixed height	0234567
Height adjustable in steps	3 4 5 29.15 in 6 7
-	for students' desks ○ 0 = 15.75 in 2 = 20.9 in 3 = 23.25 in 4 = 25.2 in 5 = 28 in 6 = 29.95 in 7 = 32.3 in w×d in Fixed height



Shift+ Interact

Teacher lecterns and student tables.

Frame made from powder-coated welded U-shaped steel skids and a central post.

Table height in 2 fixed heights or continuously height-adjustable with integrated gas-filled strut.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL) with plastic edge or a phenolic (HPL) top.

Function: On height-adjustable models (01455, 01453) the gas-filled strut is triggered by a hand switch on the tabletop edge. **Equipment and options:** Tables with 4 casters (2 lockable). Optionally available with a metal bookshelf. Rectangular models (01452, 01453) also available with a modesty screen made of LIGNOpal chipboard or phenolic (HPL).

The following material groups are available: Frame made of steel: M2; Top made of CPL: L2,(white writable); Top or modesty screen made of phenolic (HPL): L4; Modesty screen made of LIGNOpal: L4.

Shift+ Base		01454	01455	01452	01453	
	Fixed height cm	36.05 (43.4)		36.05 (43.4)		
	Variable height adjustment cm		28-44.9		28-44.9	
	w×d cm	26.4×	19.95	29.55×25.6		
	Optional		Book	shelf		
				Scr	een	
				Rech	arge	

Shift+ Transfer

Cabinet options and accessories.







Shift+ Transfer Teach

Mobile teacher storage elements.

Elements on a steel cross-member with 4 technical casters, 2 of which are lockable. Optionally with 4 adjustable feet. **Body** made from laminated LIGNOpal chipboard with plastic edge and 2/3-height panels to divide the body in the lower area. With rows of holes (1") for adjustable shelf inserts and a magnetic rear panel made from perforated steel. With a lockable door on the left or right side.

Front consisting of 1 wing door with bow-type handle, flush handle, or knob.

Locking system optionally with cylinder or turn-knob locks.

Function: Optionally with magnets on the outer sides for linking other cabinet elements.

Pull handles (optional) made of steel on the top of the cabinet.

The following material groups are available: Body made of LIGNOpal: L4; Front made of LIGNOpal: L4,(orange, light blue, light green); Steel rear panel: M1.

Shift+ Transfer Teach	h with (without) handle = 45.55 (43.4)	45	319
	w×d	41.55	×16.75
	Number of shelf inserts	:	3
	Door	left	right



Shift+ Transfer Mobile shelving elements.

Elements are straight or curved (60°) on a steel cross-member. Straight elements with 4 technical casters (2 lockable), curved elements with 5 technical casters (2 lockable). Optionally with adjustable feet.

Body made from laminated LIGNOpal chipboard with plastic edge and panels that divide the body. With rows of holes (1") for adjustable shelf inserts and a magnetic rear panel made from perforated steel. Depending on the model, with storage space on both sides and a back panel separating the sides.

Function: With shelf inserts or select models with 4-way or 8-way wardrobe hooks. Optionally with magnets on the outer sides for linking other cabinet elements. Curved cabinets match the curves in Shift+ soft seating and tables so elements can be combined to form semicircles and serpentine lines, creating full landscapes.

Pull handles (optional) made of steel on the top of the cabinet.

The following material groups are available: Body made of LIGNOpal: L4; Steel rear panel: M1.

	* Possibility of choosing shelf inserts and wardrobe hooks for each column							↓ ↑ ↓ ↓				↓ ↑	
Shift+	h with (without) handle = 38.2 (36.05)	45292		45304		45306		45317		45300		45302	
Transfer	h with (without) handle = 45.55 (43.4)		45293	45305		45307			45318	45301		45303	
	h with (without) handle = 52.95 (50.8)		45336		45337		45338		45333		45334		45335
	w×d (d Total)		60.1×16.	75 (22.5)		64.2×20	.9 (26.5)	41.55×16.75		16.75		41.55	×20.9
				60)°								
	Shelf inserts	one side			two :	ides		one side		two sides			
	Number columns								2				
	* Number of shelf inserts per column	2	2	4			2		4				
	* Number of wardrobe hooks per column		1						1				





Shift+ Transfer Mobile storage cabinets.

Elements on a steel cross-member with 4 technical casters, 2 of which are lockable. Optionally with 4 adjustable feet.
Body made from laminated LIGNOpal chipboard with plastic edge, panels that divide the body, permanent structural shelves, and a magnetic rear panel made from perforated steel. Optional protective rubber mats available for shelves.
Function: Depending on the model it is possible to have backpack compartments, 4-way or 8-way wardrobe hooks, or plastic Gratnells boxes on guide rails. Optionally with magnets on the outer sides for linking other cabinet elements.
Pull handles (optional) made of steel on the top of the cabinet.

The following material groups are available: Body made of LIGNOpal: L4; Steel rear panel: M1; Gratnells plastic box: C3.

	* Possibility of choosing boxes, shelf inserts and wardrobe hooks for each row								
Shift+ Transfer	h with (without) handle = 38.2 (36.05)	45320			45321				
	h with (without) handle = 45.55 (43.4)		45325			45326	45330	45332	
	h with (without) handle = 52.95 (50.8)			45339					
	w×d				41.55×16.75				
	Number of backpack compartments				3	4	8	6	
	Number of columns	3			2/1	10/5			
	* Number of boxes (h 3"/5.95") per of column	8/4	10/5	12/6		1			
	* Number of shelf inserts per of column		2						
	* Number of wardrobe hooks per of column		1						



Shift+ Transfer

Mobile cabinet elements with doors.

Elements on a steel cross-member with 4 technical casters, 2 of which are lockable. Optionally with 4 adjustable feet. **Body** made from laminated LIGNOpal chipboard with plastic edge and panels that divide the body. With rows of holes (1") for adjustable shelf inserts and a magnetic rear panel made from perforated steel.

Front consisting of 1, 2, or 3 wing doors with bow-type handle, flush handle, or knob.

Locking system optionally with cylinder or turn-knob locks.

Function: Optionally with plastic Gratnells boxes on guide rails, optional magnets on the outer sides for linking other cabinet elements.

The following material groups are available: Body made of LIGNOpal: L4; Front made of LIGNOpal: L4,(orange, light blue, light green); Steel rear panel: M1; Gratnells plastic box: C3.

	* Possibility of choosing boxes and shelf inserts for each columns									
Shift+ Transfer	h with (without) handle = 38.2 (36.05)	45324			45323			45322		
	h with (without) handle = 45.55 (43.4)		45329			45328			45327	
	h with (without) handle = 52.95 (50.8)			45342			45341			45340
	w×d					41.55×16.75				
	Number of doors		1			2			3	
	Number of columns					3	3			
	* Number of boxes (h 3"/5.95") per column	8/4	10/5	12/6	8/4	10/5	12/6	8/4	10/5	12/6
	* Number of shelf inserts per column					6				



Creative options that raise the bar.

Whether you're looking for modern student desks or agile tables to maximize productivity and focus, or to facilitate collaboration and creative thinking, our collection has the solution. From height-adjustable and freeform tables in various sizes, all of our tables capture the design and execution of the ideal, productive learning environment.

Height-adjustable tables

Easily height-adjustable tables promote physiologically positive sitting postures. They can be raised as students grow and therefore don't need replacing over the school year. Individual tables on castors in different shapes can be combined with one another in many different ways and offer individual, rapid changes in forms of learning.

Tables that allow for standing

Standing tables and group standing tables with foot supports – very important for dynamic standing – are important basic furniture for indoor spaces. They encourage spontaneous posture changes (sitting/standing/stand-sitting). Accordingly, they should also be used for standing and not for continuous high sitting. High tables are particularly useful during group work. Ideal non-adjustable standing tables accommodate an average body height for the relevant age group, which means around 35 inches for 3rd to 7th graders and around 42 inches for 8th to 12th graders. Adapting the height precisely to individual users or a group for temporary use is not necessary. They're flexible to accommodate a variety of tasks and can be combined for large or small groups. They can also can be moved on casters throughout the school.

Continuously adjustable high chairs with a 3D rocking mechanism and an adjustable foot ring are the perfect complement to standing tables. These can be used for intuitive sitting or stand-sitting, and facilitate eye-to-eye level communication. Rigid seats are not healthy choices and shouldn't be specified.

Tables



Tano

Stackable, asymmetrical polygonal tables.

Frame made from welded round steel legs with a rectangular steel top frame, all powder-coated. The table is stackable (see table).

Table in 8 fixed heights or with Allen-key height adjustment, heights in accordance with DIN EN 1729.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated LIGNOpal chipboard with plastic edge, or a phenolic (HPL) top. All with rounded corners.

Function: Tabletop shape ideal for a variety of combinations and setups for individual and group activities.

Equipment and options: Tables with 2 glides and 2 lockable casters; with 4 glides for hard floors, soft floors, or 2-component universal glides; or with adjustable glides. Tables are equipped with stacking protection on the underside of the frame.

Optionally available with built-in plastic Gratnells box integrated into the frame and a backpack hook.

The following material groups are available: Frame made of steel: M1; Top made of CPL: L2,(white writable); Top made of LIGNOpal: L4; Top made of phenolic (HPL): L4.

	Table heights (\pm 0.8 in) for students' desks $\bigcirc 0 = 15.75$ in @ 2 = 20.9 in @ 3 = 23.25 in @ 4 = 25.2 in @ 5 = 28 in @ 6 = 29.95 in @ 7 = 32.3 in	Configuration A A A A A A A A A A A A A A A A A A A		
Tano			01492	01493
	w×d cm		27.6×26/16.95	31.5×27.2/16.95
	Table edge		KU, PUR	KU
	w×d cm Configuration A		62.25×55.95	67.35×60.65
	w×d cm Configuration B		55.15×55.15	63×63
	w×d cm Configuration C		70.1×64.6	76.4×70.5
	Fixed heights		02345	29.15 in 🌀 🕖
	Height adjustable in steps		345 29.	1.15 in 60
	Stacking height		6	,



EcoTable-Q

Student tables with square legs.

Frame made from welded square steel legs with a rectangular steel top frame, all powder-coated.

 Table in 7 or 8 fixed heights in accordance with DIN EN 1729.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated LIGNOpal chipboard with plastic edge, or a phenolic (HPL) top. All with square corners.

Equipment and options: Tables with glides for hard floors, soft floors, or 2-component universal glides; with adjustable glides; or with 2 or 4 casters, 2 of which are lockable. Note: 29.15" table height cannot be combined with casters. Optionally available with a built-in plastic Gratnells box, chair suspension rails, or metal grid bookshelf under the tabletop, as well as backpack hooks on the side and a modesty screen at side opposite from user.

The following material groups are available: Frame made of steel: M1; Top made of CPL: L2; Top made of LIGNOpal: L6; Top made of phenolic (HPL): L4.

Further products on this page: JUMPER Air Active.

	Table heights (± 0.8 in) for students' desks ○ 0 = 15.75 in ● 2 = 20.9 in ● 3 = 23.25 in ● 4 = 25.2 in ● 5 = 28 in ● 6 = 29.95 in ● 7 = 32.3 in		1				1		
EcoTable-Q	d = 19.7 in	23100	23101	23102	23103				
	d = 23.65 in					23105	23106	23107	23108
	d = 25.6 in	23110	23111		23113				
	w in	27.6	29.55	47.25	51.2	27.6	29.55	47.25	51.2
	Fixed height		0234	667		0234574cm67			



EcoTable-Q

Rectangular tables with square legs.

Frame made from welded square steel legs with a rectangular steel top frame, all powder-coated.

Table in 8 fixed heights in accordance with DIN EN 1729.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated or veneer-coated LIGNOpal chipboard with plastic or wooden edge, or a phenolic (HPL) top. All with square corners.

Equipment and options: Tables with glides for hard floors, soft floors, or 2-component universal glides; with adjustable glides; or with 2 or 4 casters, 2 of which are lockable. Note: 29.15" table height cannot be combined with casters.

The following material groups are available: Frame made of steel: M1; Top made of CPL: L2; Top made of LIGNOpal: L6; Top made of phenolic (HPL): L4; Top veneered: F1.

Further products on this page: JUMPER Ply Four.

EcoTable-Q	d = 23.65 in	23105	23106				23107	23108	23164	23165	23166	23167
	d = 27.6 in	23170		23171		23172	23173		23174	23175	23176	23177
	d = 31.5 in			23181		23182	23183		23184	23185	23186	23187
	d = 35.45 in				23191		23193		23194	23195	23196	23197
	w in	27.6	29.55	31.5	35.45	39.4	47.25	51.2	55.15	63	70.9	78.75
	h in				15.	75, 20.9, 23.2	5, 25.2, 28, 29	.15 , 29.95, 32.	3			



EcoTable-Q Trapezoidal, semicircular, and circular tables

with square legs.

Frame made from welded square steel legs with a rectangular steel top frame, all powder-coated.

Table in 8 fixed heights in accordance with DIN EN 1729.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated LIGNOpal chipboard with plastic or wooden edge, or a phenolic (HPL) top. All with square corners.

Equipment and options: Tables with glides for hard floors, soft floors, or 2-component universal glides; with adjustable glides; or with 2 glides and 2 lockable casters. Circular tables also available with 4 casters. Note: 29.15" table height cannot be combined with casters.

The following material groups are available: Frame made of steel: M1; Top made of CPL: L2; Top made of LIGNOpal: L6; Top made of phenolic (HPL): L4.

	Table heights (\pm 0.8 in) for students' desks \bigcirc 0 = 15.75 in \bigcirc 2 = 20.9 in									
	 3 = 23.25 in 4 = 25.2 in 5 = 28 in 6 = 29.95 in 7 = 32.3 in 		1			1		\square	•	
EcoTable-Q	d = 25.6 in	23114			23115					
	d = 27.6 in		23179			23178				
	d = 31.5 in			23189			23188			
								23150	23151	23153
	w / ø in	51.2/25.6	55.15/27.6	63/31.5	130	140	160	35.45	39.4	47.25
	Fixed height				023	45 29.15 in	67			





EcoTable-Q Elevated table for mobile storage access.

Frame made from welded square steel legs with a rectangular steel top frame, all powder-coated.

Table height in 1 fixed height.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL) and plastic (KU) edge with square corners, or a phenolic (HPL) top with rounded corners.

Equipment and options: Tables with glides for hard floors, soft floors, or 2-component universal glides; with adjustable glides; or with 2 or 4 casters.

The following material groups are available to choose from: Frame made of steel: M1; Top made of CPL: L2,(white writable); Top made of phenolic (HPL): L4

Further products on this page: SpaceWalk, JUMPER® Air Move Plus.

EcoTable-Q	d = 23.65	A2556
	d = 29.55	A2557
	d = 35.45	A2558
	w inch	47.25
	height inch	42.15



EcoTable-Q

Teacher tables with square legs.

Frame made from welded square steel legs with a rectangular steel top frame, all powder-coated.

Table heights in 2 fixed heights.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated LIGNOpal chipboard with plastic edge, or a phenolic (HPL) top. All with square corners.

Equipment and options: Tables with glides for hard floors, soft floors, or 2-component universal glides, or with adjustable glides. Equipped on the left, right, or both sides with drawers or cabinets. Optionally available enclosed with screens on three sides. **The following material groups are available:** Frame made of steel: M1; Top made of CPL: L2; Top made of LIGNOpal: L6; Top made of phenolic (HPL): L4.

Further products on this page: JUMPER Air Move.

				1		1	Y	1			
EcoTable-Q	d = 25.6 in	23137	23120	23130	23121	23131	23122	23132	23133	23134	23135
	w in	29.55	51.2	59.1	51.2	59.1	51.2			59.1	
	h in	29.15×29.95									



EcoTable-R

Student tables with round legs.

Frame made from welded round steel legs with a rectangular steel top frame, all powder-coated.


Table in 7 or 8 fixed heights or with Allen-key height adjustment, heights in accordance with DIN EN 1729.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated LIGNOpal chipboard with plastic edge, or a phenolic (HPL) top. All models available with square or rounded corners.

Equipment and options: Tables with glides for hard floors, soft floors, or 2-component universal glides; with adjustable glides; or with 2 or 4 casters, 2 of which are lockable. Note: 29.15" table height cannot be combined with casters. Optionally available with a built-in plastic Gratnells box, chair suspension rails, or metal grid bookshelf under the tabletop, as well as backpack hooks on the side and a modesty screen at side opposite from user.

The following material groups are available: Frame made of steel: M1; Top made of CPL: L2; Top made of LIGNOpal: L6; Top made of phenolic (HPL): L4.

Further products on this page: JUMPER Air Active.





EcoTable-R

Rectangular tables with round legs.

Frame made from welded round steel legs with a rectangular steel top frame, all powder-coated.

Table in 8 fixed heights in accordance with DIN EN 1729.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated or veneer-coated LIGNOpal chipboard with plastic or wooden edge, or a phenolic (HPL) top. All models available with square or rounded corners. **Equipment and options:** Tables with glides for hard floors, soft floors, or 2-component universal glides; with adjustable glides; or with 2 or 4 casters, 2 of which are lockable. Note: 29.15" table height cannot be combined with casters.

The following material groups are available: Frame made of steel: M1; Top made of CPL: L2; Top made of LIGNOpal: L6; Top made of phenolic (HPL): L4; Top veneered: F1.

Further products on this page: JUMPER Ply Four.

EcoTable-R	d = 23.65 in	23005	23006				23007	23008	23064	23065	23066	23067
	d = 27.6 in	23070		23071		23072	23073		23074	23075	23076	23077
	d = 31.5 in			23081		23082	23083		23084	23085	23086	23087
	d = 35.45 in				23091		23093		23094	23095	23096	23097
	w in	27.6	29.55	31.5	35.45	39.4	47.25	51.2	55.15	63	70.9	78.75
	h in		· · ·		15.	75, 20.9, 23.25	5, 25.2, 28, 29	.15 , 29.95, 32.	3			



EcoTable-R Trapezoidal, semicircular, and circular tables with round legs.

Frame made from welded round steel legs with a rectangular steel top frame, all powder-coated.

 Table in 8 fixed heights or with Allen-key height adjustment, heights in accordance with DIN EN 1729.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated LIGNOpal chipboard with plastic or wooden edge, or a phenolic (HPL) top. All models available with square or rounded corners.

Equipment and options: Tables with glides for hard floors, soft floors, or 2-component universal glides; with adjustable glides; or with 2 glides and 2 lockable casters. Circular tables also available with 4 casters. Note: 29.15" table height cannot be combined with casters.

The following material groups are available: Frame made of steel: M1; Top made of CPL: L2; Top made of LIGNOpal: L6; Top made of phenolic (HPL): L4.

	Table heights (\pm 0.8 in) for students' desks \bigcirc 0 = 15.75 in 2 = 20.9 in 3 = 23.25 in 4 = 25.2 in 5 = 28 in 6 = 29.95 in 7 = 32.3 in		1			Ĩ		\bigcap		
EcoTable-R	d = 25.6 in	23014			23015					
	d = 27.6 in		23079			23078				
	d = 31.5 in			23089			23088			
								23050	23051	23053
	w / ø in	51.2/25.6	55.15/27.6	63/31.5	51.2	55.15	63	35.45	39.4	47.25
	Fixed height				023	4 5 29.15 in	67			
	Height adjustable in steps				34	5) 29.15 in 6	0			



EcoTable-R

Teacher tables with round legs.

Frame made from welded round steel legs with a rectangular steel top frame, all powder-coated.

Table heights in 2 fixed heights.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated LIGNOpal chipboard with plastic edge, or a phenolic (HPL) top. All models available with square or rounded corners.

Equipment and options: Tables with glides for hard floors, soft floors, or 2-component universal glides, or with adjustable glides. Equipped on the left, right, or both sides with drawers or cabinets. Optionally available enclosed with screens on three sides. **The following material groups are available:** Frame made of steel: M1; Top made of CPL: L2; Top made of LIGNOpal: L6; Top made of phenolic (HPL): L4.

Further products on this page: JUMPER Air Move.

						1		1			
EcoTable-R	d = 25.6 in	23037	23020	23030	23021	23031	23022	23032	23033	23034	23035
	w in	29.55	51.2	59.1	51.2	59.1	51.2			59.1	
	h in						29.15	×29.95			



LiteTable-ST

Stackable tables.

Frame made from welded round steel legs with a rectangular steel top frame, all powder-coated. The table is stackable (see table).

Table in 6 or 8 fixed heights or height adjustable depending on model, heights in accordance with DIN EN 1729. Models with LIGNOdur top also available with step height adjustment.


Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL) with plastic edge with square or rounded corners, or a phenolic (HPL) top. A2512 and A2513 models available with exceptionally strong LIGNOdur top with softly rounded waterfall edges.

Function: With uniquely spaced table legs that, when rotated 180 degrees, allow the tables to be lined up against each other to form a continuous row without gaps.

Equipment and options: Tables with glides for hard floors, soft floors, or 2-component universal glides, or with 2 casters at outer legs. Models with LIGNOdur top optionally available with 4 casters. Tables are equipped with stacking protection on the underside of the frame.

Please note: A maximum of 4 stacked (unloaded) tables may be moved together on casters; tables with LIGNOdur tops are not recommended to be moved when stacked, due to weight.

		Table heights (\pm 0.8 in) for students' desks 0 = 15.75 in 2 = 20.9 in 3 = 23.25 in 4 = 25.2 in 5 = 28 in 6 = 29.95 in 7 = 32.3 in	180*					
LiteTable-ST	LIGNOdur	Top d = 19.7 in		A2512				
	CPL, HPL	Top d = 21.7 in				21090		01000
		Top d = 25.6 in					21091	21003
	LIGNOdur	Top d = 25.6 in			A2513			
		Top w in		27.6	29.55	27.6	29.55	
		w Total in		30.6	32.7	30.75	32.7	
		Fixed height		2346	60	023	4567	
		Height adjustable in steps		346	67			
		Stacking height		-			8	
		Stacking area w×d in		-		30.75×32.3	32.7×36.25	



LiteTable-ST

Stackable trapezoidal or semi-circular table.

Frame made from welded round tubular steel legs with all-round rectangular tubular steel top frame, all powder-coated. Because the inner and outer legs are arranged in pairs, the table is stackable. The edge of the top frame is equipped with stacking and glide protection. Tables with glide elements for hard or soft floorings or with 2C universal glide elements and, optionally, with two castors at the outer legs.

Table in 9 fixed heights.

Table top Consisting of a HPL or chipboard top and glued plastic border. Available with edged or rounded corners as required. **Optionally i** t is also possible to use table connectors depending on the table arrangement (model 21003).

			1		1	Ø
LiteTable-ST	Top d = 27.6 in	21096		21098		21003
	Top d = 31.5 in		21097		21099	21003
	Top w cm	55.15(27.6)	63(31.5)	55.15	63	
	w Total cm	57.9	63.4	57.9	63.4	
	h cm	15.75, 20).9, 23.25, 25.2,	28, 29.15 , 29.9	95, 32.3	
	Stacking height		4			
	Stacking area w×d cm	57.9×28.35	63.4×31.5	57.9×31.9	63.4×35.85	



LiteTable-ST Stackable tables.

Frame made from welded round steel legs with a rectangular steel top frame, all powder-coated. The table is stackable (see table).

Table in 8 fixed heights in accordance with DIN EN 1729.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL) with plastic edge or a phenolic (HPL) top. Available with square or rounded corners.

Function: With uniquely spaced table legs that, when rotated 180 degrees, allow the tables to be lined up against each other to form a continuous row without gaps.

Equipment and options: Tables with glides for hard floors, soft floors, or 2-component universal glides, or with 2 casters at outer legs. Tables are equipped with stacking protection on the underside of the frame. Optionally it is possible to use table connectors depending on the table arrangement.

The following material groups are available: Frame made of steel: M1; Top made of CPL: L2,(white writable); Top made of phenolic (HPL): L4.

Further products on this page: Compass-Soft.

						•		80°								Ø
LiteTable-ST	Top d = 27.6 in	21092	21093	21053	21054	21055	21056	21057								21003
	Top d = 31.5 in								21094	21095	21083	21084	21085	21086	21087	21003
	Top w in	27.6	55.15	63	70.9	78.75	86.65	94.5	31.5	47.25	63	70.9	78.75	86.65	94.5	
	w Total in				30.75							34.65				
	h in					15	5.75, 20.9,	23.25, 25.2	, 28, 29.15	, 29.95, 32	.3					
	Stacking height	8	3			4			8	3			4			
	Stacking area w in	30.75									34.65					
	Stacking area d in	38.2	65.75	68.9	76.8	84.65	92.55	100.4	42.15	57.9	68.9	76.8	84.65	92.55	100.4	



LiteBench-ST

Stackable benches.

Frame made from welded round steel legs with a rectangular steel top frame, all powder-coated. The bench is stackable (see table).

Bench in 6 fixed heights.

Seat top made from phenolic (HPL). Available with square or rounded corners.

Function: With uniquely spaced legs that, when rotated 180 degrees, allow the benches to be lined up against each other to form a continuous row without gaps.

Equipment and options: Benches with glides for hard floors, soft floors, or 2-component universal glides. Benches are equipped with stacking protection.

The following material groups are available: Frame made of steel: M1; Top made of phenolic (HPL): L4.

	Seating heights for students' benches • 2 = 12.25 in • 3 = 13.8 in • 4 = 15 in • 5 = 16.95 in • 6 = 18.15 in • 7 = 20.1 in	M				
LiteBench-ST	Seat d = 13.8 in	31083	31084	31085	31086	31087
	Top w in	59.1	66.95	74.85	82.7	90.6
	for table w in	63	70.9	78.75	86.65	94.5
	t Total in			16.95		
	Fixed height		2	34567		
	Stacking height			4		
	Stacked footprint w×d in	65×16.95	72.85×16.95	80.75×16.95	88.6×16.95	96.5×16.95
	Weight kg	15,5	17,0	18,5	20,0	21,5



TriTable-III

Triangular tables.

Frame made from welded round steel legs with a rectangular steel top frame, all powder-coated. The table is stackable (see table).

Table in 7 fixed heights or with Allen-key height adjustment, heights in accordance with DIN EN 1729.

Tabletop (right angle triangle with two equal sides) made from a chipboard core and a continuous pressure laminated surface (CPL) with plastic edge or a phenolic (HPL) top. All with round corners.

Function: Many combinations possible to form rows or group workspaces.

Equipment and options: Tables with glides for hard floors, soft floors, or 2-component universal glides; with a caster at the 90° corner; or with 3 casters. Tables are equipped with stacking protection on the underside of the frame. Optionally available with a built-in Gratnells plastic box on the long side.

The following material groups are available: Frame made of steel: M1; Top made of CPL: L2,(white writable); Top made of phenolic (HPL): L4; Gratnells plastic box: C3.

Further products on this page: Compass-VF.

	Table heights (\pm 0.8 in) for students' desks $\bigcirc 0 = 15.75$ in @ 2 = 20.9 in @ 3 = 23.25 in @ 4 = 25.2 in @ 5 = 28 in @ 6 = 29.95 in @ 7 = 32.3 in	Configurations			
TriTable-III			01426	01427	01428
	w×d in		43.75/31.5×31.5	46.5/33.5×33.5	49.25/35.45×35.45
	w×d Configuration 2 tables in		32.7×32.7	34.65×34.65	36.65×36.65
	w×d Configuration 4 tables in		44.9×44.9	47.65×47.65	50.4×50.4
	Fixed height		(0234560	
	Height adjustable in steps			34560	
	Stacking height			8	



DROP

Plastic table.

Plastic table, round or square, four-legged for flexible use indoors or outdoors, e.g. in break areas, great halls or the canteen. Table made from glass fibre-reinforced polypropylene with UV stabilizer. The material is tough, weather-resistant, water-repellent and easy to clean. The tabletop has flattened edges. The table legs with plastic glides are delivered disassembled and attached to the table top with screws.

The following material groups are available: Body made of plastic: C(white, dolphin grey).

		ſ		
DROP			09365	09366
	Table top ø / w×d		27.6	28.75×28.75
	Total ø		32.7	41
	h		28	3.35
	Stacking height			5



FlipTable-RU

Standing and sitting table with round frame and folding top.

Frame made from two bent, powder-coated or chrome-plated steel tubes with a centrally positioned black steel cross-piece with an articulated bracket.

Table in 3 or 4 fixed sitting heights depending on model, 2 fixed standing heights, or 3 step height adjustable options, heights in accordance with DIN EN 1729.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated or veneer-coated LIGNOpal chipboard with plastic or wooden edge, or a phenolic (HPL) top.

Function: The table can be flipped using a two-handed safety mechanism under the tabletop and the top locks in both horizontal and flipped positions. When the top is flipped the tables can be nested together to save space.

Equipment and options: Tables with 4 lockable casters. Optionally available with table connectors, and with writable tabletop surface to turn the table into a projection or display surface.

	● 4 = 25.2 in ● 5 = 28 in	nding (Annex C) C4 = 34.65 in C6 = 41.75 in		6	ļ							>		
FlipTable-RU	d = 25.6 in	PUR / KU	22102		22103									
	d = 27.6 in	KU		22105		22106	22107	22108	22109					
	d = 31.5 in									22110	22111	22112	22113	22114
	d = 35.45 in									22115	22116	22117	22118	22119
	Fixed heights	h Sitting			4	5 29.15 ir	n 🜀				6	29.15 in (6	
		h Standing				C4 C6						C4 C6		
	Height-adjustable, type 1	h Sitting			4	5 29.15 ir	n 🜀				6	29.15 in (6	
	Height-adjustable, type 2				29	9.15 in 🌀	0				29.	.15 in 🌀	7	
		h Standing			(C4 38.2 i	n				(C4 38.2 i	n	
	w in		51.2	55.15	59.1	63	70.9	78.75	86.65	55.15	63	70.9	78.75	86.65



FlipTable-TQ Standing and sitting table with T-foot and square column and folding top.

Frame made from a powder-coated square column with a centrally positioned black steel cross-piece with an articulated bracket.

Table in 4 fixed sitting heights or 2 fixed standing heights, heights in accordance with DIN EN 1729.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated or veneer-coated LIGNOpal chipboard with plastic or wooden edge, or a phenolic (HPL) top.

Function: The table can be flipped using a two-handed safety mechanism under the tabletop and the top locks in both horizontal and flipped positions. When the top is flipped the tables can be nested together to save space.

Equipment and options: Tables with 4 lockable casters. Optionally available with table connectors, and with writable tabletop surface to turn the table into a projection or display surface. The table foot is only available in chrome with a black column, if any other color is chosen the foot is powder-coated in the same color.

	Table heights (\pm 0.8 for students' desks Sitting (Annex A) \bullet 4 = 25.2 in \bullet 5 = 28 in \bullet 6 = 29.95 in \bullet 7 = 32.3 in	in) Standing (Annex C) C4 = 34.65 in C6 = 41.75 in		X					
FlipTable-TQ	d = 25.6 in	PUR / KU	22142		22143				
	d = 27.6 in	KU		22145		22146	22147	22148	22149
	d = 31.5 in			22150		22151	22152	22153	22154
	d = 35.45 in			22155		22156	22157	22158	22159
	Fixed heights	h Sitting			4	5 29.15 in (3		
		h Standing				C4 C6			
	w in		51.2	55.15	59.1	63	70.9	78.75	86.65



FlipTable-TR Standing and sitting table with T-foot and round column and folding top.

Frame made from a powder-coated round column with a centrally positioned black steel cross-piece with an articulated bracket.

Table in 4 fixed sitting heights or 2 fixed standing heights, heights in accordance with DIN EN 1729.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated or veneer-coated LIGNOpal chipboard with plastic or wooden edge, or a phenolic (HPL) top.

Function: The table can be flipped using a two-handed safety mechanism under the tabletop and the top locks in both horizontal and flipped positions. When the top is flipped the tables can be nested together to save space.

Equipment and options: Tables with 4 lockable casters. Optionally available with table connectors, and with writable tabletop surface to turn the table into a projection or display surface. The table foot is only available in chrome with a black column, if any other color is chosen the foot is powder-coated in the same color.

	Table heights (\pm 0.8 for students' desks Sitting (Annex A) \bullet 4 = 25.2 in \bullet 5 = 28 in \bullet 6 = 29.95 in	in) Standing (Annex C) C4 = 34.65 in C6 = 41.75 in					
FlipTable-TR	d = 27.6 in	KU	22125	22126	22127	22128	22129
	d = 31.5 in		22130	22131	22132	22133	22134
	d = 35.45 in		22135	22136	22137	22138	22139
	Fixed heights	h Sitting		4	(5) 29.15 in (6))	
		h Standing			C4 C6		
	w in		55.15	63	70.9	78.75	86.65



Puzzle

Freeform table.

Frame made from welded round steel legs with a rectangular steel top frame, all powder-coated. **Table** in 6 fixed heights.

Tabletop made from laminated LIGNOpal chipboard with plastic or beech edge.

Function: The table features an innovative shape that invites collaboration, allowing each person their own space while still offering proximity to all other participants. Tables can be easily combined for larger group work.

Equipment and options: Table with adjustable plastic or felt glides.

The following material groups are available: Frame made of steel: M1; Top made of LIGNOpal: L6. **Further products on this page:** Hokki.

	Table heights (\pm 0.8 in) for students' desks \bigcirc 2 = 20.9 in \bigcirc 3 = 23.25 in \bigcirc 4 = 25.2 in \bigcirc 5 = 28 in \bigcirc 6 = 29.95 in \bigcirc 7 = 32.3 in		R
Puzzle			01470
	w×d in		65×44.9
	Fixed height		234560



TeamTable

Freeform stand-at table.

Frame made from welded round steel legs with a rectangular steel top frame, all powder-coated.


Table in 2 fixed heights.

Tabletop made from laminated, linoleum-coated, or veneered LIGNOpal chipboard with plastic or beech edge.

Function: The table features an innovative shape that invites collaboration, allowing each person their own space while still offering proximity to all other participants. Tables can be easily combined for larger group work.

Equipment and options: The table has a storage shelf made from laminated LIGNOpal chipboard under the tabletop for easy access to materials. Table with adjustable plastic or felt glides.

The following material groups are available: Frame made of steel: M1; Top made of LIGNOpal: L6; Top made of linoleum: L8; Top veneered: F1.





RondoLift-Q Height-adjustable sitting/standing table with square column.

Frame made from a square central column and a four-legged cross base, all powder-coated. Column with integrated gas spring and hand switch at the tabletop edge. This is protected against unintentional release of the gas spring.

 Table height is infinitely adjustable (see table).

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated or veneer-coated LIGNOpal chipboard with plastic or wooden edge, or a phenolic (HPL) top.

Equipment and options: The cross base is equipped with lockable casters or adjustable plastic or felt glides. The square tables are optionally equipped with a foldable and lockable tabletop from a width of 35.45" - when combined with the optional writable tabletop surface, the table can become a projection or display surface.

RondoLift-Q	h = 27.6-44.3 in	22231	22232	22233
	w×d in	31.5×31.5	35.45×34.45	39.4×39.4
	Star foot ø in		41	
	Optional		Screen	
			Folding tab	oletop



RondoLift-R Height-adjustable sitting/standing table with round column.

Frame made from a round central column and a four-legged cross base, all powder-coated. Column with integrated gas spring and hand switch at the tabletop edge. This is protected against unintentional release of the gas spring.

 Table height is infinitely adjustable (see table).

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated or veneer-coated LIGNOpal chipboard with plastic or wooden edge, or a phenolic (HPL) top.

Equipment and options: The cross base is equipped with lockable casters or adjustable plastic or felt glides. The round tables are optionally equipped with a foldable and lockable tabletop from a width of 35.45" - when combined with the optional writable tabletop surface, the table can become a projection or display surface.

RondoLift-R	h = 27.6-44.3 in	22235	22236	22237	22238
	ø in	31.5	35.45	39.4	47.25
	Star foot ø in	33	3.5	41	
	Optional			Folding tabletop	



RondoLift-Q Height-adjustable sitting/standing teacher table with square column.

Frame made from a square central column and a four-legged cross base, all powder-coated. Column with integrated gas spring and hand switch at the tabletop edge. This is protected against unintentional release of the gas spring.

 Table height is infinitely adjustable (see table).

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated or veneer-coated LIGNOpal chipboard with plastic or wooden edge, or a phenolic (HPL) top.

Equipment and options: The cross base is equipped with lockable casters or adjustable plastic or felt glides. Optionally available with 1 or 2 lockable drawers depending on the model, as well as a modesty screen.

Electrification (model 22247) optionally with a free-hanging cable tube.

RondoLift-Q	h = 27.6-44.3 in	22245	22246	22247
Teach	w×d in	47.25×27.6	51.2×33.1	47.25×33.1
	Star foot w×d in		37.8×26.4	
	Drawer w×h×d in	19.7×4.75×14.6	6	20.5×3.15×18.9
	Optional		Screen	
		1 Drawer		2 Drawers



RondoLift-R Height-adjustable sitting/standing teacher table with round column.

Frame made from a round central column and a four-legged cross base, all powder-coated. Column with integrated gas spring and hand switch at the tabletop edge. This is protected against unintentional release of the gas spring.

 Table height is infinitely adjustable (see table).

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated or veneer-coated LIGNOpal chipboard with plastic or wooden edge, or a phenolic (HPL) top.

Equipment and options: The cross base is equipped with lockable casters or adjustable plastic or felt glides. Optionally available with 1 or 2 lockable drawers depending on the model, as well as a modesty screen.

Electrification (model 22242) optionally with a free-hanging cable tube.

			F	
RondoLift-R	h = 27.6-44.3 in	2224	0 22241	22242
Teach	w×d in	47.25×27	6 51.2×33.1	47.25×33.1
	Star foot w×d in		37.8×26.4	
	Drawer w×h×d in	19.7	×4.75×14.6	20.5×3.15×18.9
	Optional		Screen	
		1	Drawer	2 Drawers



RondoSit-Q, RondoStand-Q, RondoLift-Q

Table in fixed sitting and standing heights or height-adjustable,

with square column and base.

Frame made from a square central column and a square disc base, all powder-coated. In sitting or standing heights, as well as height adjustable with integrated gas spring. Height-adjustable models have a hand switch at the tabletop edge. This is protected against unintentional release of the gas spring.

Table height fixed or infinitely adjustable (see table).

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated or veneer-coated LIGNOpal chipboard with plastic or wooden edge, or a phenolic (HPL) top.

Equipment and options: The disc base is equipped with adjustable plastic or felt glides.

				>				>						
RondoSit-Q	h =	29.15 in	22200	22201	22202	22203								
RondoStand-Q	h =	41.75 in					22210	22211	22212	22213				
RondoLift-Q	h = 27.6	-44.3 in									22220	22221	22222	22223
	w×d in		27.6×27.6	31.5×31.5	35.45×35.45	39.4×39.4	27.6×27.6	31.5×31.5	35.45×35.45	39.4×39.4	27.6×27.6	31.5×31.5	35.45×35.45	39.4×39.4
	Disc foot	t w×d in		21.7×21.7										



RondoSit-R, RondoStand-R, RondoLift-R

Table in fixed sitting and standing heights or height-adjustable,

with round column and base.

Frame made from a round central column and a round disc base, all powder-coated. In sitting or standing heights, as well as height adjustable with integrated gas spring. Height-adjustable models have a hand switch at the tabletop edge. This is protected against unintentional release of the gas spring.

Table height fixed or infinitely adjustable (see table).

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL), a laminated or veneer-coated LIGNOpal chipboard with plastic or wooden edge, or a phenolic (HPL) top.

Equipment and options: The disc base is equipped with adjustable plastic or felt glides.

)								
RondoSit-R	h =	29.15 in	22204	22205	22206	22207	22208										
RondoStand-R	h =	41.75 in						22214	22215	22216	22217	22218					
RondoLift-R	h = 2	27.6-44.3 in											22224	22225	22226	22227	22228
	ø in		27.6	31.5	35.45	39.4	47.25	27.6	31.5	35.45	39.4	47.25	27.6	31.5	35.45	39.4	47.25
	Disc	foot ø in								24.05							



TriUnion

Stand-at triangular tables.

Frame made from welded, screwed, round steel legs with a rectangular steel top frame and round foot support, all powdercoated.

Table in 3 fixed standing heights.


Tabletop (right angle triangle with two equal sides) made from laminated LIGNOpal chipboard with plastic edge or a phenolic (HPL) top. All with round corners.

Function: Its triangular shape encourages collaboration by quickly bringing small groups together, while the ergonomic foot rail at varying heights provides comfort for all ages. The table fits through doorways wider than 35.5".

Equipment and options: Tables with lockable casters or glides for hard floors or soft floors. Optionally with table connectors, as well as chrome-plated foot supports and plastic kick protection.

The following material groups are available: Frame made of steel: M1,(chrome-plated); Top made of LIGNOpal: L4; Top made of phenolic (HPL): L4.

Further products on this page: Hokki.





Uno-M/Uno-M-Step Skid desks.

Frame made from powder-coated steel tube with legs on flat tapering steel skids with plastic kick protection. Desk legs made from flat oval steel tube and cross-strut made from round steel tube.

Table in 6 fixed heights or with Allen-key height adjustment, heights in accordance with DIN EN 1729.

Tabletop made from laminated LIGNOpal chipboard with a plastic (KU) edge or a polyurethane (PUR) safety edge, depending on model. Some models available with exceptionally strong LIGNOdur top with softly rounded waterfall edges, and some models available with a chipboard core and a continuous pressure laminated surface (CPL) with polyurethane (PUR) safety edge or plastic (KU) edge.

Equipment and options: Desks with plastic glides or 2-component universal glides. Optionally available with metal grid bookshelf, backpack hooks, or different kinds of chair suspension.

Please note: The desk height may vary slightly depending on the type of desktop and the glides. Polyurethane (PUR) edges are extremely tough but may be subject to discoloration over time.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Top made of LIGNOdur: L1; Top made of LIGNOpal-KU: L4; Top made of LIGNOpal-PUR: L2; Top made of CPL: L4.

		Table heights (\pm 0.8 in) for students' desks \bigcirc 2 = 20.9 in \bigcirc 3 = 23.25 in \bigcirc 4 = 25.2 in \bigcirc 5 = 28 in \bigcirc 6 = 29.95 in \bigcirc 7 = 32.3 in					J	4	P			
Uno-M					Uno-M				ι	Jno-M-Ste	р	
		Fixed height		234567								
		Height adjustable in steps							3	466	7	
	Material											
	LIGNOdur LIGNOpal-KU	d = 19.7 in	02408			02405		22408			22405	
	CPL-PUR	d = 25.6 in		02409					22409			
	LIGNOpal-KU CPL-KU	d = 23.65 in	02412		02413			22412		22413		
	LIGNOpal-PUR	d = 25.6 in		02410		02406	02407		22410		22406	22407
		w in	27.6	29.55	47.3	51.2	59.1	27.6	29.55	47.3	51.2	59.1



Uno-M-Teach

Teacher desks.

Frame made from powder-coated flat oval steel tube with legs on flat tapering steel skids with plastic kick protection.

 Tabletop made from laminated LIGNOpal chipboard with polyurethane (PUR) safety edge.

 $\label{eq:Features: Select models available with built-in cabinet and drawer, lockable upon request.$

Handles: Choice of plastic or metal bow handles.

Accessories and options: Desks with glides for hard floors, soft floors, or 2-component universal glides.

Please note: Polyurethane (PUR) edges are extremely tough but may be subject to discoloration over time.

The following material groups are available: Frame made of steel tube: M1; Top made of LIGNOpal-PUR: L2; Body and front made of LIGNOpal: L6.

Further products on this page: PantoMove-VF.

Uno-M-Teach	LIGNOpal-PUR		04487 04493	04489
		w×d×h	51.2×25.6×29.95	



Uno-C Skid desks.

Frame made from C-shaped upright and flat-ended skids with plastic kick protection. Desk legs made from powder-coated or chrome-plated VS special steel tube and cross-strut made from round steel tube.

Table in 6 fixed heights or with Allen-key height adjustment, heights in accordance with DIN EN 1729.

Tabletop made from a chipboard core and a continuous pressure laminated surface (CPL) with polyurethane safety edge or a phenolic (HPL) top. Some models available with exceptionally strong LIGNOdur top with softly rounded waterfall edges. **Equipment and options:** Tables with glides for hard floors, soft floors, or 2-component universal glides, or with glides and 2 rear casters. Optionally with backpack hook, modesty screen, metal grid bookshelf, Gratnells plastic box, or chair suspension for certain chairs.

The following material groups are available: Frame made of steel: M1,(chrome-plated); Top made of LIGNOdur: L1; Top made of CPL: L2; Top made of phenolic (HPL): L4.

		Table heights (\pm 0.8 in) for students' desks $2 = 20.9$ in $3 = 23.25$ in $4 = 25.2$ in $5 = 28$ in $6 = 29.95$ in $7 = 32.3$ in			\$					
Uno-C		Fixed height		234560						
		Height adjustable in steps								
	Material									
	HPL	d = 19.7 in	22430		22432					
	CPL									
		d = 25.6 in		22431		22433				
	LIGNOdur		22430	22431	22432					
		w in	27.6	29.55	51.2					



M-Table

Table in standing and sitting heights.

Constructed of two side panels, a tabletop, and a stable, centrally positioned double cross beam.

Table in 2 sitting heights and 3 standing heights.

Tabletop and side panels made from laminated or veneer-coated chipboard.

Equipment and options: Side panels with plastic or felt glides. As a standing table, comes with two steel footrests.

Electrification: Optionally available with metal cable outlet in the center of the table on the left, right, or centered.

Installation: Free-standing, wall-mounted, or in combination with the M-Panel as a meeting point. For use in corridors,

auditoriums, or in rooms with high safety requirements - available with a floor attachment kit.

The following material groups are available to choose from: Body made of laminated chipboard: L4; Top veneered: F1; Foot support: M1,(chrome-plated).

Further products on this page: PantoMove-VF.

	Table heights (\pm 0.8 in) for students' desks Sitting Standing \bigcirc C4 = 34.7 ir \bigcirc 6 = 29.95 in \bigcirc C6 = 41.75 in \bigcirc C7 = 47.3 in						F		B	×	
M-Table	d = 27.6 in	20403	20404	20405	20406	20407	20423	20424	20425	20426	20427
	d = 31.5 in	20413	20414	20415	20416	20417	20433	20434	20435	20436	20437
	w in	63	70.9	78.75	86.65	94.5	63	70.9	78.75	86.65	240
	Fixed heights			29.15 in 🜀				C4			



M-Panel

Meeting point with display holder.

Free-standing, wall-mounted, or integrated with M-Table.

Wall panel as an information or meeting point to accommodate a display, sound bar or video sound bar. Panel with internal cabling. Optionally with a 2-fold Schuko socket and 2x USB.

Construction consisting of a black powder-coated steel frame with internal electrification. If wall-mounted, with a single-sided otherwise with double-sided panelling consisting of melamine or veneer-coated chipboard.

Free-standing or wall-mounted installation or in combination with the M-Table in sitting and standing height. In the case of a free-standing **Installation:** foot stabilisers provide stability. In traffic zones, floor mounting is recommended.

The following material groups are available: Front made of chipboard: L3; Top veneered: F1.

M-Panel	free-standing for M-Table, h = 29.15 in, sit-at	20440				
	free-standing, sit-at		20442			
	wall-mounted for M-Table, h = 29.15 in, sit-at			20.	441	
	wall-mounted, sit-at			204	+41	
	w×h cm		39.4×	62.8		
	free-standing for M-Table, h = 41.75 in, stand-at	20445				
	free-standing, stand-at		20447			
	wall-mounted for M-Table, h = 41.75 in, stand-at			20	146	
	wall-mounted, stand-at			204	+40	
	w×h in		39.4×	77.6		
	d in	3.95		8		
	d in base		19.7			



MediaBox Storage element for

teacher workplaces.

Body element with organized access to the storage space from three sides. Protected against unauthorized access from the side, front and top by means of lockable doors and flaps. Two models permitting the teacher's desk to be positioned on either the right or left.

Supporting plate for the positioning of a document camera with cabling via the gap in the flap as well as integrating the monitor arm "Flo".

Front area with PC compartment and optionally also a Gratnells tray and a separate keyboard compartment.

Side area with compartments for a document camera and small parts.

The following material groups are available: Body made of chipboard: L6; Cheek made of chipboard: L3; Cheek veneered: F1. Further products on this page: RondoLift-Q.

MediaBox		04418	04419
	Total w×h×d	16×30.5	5×40.4
	Body w×h×d	15×29.1	5×39.4
	Position substructure side	left	right

Truth is, schools need a better way to **organize, store, and access their stuff.**

Modular storage solutions

The right storage solution should <mark>elegantly organize,</mark> unify, and complement any space.

Our modular systems are comprised of storage units crafted to provide personalization and versatility. Each design in our collection lends itself to a range of configurations, allowing you to meet the needs of your space. Whether you need a building-wide storage system, some comprehensive classroom or multipurpose space storage, our solutions allow for a seamless transition while maximizing use of space.







SpaceStation Stationary, wall-mounted storage elements with

rails for Certwood bins.

Frame made from bent and welded rectangular steel tube on 4 adjustable feet and a steel top. Optionally with a rear panel, two side panels, and a hinged door made of steel. Side panels have a cutout for easy gripping. All steel parts are powder-coated. Storage elements must be fixed to the wall and can be connected together in a series.

Modular system consisting of 1, 2, or 3 columns.

Rail system of ABS plastic sits between the frames and allows bins to hang safely when pulled out, gaining access to the full bin. The rails fit different sizes of standard and custom Certwood bins, with or without lids. Storage elements for the 12.25" bin width can fit any combination of the four standard bin heights (single/3", double/6", triple/9", and quad/12") interchangeably. Storage elements for the custom 9" bin width can fit the VS exclusive bookbin (6" height) which is perfect for books, maker materials, and more. A combination storage element with one column for the 12.25" bin width and another column for the 9" bin width is also available.

Locking system with cylinder lock in door.

The following material groups are available: Frame made of metal: M1; Certwood plastic bin: C9.

	Bins: S (SW) Standard width 12.25" B (BB) Bookbin width 9"	S THE	SS , ,	SB ÷				
SpaceStation		45416	45417	45436	45426	45427		
	w	14.6	28.35	24.85	21.7	31.9		
	h×d	72.45×19.3						
	Column/Bin configuration	1×SW	2×SW	1×SW, 1×BB	2×BB	3×BB		
	Number of standard bins per column	18x Single 3", 8x Double 6	" & 2x Single 3", 6x Triple 9	", 4x Quad 12" & 2x Single 3"				
	Number of bookbins per column			8x Bookbin 6"				



SpaceWalk Single-sided mobile storage elements with rails for Certwood bins.

Frame made from bent and welded rectangular steel tube on 4 lockable dual-wheel casters and a steel top. Optionally with a rear panel, two side panels, and a hinged door made of steel. Side panels have a cutout for easy gripping. All steel parts are powder-coated.

Modular system consisting of 1, 2, 3, or 4 columns.

Rail system of ABS plastic sits between the frames and allows bins to hang safely when pulled out, gaining access to the full bin. The rails fit different sizes of standard and custom Certwood bins, with or without lids. Storage elements for the 12.25" bin width can fit any combination of the four standard bin heights (single/3", double/6", triple/9", and quad/12") interchangeably. Storage elements for the custom 9" bin width can fit the VS exclusive bookbin (6" height) which is perfect for books, maker materials, and more. A storage element can also have columns for the 12.25" bin width and columns for the 9" bin width in one unit. **Locking system** with cylinder lock in door.

The following material groups are available: Frame made of metal: M1; Certwood plastic bin: C9.

	Bins: S (SW) Standard width 12.25" B (BB) Bookbin width 9"	S •	S S • •	SSS •••	S B	BSB	BB	BBB	BBBB
SpaceWalk		45410	45411	45412	45430	45431	45420	45421	45422
	w	14.6	28.35	41.75	24.85	35.45	21.7	31.9	42.55
	h×d				39	9.4×19.3			
	Column/Bin configuration	1×SW	2×SW	3×SW	1×SW, 1×BB	1×SW, 2×BB	2×BB	3×BB	4×BB
	Number of standard bins per column	9x Single 3"	, 4x Double 6" &	1x Single 3", 3x Ti	riple 9", 2x Quad 1	2″ & 1x Single 3″			
	Number of bookbins per column				4x Bookbin 6"				



SpaceWalk Double-sided mobile storage elements with rails for Certwood bins.


Frame made from bent and welded rectangular steel tube on 4 lockable dual-wheel casters and a steel top. Optionally with a rear panel, two side panels, and a hinged door made of steel. Side panels have a cutout for easy gripping. All steel parts are powder-coated.

Modular system consisting of 2, 3, or 4 columns. Each column of bins can only be accessed from one side, but this doublesided configuration allows working from both sides by having columns facing opposite sides.

Rail system of ABS plastic sits between the frames and allows bins to hang safely when pulled out, gaining access to the full bin. The rails fit different sizes of standard and custom Certwood bins, with or without lids. Storage elements for the 12.25" bin width can fit any combination of the four standard bin heights (single/3", double/6", triple/9", and quad/12") interchangeably. Storage elements for the custom 9" bin width can fit the VS exclusive bookbin (6" height) which is perfect for books, maker materials, and more. A storage element can also have columns for the 12.25" bin width and columns for the 9" bin width in one unit. **Locking system** with cylinder lock in door.

The following material groups are available: Frame made of metal: M1; Certwood plastic bin: C9.

	Bins: S (SW) Standard width 12.25" B (BB) Bookbin width 9"	ss •	sss •	SB •	BSB • •	▲ BB			
SpaceWalk		45413	45414	45433	45434	45423	45424	45425	
	w	28.35	41.75	24.85	35.45	21.7	31.9	42.55	
	h×d				39.4×19.3				
	Column/Bin configuration	2×SW 3×SW 1×SW, 1×BB 1×SW, 2×BB 2×BB 3×BB						4×BB	
	Number of standard bins per column	9x Single 3", 4x Double 6" & 1 Single 3", 3x Triple 9", 2x Quad 12" & 1x Single 3"							
	Number of bookbins per column				4x E	Bookbin 6″			



SpaceCraft

Plastic bins for SpaceStation and SpaceWalk

storage elements.

Certwood bins in transparent color and 5 different sizes for the SpaceStation fixed wall-mounted storage and SpaceWalk mobile storage elements. Bins are removable, shatterproof, and transparent for easy viewing of contents. Five bins available, four that are 12.25" wide and in four heights (single/3", double/6", triple/9", and quad/12"); and one VS custom bookbin that is 9" wide and 6" high which is perfect for books, maker materials, art, STEM, STEAM, and more.

Accessories: Each bin comes with a ticket window (45497). To further customize organization, bins can be ordered with tray inserts (single division: 45489, 2 division: 45485, 3 division long: 45487, and 4 division: 45488), and the 9" bookbin can be ordered with a removable divider (45495) – up to 3 dividers fit in each bookbin. The 12.25" bins can also be ordered with lids (45496).

Configurations: The 12.25" wide bins are available in 7 combinations per column. 9x Single 3", 4x Double 6" & 1x Single 3", 3x Triple 9", 2x Quad 12" & 1x Single 3", Kit 1 (3x Single 3", 3x Double 6"), Kit 2 (2x Single 3", 2x Double 6", 1x Triple 9"), and Kit 3 (1x Double 6", 1x Triple 9", 1x Quad 12"). The 9" wide bookbin is available in 1 combination per column: 4x Bookbin 6". **The following material groups are available to choose from:** Certwood plastic bin: C9.

	Max. load per 3" bin: 11 lbs. per 6" bin: 16.5 lbs. per 9" bin: 16.5 lbs. per 12" bin: 16.5 lbs.						
SpaceCraft	12.25" bins	45490	45491	45492	45494		
	9" bins					49493	
	W		9				
	h	3	6	9	12	6	
	d	16.75					
		Single	Double	Triple	Quad	Book	



SpaceStation-G Stationary, wall-mounted storage elements with rails for Gratnells boxes.

Frame made from bent and welded rectangular steel tube on 4 adjustable feet and a steel top. Optionally with a rear panel, two side panels, and a hinged door made of steel. Side panels have a cutout for easy gripping. All steel parts are powder-coated. Storage elements must be fixed to the wall and can be connected together in a series.

Modular system consisting of 1 or 2 columns.

Rail system of plastic guides sits between the frames and ensures a pull-out stop. The rails fit both heights of Gratnells boxes, with or without lids, interchangeably.

Locking system with cylinder lock in door.

The following material groups are available: Frame made of metal: M1; Gratnells plastic box: C3.

* Max. load per box: 11 lbs.		1 Ť	12 •••				
SpaceStation-G		45406	45407	48565	48566	48568	48567
	W	14.6	28.35				
	h×d	72.45	×19.3	3×14.8	5.95×14.8		
	Number of boxes (h 3/5.95")	18/8	36/16				
				Plastic	boxes*	Тор	Name plate



SpaceWalk-G Mobile storage elements with rails for Gratnells boxes.

Frame made from bent and welded rectangular steel tube on 4 lockable dual-wheel casters and a steel top. Optionally with a rear panel, two side panels, and a hinged door made of steel. Side panels have a cutout for easy gripping. All steel parts are powder-coated.

Modular system consisting of 1, 2, or 3 columns.

Rail system of plastic guides sits between the frames and ensures a pull-out stop. The rails fit both heights of Gratnells boxes, with or without lids, interchangeably. Without the back panel the boxes can be accessed from both sides. **Locking system** with cylinder lock in door.

The following material groups are available: Frame made of metal: M1; Gratnells plastic box: C3.

* Max. load per box: 11 lbs.				12 •						
							\bigcirc	\bigcirc		
SpaceWalk-G	one- or two-sided	45400	45401		45402					
	either side			45403		45404				
							48565	48566	48568	48567
	w	14.6	28.35 41.75							
	h×d			39.4×19.3			3×14.8	5.95×14.8		
	Number of boxes (h 3/5.95")	9/4	18/8	18/8	27/12	27/12				
							Plastic	boxes*	Тор	Name plate



LearnBox

Storage for student workstations.

Modular cabinet system consisting of base and add-on cabinets for individual storage space.

Elements made from laminated LIGNOpal chipboard with plastic edge.

Base cabinets for positioning on the left or right side. With one open compartment and a Gratnells box. Optionally available with casters, 2 of which are lockable, or adjustable glides. With a cover panel or prepared for an add-on cabinet.

Add-on cabinets for organization on the side with open compartments or with a flap, depending on the model. With perforated metal back panel and optional perforated metal side element with pen tray, both magnetic.

Combination with 30" high tables. Cover panels for base cabinets to match the tabletops. Base and add-on cabinets that are accessible from both sides (40051, 40059, 40060) are available for space-optimizing use.

The following material groups are available: Body made of LIGNOpal: L6; Front made of LIGNOpal: L3; Perforated metal: M1. **Further products on this page:** PantoMove-LuPo.

LearnBox	Usable			1-sided	2-sided						
	Lower cabinet	40050					40051				
	Add-on cabinet		40055	40056	40057	40058		40059	40060		
	W		14.4								
	h	29.95		1	29.95	1	5				
	d			27.6 (31.5)				31.5			
	Alignment to user		left	left	right	right		left	right		
	Open compartment	1	4	3	4	3	1	2+			
	Flap			1		1					



LearnBox

Storage for teacher workstations.

Modular cabinet system consisting of base and add-on cabinets for individual storage space.

Elements made from laminated LIGNOpal chipboard with plastic edge.

Base cabinets for positioning on the left or right side. Drawers or wing doors, each with bow handles, flush handles, or lever handles, as well as with cylinder or turn-knob locks. Casters available, 2 of which are lockable, or adjustable glides. With a cover panel or prepared for an add-on cabinet.

Add-on cabinets for organization on the side with open compartments or with a flap, depending on the model. With perforated metal back panel and optional perforated metal side element with pen tray, both magnetic.

Combination with 29.95" high tables. Cover panels for base cabinets to match the tabletops.

The following material groups are available: Body made of LIGNOpal: L6; Front made of LIGNOpal: L3; Perforated metal: M1. **Further products on this page:** PantoMove-Soft.

LearnBox	Lower cabinet	40052	40053	40054				
	Add-on cabinet				40055	40056	40057	40058
	W				14.4			
	h		29.95			1	5	
	d				27.6 (31.5)			
	Alignment to user				lin	ks	rec	chts
	Door (left/right)	1						
	Materials drawer	1	1	2				
	Drawer		2	2				
	Open compartment				4	3	4	3
	Flap					1		1



Series 500 Shelving cabinet (base element).

Construction of glued bodies which can be combined next to and on top of each other into wall units (see product info for add-on element). Base made of 0.35 in chipboard or 1.6 in sheet steel.

Body of melamine-resin-coated chipboard with glued-on plastic edge, rows of holes and concealed adjustable feet. Back panel made from chipboard or from acoustically effective microperforated sheet and with top cover.

Interior equipment with adjustable shelf inserts.

	*with 0.35 in socket	>		F						
Series 500	h	14.8* 10н	29.55	о* 20н	44.3	* зон	59.1	40H	73.85	* 50H
d 16.75 (inside 13.25)	w = 16.75 (inside 15.25)	42301	42302		42303		42304		42305	
	w = 33.5 (inside 32)	42306	42307		42308		42309		42310	
	w = 47.25 (inside 22.55+22.55)			42312		42313		42314		42315
	w = 64.25 (inside 31+31)			42317		42318				
	Shelves	-	1	2	2	4	3	6	4	8



Series 500 Shelving cabinet (add-on element).

Construction of glued bodies which can be combined next to and on top of each other into wall units (see product info for base element). Under each add-on cabinet with a shadow gap of 0.35 in chipboard or with a pull-out storage board of laminate. **Body** of melamine-resin-coated chipboard with glued-on plastic edge and rows of holes. Back panel made from chipboard or from acoustically effective micro-perforated sheet and with top cover.

Interior equipment with adjustable shelf inserts.

Series 500	h	14.8	* 10H	29.55	* 20H	44.3	* зон
d 16.75 (inside 13.25)	w = 16.75 (inside 15.25)	42321		42322		42323	
	w = 33.5 (inside 32)	42326		42327		42328	
	w = 47.25 (inside 22.55+22.55)		42331		42332		42333
	w = 64.25 (inside 31+31)		42336		42337		42338
	Shelves		-	1	2	2	4



Series 500 Roller-shutter cabinet (base element).

Construction of glued bodies which can be combined next to and on top of each other into wall units (see product info for add-on element). With removable top shelf for inspection. Base made of 0.35 in chipboard or 1.6 in sheet steel. **Body** of melamine-resin-coated chipboard with glued-on plastic edge, rows of holes and concealed adjustable feet.

Front consisting of a horizontal roller shutter sliding to the right with aluminum handle strip and alternatively with a cylinder lock. Optionally roller shutter with acoustically effective micro-perforated structure, back panel made from chipboard or from acoustically effective micro-perforated sheet and with top cover.

Interior equipment with adjustable shelf inserts or for 33.5, 47.3 and 63 in roller-shutter cabinets different combinations of hanging frames and wide drawers.

	*with 0.35 in socket	>								
Series 500	h	14.8* 10н	29.55	2 ОН	44.3	* зон	59.1	* 40н	73.85	* 50H
d 16.75 (inside 11.9)	w = 16.75 (inside 13.3)	42351	42352		42353		42354		42355	
	w = 33.5 (inside 30.05)	42341	42342		42343		42344		42345	
	w = 47.25 (inside 30.05+13.05)			42347		42348		42349		42350
	w = 64.25 (inside 30.05+30.05)			42339		42340				
	Shelves	-	1	2	2	4	3	6	4	8



Series 500 Roller-shutter cabinet (add-on element).

Construction of glued bodies which can be combined next to and on top of each other into wall units (see product info for base element). With removable top shelf for inspection. Under each add-on cabinet with a shadow gap of 0.35 in LIGNOpal or with a pull-out storage board of laminate.

Body of laminated LIGNOpal chipboard with plastic edge, rows of holes and concealed, adjustable feet.

Front consisting of a horizontal roller shutter sliding to the right with aluminum handle strip and alternatively with a cylinder lock. Optionally roller shutter with acoustically effective micro-perforated structure, back panel made from chipboard or from acoustically effective micro-perforated sheet and with top cover.

Interior equipment with adjustable shelf inserts.

Series 500	h	14.8	* 10H	29.55	о [*] 20н	44.3	* зон
d 16.75 (inside 30,1)	w = 16.75 (inside 13.3)	42371		42372		42373	
	w = 33.5 (inside 30.05)	42376		42377		42378	
	w = 47.25 (inside 30.05+13.05)		42381		42382		42383
	w = 64.25 (inside 30.05+30.05)		42386		42387		42388
	Shelves		-	1	2	2	4



Series 600

Storage module.

Body consists of a tubular-steel skeleton with 4 posts, a solid-metal bottom and 3 perforated-metal sides, each powder-coated. With design or special castors or optional adjustable feet.

Front open.

Organization. Body with vertical compartments and runners for small, medium, or large plastic boxes. Plastic boxes available in red, blue, green and yellow. The boxes can be freely combined provided the 3 different heights are taken into account. The internal partitions are made of chipboard laminated LIGNOpal chipboard. There are 3 additional side compartments of office file size.

Plastic storage boxes must be ordered separately.

The following material groups are available: Frame made of steel tube: M1; Body made of steel: M1.

	Max. load per box: 5 kg.	\mathbf{i}						
Series 600		09196	09197	09198	09100	45244	45242	45245
Storage module	w×d		12.3×	16.85		18.9×18.9	33.5×18.9	125×48
	h	3	5.95	11.85				
	h design castor 3 (3.95)						48.85 (50.4)	
	h special castor 3 (3.95)						49.25 (50.8)	
	No. of small boxes					12	24	36
	No. of medium boxes					6	12	18
	No. of large boxes					3	6	9



Series 600

Clothes, shoe and satchel cupboard.

Body consists of a tubular-steel skeleton with 4 posts, a solid-metal bottom and 3 perforated-metal sides, each powder-coated. With design or special castors or optional adjustable feet.

Front open.

Shoe cupboard with 16 or 20 shoe compartments of laminated LIGNOpal chipboard and plastic (KU) edges.
Clothes cupboard, at the bottom: 15 shoe compartments of LIGNOpal. At the top: wardrobe with 6 triple hooks.
Satchel cupboard with 8 or 12 satchel compartments of LIGNOpal. Self-adhesive protective rubber mats available.
The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Body made of steel: M1.

Series 600		45236	45232	45233	45234	45237
Wardrobe	w×d			49.25×18.9		
	h design castor 3 (3.95)	35.05	(36.65)	62.6 (64.2)	48.85 (50.4)	62.6 (64.2)
	h special castor 3 (3.95)	35.45	(37.05)	63 (64.6)	49.25 (50.8)	63 (64.6)



Series 600 Open cupboard.

Body consists of a tubular-steel skeleton with 4 tubular corners/legs, a solid metal bottom and 3 perforated-metal sides, all powder-coated. Standard with design or special castors or optional adjustable feet.

Organzation with open compartment and adjustable shelves of steel or LIGNOpal chipboard and plastic (KU) edges.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Body made of steel: M1; Bases made of chipboard: L6; Bases made of steel: M(arctic, anthracite, black RAL 9011, white).

		J								,			
Series 600		45150	45151	45152	45153	45155	45156	45157	45158	45160	45161	45162	45163
	w×d		18.9×18.	9		33.5×18.9		18.9			49.25×1	8.9	
	h design castor 3 (3.95)	35.05 (36.65)	48.85 (50.4)	62.6 (64.2)	(78)	35.05 (36.65)	48.85 (50.4)	62.6 (64.2)	(78)	35.05 (36.65)	48.85 (50.4)	62.6 (64.2)	(78)
	h special castor 3 (3.95)	35.45 (37.05)	49.25 (50.8)	63 (64.6)	(199)	35.45 (37.05)	49.25 (50.8)	63 (64.6)	(78.35)	35.45 (37.05)	49.25 (50.8)	63 (64.6)	(78.35)
	ОН	2	3	4	5	2	3	4	5	2	3	4	5



Series 600

Cupboard. Open cupboard. Storage module.

Body consists of a tubular-steel skeleton with 4 posts, a solid-metal bottom and 3 perforated-metal sides, each powder-coated. With design or special castors or optional adjustable feet.

Front open or with double wing doors of chipboard laminated LIGNOpal chipboard and plastic (KU) edges. The doors are fitted with metal bow handles.

Organization. Both the open shelf and cupboard versions have adjustable chipboard shelves.

Locks. Optionally with cylinder or turning knob locks. Model 45235 alternatively with personal property boxes and rubber mat. **The following material groups are available:** Frame made of steel tube: M1; Front made of chipboard: L(astral silver); Body made of steel: M1.

Series 600		45240	45241	45230	45231	45238	45239	45235			
Cupboards,	w×d	33.5×18.9	49.25×18.9		33.5	×18.9		49.25×18.9			
shelves	h design castor 3 (3.95)		62.6 (64.2)								
	h special castor 3 (3.95)				63 (64.6)						



Series 600

Cupboard for paper and handicraft.

Body consisting of a tubular-steel body with 4 posts, a solid-sheet base and 3 perforated-plate sides, each powder-coated. With design or technical castors or optionally with adjustable feet.

Front with doors and drawers, each consisting of laminated LIGNOpal chipboard with plastic edge and with metal bow handles. **Organization (top).** Cupboard element with a double wing door.Optionally with 1 or 2 shelf inserts or left side with 6 guides for plastic boxes and right side with 1 LIGNOpal shelf insert (45243).

Organization (bottom). 7 drawers with pull-out stop for DIN A2 format. Further formats (DIN A3, A4, A5) with drawer partitions possible (see table).

Locks. Both cupboard elements optionally with cylinder locks.

Drawer partitions and plastic storage boxes of plastic must be ordered separately.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Front made of chipboard: L(astral silver); Body made of steel: M1.

	Max. load per box: 5 kg.									
Series 600		09196	09197	09198	09100	45247	45248	45249	45246	45243
Paper and	w×d		12.3×	16.85					33.5	×25.6
handicraft	h	3	5.95	11.85						
cupboard	h design castor 3 (3.95)								62.6	(64.2)
	h special castor 3 (3.95)								63 (64.6)
	No. of boxes small/medium/large									6/3/2
	DIN A3 partition					2x		1x		
	DIN A4 partition						4x	1x		
	DIN A5 partition							3x		



Series 600

UnoBean module.

Body comprising a steel-tube skeleton with 4 posts, a solid-sheet base and 3 perforated-sheet sides, all powder-coated. With design or technical castors or optionally with adjustable feet.

Front with lockable double wing door.

Organization. Body with vertical compartments and rails for UnoBean school-table/desk box trays. Inner side sections and center wall ma de from LIGNOpal-chipboar d. Body additionally with 3 folder-sized side compartments.

Storage box trays made from plastic must be ordered separately.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Front made of chipboard: L(astral silver); Body made of steel: M1.

	Max. load per box: 5 kg.	\diamond	\diamond	
Series 600		48-256-00	48-257-00	45229
UnoBean-Modul	w×d	20.5	×16.8	49.25×18.9
	h	2.85		
	Number of box trays			34
	h design castor 3 (3.95)			62.6 (64.2)
	h special castor 3 (3.95)			63 (64.6)



Series 600

Stand-at module.

Body consists of a tubular-steel skeleton with 4 tubular corners/legs, a solid metal bottom and 3 perforated-metal sides, all powder-coated. Standard with design or technical castors or optional adjustable feet.

Front of solid metal with metal bow handles.

Top cover of laminated, linoleum or veneered LIGNOpal chipboard with plastic (KU) or beech (BU) edges. Choice of square or round corners.

Organization (45100-7) either open with adjustable LIGNOpal shelves or with drawer and tambour. Bottom with pedestal unit based on steel frame with integrated rows of holes for drawers and suspension files.

Organization (45140-2) with 3 or 1 sided compartment either open or with door of satin glass (single pane safety) and metal knob. Adjustable shelves of laminated LIGNOpal chipboard with plastic (KU) edges.

Locks. Cylinder or turning knob locks optional.

Features and options. Designer handle, business card holder for the format 85x55 mm.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Front made of steel: M1; Roller cover made of plastic: C; Body made of steel: M1; Cover top veneered: F1; Cover top made of Linoleum: L8.

Series 600			45100	45101	45104	45105	45140	45141	45142
	w×d			19.3×	19.3			18.9×18.9	
	h design castor 3 (3.95)			43.75	(45.3)			42.95 (44.5))
	h special castor 3 (3.95)			44.1 (45.7)			43.35 (44.9))
	HE		3+6	3+3+3	3+6	3+3+3			



Series 600

Tambour cupboard.

Body consists of a tubular-steel skeleton with tubular corners/legs and a solid metal bottom, all powder-coated as well as 3 chipboard sides. Standard with design or special castors or optional adjustable feet.

Front comprising all-round, horizontally sliding plastic roller shutter, optionally acoustically effective, with metal bow handle. **Organization** with cupboard element with adjustable shelves of laminated LIGNOpal chipboard.

Locks. Optionally with cylinder or turning knob locks.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Body made of chipboard: L(astral silver, anthracite, plain black); Roller cover made of plastic: C(astral silver).

Series 600		45180	45181	45182	45183	
	w×d	36.65×18.9				
	h design castor 3 (3.95)	35.05 (36.65)	48.85 (50.4)	62.6 (64.2)	(78)	
	h special castor 3 (3.95)	35.45 (37.05)	49.25 (50.8)	63 (64.6)	(78.35)	
	OH	2	3	4	5	



Series 600

TV, beamer and information terminal.

Body made from a steel-tube skeleton with 4 posts, a solid-sheet base and 2 perforated-sheet sides, each powder-coated. Comes as standard with design or technical castors or optionally with adjustable feet.

Front made from perforated sheet with metal bow-type handles.

Organisation (45204). TV compartment with a self-closing door opening upwards. Cabinet element at the bottom with a double-wing door and 3 adjustable shelf inserts, each made of chipboard.All construction bases and adjustable shelf inserts are fitted with a cable outlet and an aluminium insert.

Organisation (45209/10) with open or closed (roller-shutter) compartment for monitor and printer. With lockable cabinet element (wing door) at the bottom for housing the CPU.

Organisation (45211-13). Racks without or with attachment for accommodating a projector. With a shelving element open on 3 sides at the bottom, optionally with cable drawer and equipment drawer.

Locks. Optionally with cylinder or turnknob locks.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Body and front made of steel: M1; Front made of chipboard: L(astral silver).

Series 600		45204	45209	45210	45211	45212	45213
	w×d	33.5×25.6	25.6	×18.9	18.9×18.9	25.6×25.6	18.9×18.9
	h design castor 3 (3.95)	(78)	(77.6)		(7	42.95 (44.5)	
	h special castor 3 (3.95)	(78.35)	(78)	(78)	43.35 (44.9)
	w×d monitor compartment	28.75×23.65×22.45	22.85×16.55	21.9×11.7			
	w×d printer compartment		22.85×16.55	21.9×16.55			
	w×h×d computer compartment		20.5×20	.5×16.55			



Series 600

Media rack-1.

Body consists of a tubular-steel skeleton with 4 tubular corners/legs, a solid metal bottom and 3 perforated-metal sides, all powder-coated. **Standard** with design or special castors or optional adjustable feet.

Front of satin glass (single pane safety) with metal knob.

Organization with cupboard element with adjustable shelves of laminated LIGNOpal chipboard with plastic edges. Optional with pull-out shelf and side doors for installation of CPU.

Media technique can be integrated into the cupboard. Rear corner tubes can be extended upwards to accept a plasma display unit.

Electrification is achieved through holes with aluminum inserts in the top as well as through an optional removable back. **Locks.** Optionally with cylinder or turning knob locks.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Front made of glass: G2; Body made of steel: M1.

Series 600		45180	45182
	w×d	49.2	5×18.9
	h design castor 3 (3.95)	66.15	(67.75)
	h special castor 3 (3.95)	66.55	(68.15)
	h body	3.	4.3



Series 600

Cupboard.

Body consists of a tubular-steel skeleton with 4 tubular corners/legs, a solid metal bottom and 3 perforated-metal sides, all powder-coated. Standard with design or special castors or optional adjustable feet.

Front of satin glass (single pane safety) with metal knob.

Organization with cupboard element with adjustable shelves of LIGNOpal chipboard and plastic (KU) edges.

Locks. Optionally with cylinder or turning knob locks.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Front made of glass: G2; Body made of steel: M1.

Series 600		45170 45171 4	5172 45173
	w×d	33.5×18.9	
	h design castor 3 (3.95)	35.05 (36.65) 48.85 (50.4) 62.6	6 (64.2) (198)
	h special castor 3 (3.95)	35.45 (37.05) 49.25 (50.8) 63	3 (64.6) (199)
	OH	2 3	4 5



Series 600 Sideboard.

Body consists of a tubular-steel skeleton with 4 tubular corners/legs, a solid metal bottom and 3 perforated-metal sides, all powder-coated. Standard with design or special castors or optional adjustable feet. **Front** of satin glass (single pane safety) with metal knob.

Organization with cupboard element with adjustable shelves of LIGNOpal chipboard and plastic (KU) edges. Optional with pullout shelf and side doors for installation of CPU.

Electrification is achieved through holes with aluminum inserts in the top as well as through an optional removable back. **Locks.** Optionally with cylinder or turning knob locks.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Front made of glass: G2; Body made of steel: M1.

Series 600		452	04 45210
	w×d		9.25×18.9
	h design castor 3 (3.95)	35	.05 (36.65)
	h special castor 3 (3.95)	38	.45 (37.05)
	ОН		2



Series 600

Catering module.

Body consists of a tubular-steel skeleton with 4 posts, a solid-metal bottom and 3 perforated-metal sides, each powder-coated. With design or special castors.

Front open and/or solid-metal with metal bow handles.

Coffee module (depending on model) with an open drawer for cups and small items, drawers or a storage compartment with door for water tanks. Upper cover plate made from laminated LIGNOpal chipboard and plastic (KU) edge. The cover plate acts as a surface for holding a coffee machine. Wiring/electrification through the back.

Refrigerator module (depending on model) with an open drawer for glasses and small items, drawers or shelf compartments and a refrigerator (not included). Upper cover plate made from LIGNOpal.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Body and front made of steel: M1.

Series 600		45143	45144	45145	45146	45147		
Catering	w×d (storage space)		25.6×25.6 (24.05×24.05)		49.25×25.6 (4	25.6 (47.65×24.05)		
	h design castor 3 (3.95) / back part	35.05 (36.65)		35.05 (36.65)) / 48.85 (50.4)			
	h special castor 3 (3.95) / back part	35.45 (37.05)		35.45 (37.05)	/ 49.25 (50.8)			
				Open drawer				
		Refrigerator 62 l			Refrigera	ator 62 l		
			2 drawers			2 drawers		
				Compartment for	3 shelf compartments			
				2 water tanks				



Series 700

Cupboard and sideboard. Typ 2.1+2.2.

Constructed of 2 combined chipboard elements in body design, with 4 adjustable feet per element.

Fronts are equipped with sliding doors of chipboard running at the front and sliding doors of LIGNOpal-chipboard or glass (toughened safety glass) running on the inside. LIGNOpal-chipboard doors with glued-on plastic or beech edge. All doors can be slid over the full element width.

Locks. Optionally with cylinder locks.

Handles. Outside sliding doors with fixed knob or bow handle, inner sliding doors with short or long strip handle.

Interior equipment with adjustable shelf inserts (EB).

Features. With LIGNOpal-chipboard end panels, perforated-metal finished backs.

Electrification. Cable outlet is through holes with aluminum inserts in top, bottom and all adjustable shelves.

For further information see the system or accessory descriptions.

The following material groups are available: Front made of chipboard: L3,(red, yellow); Front veneered: F1; Front made of glass: G1; Body and bases made of chipboard: L6.

		Rows of holes: 1 in.		
Series 700	2 OH (Number EB 2)	h = 33.3	47101	47106
	3 OH (Number EB 4)	h = 48.05	47102	47107
	4 OH (Number EB 6)	h = 62.8	47103	47108
	5 OH (Number EB 8)	h = 77.6	47104	47109
		Туре	2.1	2.2
		w×d	63.65>	18.75



Series 700

Cupboard and sideboard. Typ 3.1.

Constructed of 3 combined chipboard elements in body design, with 4 adjustable feet per element.

Fronts are equipped with sliding doors of LIGNOpal-chipboard running at the front and sliding doors of chipboard or glass (toughened safety glass) running on the inside. LIGNOpal-chipboard doors with glued-on plastic or beech edge. All doors can be slid over the full element width.

Locks. Optionally with cylinder locks.

Handles. Outside sliding doors with fixed knob or bow handle, inner sliding doors with short or long strip handle.

Interior equipment with adjustable shelf inserts (EB).

Features. With LIGNOpal-chipboard end panels.

Electrification. Cable outlet is through holes with aluminum inserts in top, bottom and all adjustable shelves.

For further information see the system or accessory descriptions.

The following material groups are available: Front made of chipboard: L3,(red, yellow); Front veneered: F1; Front made of glass: G1; Body and bases made of chipboard: L6.

		Rows of holes: 1 in.	
Series 700	2 OH (Number EB 3)	h = 33.3	47141
	3 OH (Number EB 6)	h = 48.05	47142
	4 OH (Number EB 9)	h = 62.8	47143
	5 OH (Number EB 12)	h = 77.6	47144
		Туре	3.1
		w×d	95.15×18.75



Series 700

Cupboard and sideboard. Typ 4.1+4.2+4.3.

Constructed of 4 combined chipboard elements in body design, with 4 adjustable feet per element.

Fronts are equipped with sliding doors of LIGNOpal-chipboard running at the front and sliding doors of LIGNOpal-chipboard or glass (toughened safety glass) running on the inside. LIGNOpal-chipboard doors with glued-on plastic or beech edge. All doors can be slid over the full element width.

Locks. Optionally with cylinder locks.

Handles. Outside sliding doors with fixed knob or bow handle, inner sliding doors with short or long strip handle.

Interior equipment with adjustable shelf inserts (EB).

Features. With LIGNOpal-chipboard end panels.

Electrification. Cable outlet is through holes with aluminum inserts in top, bottom and all adjustable shelves.

For further information see the system or accessory descriptions.

The following material groups are available: Front made of chipboard: L3,(red, yellow); Front veneered: F1; Front made of glass: G1; Body and bases made of chipboard: L6.

		Rows of holes: 1 in.			
Series 700	2 OH (Number EB 4)	h = 33.3	47116	47121	47126
	3 OH (Number EB 8)	h = 48.05	47117	47122	47127
	4 OH (Number EB 12)	h = 62.8	47118	47123	47128
	5 OH (Number EB 16)	h = 77.6	47119	47124	47129
		Туре	4.1	4.2	4.3
		w×d		126.65×18.75	



Series 800-Mobil Mobile shelf units.

Mobile storage element (see table for details) in 2, 3, 4 and 5 height units and 3 fixed depths. The cabinets are suitable for a maximum additional load of 165 lbs/sqm and select models are equipped with counterweights to provide the necessary stability. Lockable 3 in design castors ensure safe mobility.

Type: Open cabinet, select models with central panel (CP) flush with the body or set-back for the horizontal subdivision of the body. With visible back panel fixed in groove.

Internal equipment consisting of shelf inserts.

The following material groups are available: Body and bases made of chipboard: L6.

Series 800	H =			34.7	5 2FH				49.5 _{ЗFH}			64.3 SFH			79.05 SFH	
D=16.75	W= 31.5 in	47450						47453								
	W= 39.4 in	47462	47463	47464				47465	47466	47467						
	W= 47.25 in	47474	47475	47476	47477	47478	47479	47480	47481	47482						
D=19.7	W= 31.5 in	47456						47459								
	W= 39.4 in	47468	47469	47470				47471	47472	47473						
	W= 47.25 in	47483	47484	47485	47486			47487	47488	47489						
D=22.85	W= 31.5 in	47550						47553			47556			47559		
	W= 39.4 in	47562	47563	47564				47565	47566	47567	47568	47569	47570	47571	47572	47573
	W= 47.25 in	47574	47575	47576	47577			47580	47581	47582	47583	47584	47585	47587	47588	47589
	Adj. shelf inserts	1	2	2	6	8	12	2	4	4	3	6	6	4	8	8
	Wooden boxes H=5.55	-	-	-	-	12	16	-	-	-	-	-	-	-	-	-
	CP, CPsb	-	CP	CPsb	CP	CP	CP	-	CP	CPsb	-	CP	CPsb	-	CP	CPsb



Series 800-Mobil

Mobile swing-door cabinets.

Mobile storage element (see table for details) in 2, 3, 4 and 5 height units and 3 fixed depths. The cabinets are suitable for a maximum additional load of 165 lbs/sqm and select models are equipped with counterweights to provide the necessary stability. Lockable 3 in design castors ensure safe mobility.

Type: Swing-door cabinet, some with central panel (CP) flush with the body or set-back for the horizontal subdivision of the body. With visible back panel fixed in groove.

Front consisting of 2 wing doors with single lock. Models indicating a flush central panel (CP) will be equipped with 2 independently locking doors. With bow handles, inset handles or turning knobs.

Locking system with cylinder or turn knob locks as standard.

Internal equipment consisting of shelf inserts.

					ARE L									
Series 800	H =		34.7	5 2FH			49.5 _{3FH}			64.3 5FH			79.05 5FH	
D=16.75	W= 31.5 in	47400	47401	47402		47403	47404	47405						
	W= 39.4 in	47412	47413	47414		47415	47416	47417						
	W= 47.25 in	47424	47425	47426	47427	47430	47431	47432						
D=19.7	W= 31.5 in	47406	47407	47408		47409	47410	47411						
	W= 39.4 in	47418	47419	47420		47421	47422	47423						
	W= 47.25 in	47433	47434	47435	47436	47437	47438	47439						
D=22.85	W= 31.5 in	47500	47501	47502		47503	47504	47505	47506	47507	47508	47509	47510	47511
	W= 39.4 in	47512	47513	47514		47515	47516	47517	47518	47519	47520	47521	47522	47523
	W= 47.25 in	47524	47525	47526	47527	47530	47531	47532	47533	47534	47535	47537	47538	47539
	Adjustable shelf inserts	1	2	2	6	2	4	4	3	6	6	4	8	8
	Locks / CP, CPsb	1/-	2 / CP	1 / CPsb	1 / CPsb	1/-	2 / CP	1 / CPsb	1/-	2 / CP	1 / CPsb	1/-	1/CP	1 / CPsb



Series 800-Mobil

Mobile satchel cabinets.

Mobile storage element (see table for details) in 2, 3, 4 and 5 height units and 3 fixed depths. The cabinets are suitable for a maximum additional load of 165 lbs/sqm and select models are equipped with counterweights to provide the necessary stability. Lockable 3 in design castors ensure safe mobility.

Type: Open cabinet with 3 to 4 rows of satchel compartments. Some with individual plastic Gratnells boxes, 3 or 5.95 in high, in each satchel cabinet or with complete row of Gratnells boxes. Cabinet with visible back panel fixed in groove. **The following material groups are available:** Body and bases made of chipboard: L6; Gratnells plastic box: C3.

Series 800	H =	88,2 2FH		125,	7 _{3FH}	
D=16.75	W= 41.55 in	47445	47446	47447		
	W= 47.25 in				47448	
	W= 55.15 in					47449
	Number of boxes H=3/5.95	6/3	6/-	12/6	-/-	8/-
	Number of compartiments	3	6	4	8	8



Series 800-Mobil Mobile bin cabinets.

Mobile storage element (see table for details) in 2, 3, 4 and 5 height units and 3 fixed depths. The cabinets are suitable for a maximum additional load of 165 lbs/sqm and select models are equipped with counterweights to provide the necessary stability. Lockable 3 in design castors ensure safe mobility.

Type: Open or closed cabinet with 2 to 4 rows of plastic Gratnells boxes, 3 or 5 7/8 inch high. Central panels and side elements with guide rails for Gratnells boxes. Cabinet with visible back panel fixed in groove.

Front consisting of double swing door (CP) with bow handles, inset handles or lever handles turning knobs on select models. **Locking system** with cylinder or turn knob locks as standard.

Series 800	H =			2 2FH		125,7 зғн
D=16.75	W= 28 in	47440				
	W= 41.55 in		47441		47443	47444
	W= 55.15 in			47442		
	Number of boxes H=3/5.95	16/8	24/12	32/16	24/12	36/18
	Locks	-	-	-	1	1



Series 800 Cabinets and shelves with property trays in special widths (wide: 28 - 55,15).

Element cabinet (for details, see table) in the height units 2, 3, 4 and 5 FH.

Type: Special cabinets with wooden or plastic property trays. For 4 and 5 FH with a fixed construction base for vertical body division.

Front open or consisting of double-wing doors with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts or optionally with adjustable shelf inserts and personal property boxes made of wood or with a runner system for Gratnells plastic boxes/tubs.

Construction: Models from a height of 77.6 in or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

		EBB									F	P	P
Series 800	H (in cm for standard base) =				33.	3 2FH				48.05 3FH	62.8 4FH	77.6	5FH
D=16.75	W= 28 in					44630							
	W= 41.55 in						44631		44633	44634	44635	44636	44637
	W= 47.25 in	44238	44239	44240	44213								
	W= 55.15 in							44632					
D=22.85	W= 47.25 in	44538			44513								
	Adj. shelf inserts / Boxes H=3/5.95	6/-/-			6/-/-	- / 16 / 8	- / 24 / 12	- / 32 / 16	- / 24 / 12	- / 36 / 18	1 / 24 / 12	2 / 24 / 12	1 / 36 / 18
	Adj. shelf inserts / Wooden boxes H=5.55	6/-	8 / 12	12 / 16									
	Locks	-	-	-	1	-	-	-	1	1	1	1	1



Series 800 satchel cabinets.

Element cabinet (see table for details) in two height units.

Type: Special cabinets for satchels, optionally with rail system for Gratnells plastic trays. Depending on model, with fixed construction shelf for the vertical subdivision of the body.

The following material groups are available: Body and bases made of chipboard: L6; Gratnells plastic box: C3.

Series 800	H (in cm for standard base) =		33.3 _{2FH}			48.05 3FH		77.6	5FH		48.0	5 зғн	
D=16.75	W= 28 in	44736			44739			44747					
	W= 41.55 in		44730			44740			44748	44731	44732		
	W= 47.25 in											44733	
	W= 55.15 in			44737			44741						44734
	Number of boxes H=3/5.95	4/2	6/3	8/4	4/2	6/3	8/4	8/4	12/6	6/-	12/6	-/-	8/-
	Number of compartiments	2	3	4	4	6	8	4	6	6	4	8	8
	Coat hooks	-	-	-	х	x	х	х	х	-	-	-	-



Series 800

Shelving cabinets (wide: 15.8 - 31.5).

Element cabinet (for details, see table) in the height units 2, 3, 4, 5 and 6 FH.

Type: Open shelving cabinet.

Interior equipment consisting of adjustable shelf inserts.

Construction: Models from a height of 77.6 in or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

The following material groups are available: Body and bases made of chipboard: L6.

Series 800	H (in cm for standard base) =		33.3 _{2FH}		48.05 зғн		62.8 4FH		77.6 SFH		92.35 6FH
D=16.75	W= 15.75 in	44030		44031		44032		44033		44034	
	W= 19.7 in	44130		44131		44132		44133		44134	
	W= 23.65 in	44230		44231		44232		44233		44234	
	W= 31.5 in	44035		44036		44037		44038		44039	
D=22.85	W= 15.75 in	44330		44331		44332		44333		44334	
	W= 19.7 in	44430		44431		44432		44433		44434	
	W= 23.65 in	44530		44531		44532		44533		44534	
	W= 31.5 in	44335		44336		44337		44338		44339	
	Adjustable shelf inserts	1		2		3		4		5	



Series 800

Shelving cabinets (wide: 39.4 - 47.3).

Element cabinet (for details, see table) in the height units 2, 3, 4, 5 and 6 FH.

Type: Open shelving cabinet, some with center partition flush with the body or set back (CPsb) for horizontal body division. **Interior equipment** consisting of adjustable shelf inserts.

Construction: Models from a height of 77.6 in or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

The following material groups are available: Body and bases made of chipboard: L6.

		B		B												
Series 800	H (in cm for standard base) =		33.3 _{2FH}			48.05 _{3FH}			62.8 SFH			77.6 _{SFH}			92.35 _{6FH}	
D=16.75	W= 39.4 in	44135	44136	44137	44141	44142	44143	44144	44145	44146	44147	44148	44149	44150	44151	44152
	W= 47.25 in	44235	44236	44237	44241	44242	44243	44244	44245	44246	44247	44248	44249	44250	44251	44252
D=22.85	W= 39.4 in	44435	44436	44437	44441	44442	44443	44444	44445	44446	44447	44448	44449	44450	44451	44452
0 22.00	W= 47.25 in	44535		44537	44541	44542	44543	44544	44545	44546	44547	44548		44550	44551	44552
						-		-								
	Adjustable shelf inserts	1	2	2	2	4	4	3	6	6	4	8	8	5	10	10
	CP, CPsb	-	CP	CPsb	-	CP	CPsb	-	CP	CPsb	-	CP	CPsb	-	CP	CPsb



Series 800

Filing cabinets (wide: 31.5 - 47.3).

Element cabinet (for details, see table) in the height units 2, 3, 5 and 6 FH.

Type: Filing or combination filing cabinet. From 5 FH with a fixed construction base for vertical body division.

Front consisting of a row of drawers. For 5 and 6 FH with additional storage space behind double-wing doors. Each with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of suspension-file or wide drawers and adjustable shelf inserts behind the door fronts.

Construction: Models from a height of 77.6 in or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

		-							
Series 800	H (in cm for standard base) =	33.3	3 2FH	48.0	5 зғн	77.6	5FH	92.3	5 6FH
D=16.75	W= 31.5 in	47600	47601	47602	47603	47604	47605	47606	47607
	W= 39.4 in	47610	47611	47612	47613	47614	47615	47616	47617
D=22.85	W= 31.5 in	47700	47701	47702	47703	47704	47705	47706	47707
	W= 39.4 in	47710	47711	47712	47713	47714	47715	47716	47717
	Adjustable shelf inserts /Pull-outs	- / 2	- / 4	- / 3	- / 6	2/2	1/3	3 / 2	2/3
	Locks	1	1	1	1	2	2	2	2



Series 800

Cabinets and wardrobe cabinets with one wing door

(wide: 15.8 - 23.65).

Element cabinet (for details, see table) in the height units 2, 3, 4, 5 and 6 FH.

Type: Wing-door cabinet.

Front consisting of a single-wing door hung on the left or right with bow-type handle, inset-type handle or knob handle. **Locking system** optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts and/or according to the depth and width dimensions with wardrobe racks, drawers or hooks on the screwed wardrobe base.

Construction: Models from a height of 77.6 in or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

				B				RANA		A		
Series 800	H (in cm for standard base) =		33.3 _{2FH}		48.05 _{3FH}		62.8 4FH		77.6 5FH		92.35 _{6FH}	
D=16.75	W= 15.75 in	44000		44001		44002		44003		44005		
	W= 19.7 in	44100		44101		44102		44103		44105		
	W= 23.65 in	44200		44201		44202		44203		44205		
D=22.85	W= 15.75 in	44300		44301		44302		44303		44305		
	W= 19.7 in	44400		44401		44402		44403		44405		
	W= 23.65 in	44500		44501		44502		44503		44505		
	Adjustable shelf inserts	1		2		3		4		5		
	Locks	1		1		1		1		1		



Series 800 Cabinets and wardrobe cabinets with wing doors

(wide: 31.5 - 47.3).

Element cabinet (for details, see table) in the height units 2, 3, 4, 5 and 6 FH.

Type: Wing-door cabinet, some with center partition flush with the body or set back (CPsb) for horizontal body division. **Front** consisting of 2 separately closing single-wing doors or one double-wing door with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts and/or according to the depth and width dimensions with wardrobe racks, drawers or hooks on the screwed wardrobe base.

Construction: Models from a height of 77.6 in or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

								B								
Series 800	H (in cm for standard base) =		33.3 2FH			48.05 3FH			62.8 4FH			77.6 5ЕН	V A		92.35 6FH	
D=16.75	W= 31.5 in	44010	44011	44012	44014	44015	44016	44017	44018	44019	44020	44021	44022	44025	44026	44027
	W= 39.4 in	44110	44111	44112	44114	44115	44116	44117	44118	44119	44120	44121	44122	44125	44126	44127
	W= 47.25 in	44210	44211	44212	44214	44215	44216	44217	44218	44219	44220	44221	44222	44225	44226	44227
D=22.85	W= 31.5 in	44310	44311	44312	44314	44315	44316	44317	44318	44319	44320	44321	44322	44325	44326	44327
	W= 39.4 in	44410	44411	44412	44414	44415	44416	44417	44418	44419	44420	44421	44422	44425	44426	44427
	W= 47.25 in	44510	44511	44512	44514	44515	44516	44517	44518	44519	44520	44521	44522	44525	44526	44527
	Adjustable shelf inserts	1	2	2	2	4	4	3	6	6	4	8	8	5	10	10
	Locks / CP, CPsb	1	2 / CP	1 / CPsb	1	2/CW	1 / CPsb	1	2 / CW	1 / CPsb	1	2 / CP	1 / CPsb	1	2 / CP	1 / CPsb



Series 800

Drawer cabinets and combination cabinets (wide: 31.5 - 47.3).

Element cabinet (for details, see table) in the height units 2 and 5 FH.

Type: Drawer or combination drawer cabinet. For 5 FH with a fixed construction base for vertical body division.

Front consisting of 1 or 2 rows of drawers. Some with additional storage space behind single-wing doors (2 FH) or double-wing doors (5 FH). Each with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of draws with steel sheet side elements and shelf inserts behind door panels.

Construction: Models from a height of 77.6 in or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

Series 800	H (in cm for standard base) =		33.0	3 2FH		77.6	5FH
D=16.75	W= 31.5 in	44831	44832	44833	44835	44834	44836
	W= 39.4 in	44841	44842	44843		44844	
	W= 47.25 in	44846	44847	44848		44849	
D=22.85	W= 31.5 in	44931	44932	44933	44935	44934	44936
	W= 39.4 in	44941	44942	44943		44944	
	W= 47.25 in	44946	44947	44948		44949	
	Adjustable shelf inserts / Drawers	1/5	1/5	- / 10	- / 5	2 / 10	2/5
	Locks	2	2	2	1	3	2





Series 800 Combination cabinets and combination shelves (wide: 15.8 - 23.65).

Element cabinet (for details, see table) in the height units 5 and 6 FH.

Type: Combined shelving and wing-door cabinets, each with a fixed construction base for vertical body division.

Front open or consisting of 2 single-wing doors hung on the left or right with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

Construction: Models from a height of 77.6 in or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

						A	A A A A A A A A A A A A A A A A A A A		(AMANA)		
Series 800	H (in cm for standard base) =	7.	7.6 2+3FH (Sh	∋lf)	77.6 _{2+3FH}		92.35 _{2+4FH}			92.35 _{4+2FH}	
D=16.75	W= 15.75 in	44004				44008	44006	4	4007		
	W= 19.7 in	44104				44108	44106	4	4107		
	W= 23.65 in	44204				44208	44206	4	4207		
D=22.85	W= 15.75 in	44304				44308	44306	4	4307		
	W= 19.7 in	44404				44408	44406	4	4407		
	W= 23.65 in	44504				44508	44506	4	4507		
	Adjustable shelf inserts	3				4	4		4		
	Locks	1				1	2		2		





Series 800 Combination cabinets and combination shelves (wide: 31.5 - 47.3).

Element cabinet (for details, see table) in the height units 5 and 6 FH.

Type: Combined shelving and wing-door cabinets, each with a fixed construction base for vertical body division. Some with a center partition set back (CPsb) in the lower cabinet area for further subdivision.

Front open or consisting of double-wing doors with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

Construction: Models from a height of 77.6 in or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

			H		B								
Series 800	H (in cm for standard base) =	7	7.6 2+3FH (Shel	f)		77.6 _{2+3FH}		92.35	2+4FH			92.35 _{4+2FH}	
D=16.75	W= 31.5 in	44023			44024		44009		44028		44029		
	W= 39.4 in		44123			44124		44109		44128		44129	
	W= 47.25 in		44223			44224		44209		44228		44229	
D=22.85	W= 31.5 in	44323			44324		44309		44328		44329		
	W= 39.4 in		44423			44424		44409		44428		44429	
	W= 47.25 in		44523			44524		44509		44528		44529	
	Adjustable shelf inserts	3	2+2		3	2+2	4	5	4	2+3	4	6+1	
	Locks / CP, CPsb	1/-	1 / CPsb		2/-	2 / CPsb	1/-	1 / CPsb	2 / -	2 / CPsb	2/-	2 / CPsb	





Series 800 Collection and special cabinets (wide: 31.5 - 47.3).

Element cabinet (for details, see table) in the height unit 5 FH.

Type: Collection cabinets with glass-frame doors or special cabinets with installed wardrobe, musical-instrument or kitchenette facilities. With construction base for vertical and with center partition flush with the body or set back (CPsb) for horizontal body division.

Front consisting of double-wing doors with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

Construction: Models from a height of 77.6 in or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

Series 800	H (in cm for standard base) =				77.6 SFH			
D=16.75	W= 31.5 in						44075	
	W= 47.25 in	44270	44271	44272	44273	44274		
D=22.85	W= 31.5 in						44375	
	W= 47.25 in	44570	44571	44572	44573	44574		44576
	Adjustable shelf inserts	4	8	4	8	2+2	4	2
	Locks / CP, CPsb	1/-	2 / CP	1/-	2 / MW	2 / -	1 / CPsb	1/-





Series 800 Add-on cabinets and shelves (wide: 15.8 - 23.65).

Element cabinet (for details, see table) in the height unit 1, 2 and 3 FH.

Type: Shelving or wing-door add-on cabinet. Optionally with pedestal for mounting a ladder rail.

Front open or consisting of a single-wing door hung on the left or right with bow-type handle, inset-type handle or knob handle. **Locking system** optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

The following material groups are available: Body and bases made of chipboard: L6; Front made of chipboard: L3; Front veneered: F1.

	* for ladder rail												
				8									
Series 800	H =	14.8 IFH	*17.75 1ғн	14.8 IFH	*45,0 1FH	17.75 _{2FH}	*32.5 _{2FH}	29.55 _{2FH}	*32.5 _{2FH}	44.3 _{2FH}	*47.25 _{2FH}	44.3 _{2FH}	*47.25 _{2FH}
D=16.75	W= 15.75 in	47800	47820	47801	47821	44080	44090	44081	44091	47840	47860	47841	47861
	W= 19.7 in	47802	47822	47803	47823	44180	44190	44181	44191	47842	47862	47843	47863
	W= 23.65 in	47804	47824	47805	47825	44280	44290	44281	44291	47844	47864	47845	47865
D=22.85	W= 15.75 in	47900	47920	47901	47921	44380	44390	44381	44391	47940	47960	47941	47961
	W= 19.7 in	47902	47922	47903	47923	44480	44490	44481	44491	47942	47962	47943	47963
	W= 23.65 in	47904	47924	47905	47925	44580	44590	44581	44591	47944	47964	47945	47965
	Adjustable shelf inserts	-	-	-	-	1	1	1	1	2	2	2	2
	Locks	1	1	-	-	1	1	-	-	1	1	-	-





Series 800

Add-on cabinets and shelves (2 FH, wide: 31.5 - 47.3).

Element cabinet (for details, see table) in the height unit 2 FH.

Type: Shelving or wing-door add-on cabinet, some with center partition flush with the body or set back (CPsb) for horizontal body division. Optionally with pedestal for mounting a ladder rail.

Front open or consisting of 2 separately closing single-wing doors or one double-wing door (CPsb) with bow-type handles, insettype handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

The following material groups are available: Body and bases made of chipboard: L6; Front made of chipboard: L3; Front veneered: F1.

			B	B	B				B	B		B	B
Series 800	H =		29.55 _{2FH}		32	.5 2FH for ladder	rail		29.55 _{2FH}		32	.5 2FH for ladder	' rail
D=16.75	W= 31.5 in	44082			44092			44085			44095		
	W= 39.4 in	44182	44183	44184	44192	44193	44194	44185	44186	44187	44195	44196	44197
	W= 47.25 in	44282	44283	44284	44292	44293	44294	44285	44286	44287	44295	44296	44297
D=22.85	W= 31.5 in	44382			44392			44385			44395		
	W= 39.4 in	44482	44483	44484	44492	44493	44494	44485	44486	44487	44495	44496	44497
	W= 47.25 in	44582	44583	44584	44592	44593	44594	44585	44586	44587	44595	44596	44597
	Adjustable shelf inserts	1	2	2	1	2	2	1	2	2	1	2	2
	Locks / CP, CPsb	1/-	2 / CP	1 / CPsb	1/-	2 / CP	1 / CPsb	- / -	- / CP	- / CPsb	- / -	- / CP	- / CPsb





Series 800 Add-on cabinets and shelves (1 FH, wide: 31.5 - 47.3).


Element cabinet (for details, see table) in the height unit 1 FH.

Type: Shelving or wing-door add-on cabinet, some with center partition flush with the body or set back (CPsb) for horizontal body division. Optionally with pedestal for mounting a ladder rail.

Front open or consisting of 2 separately closing single-wing doors or one double-wing door (CPsb) with bow-type handles, insettype handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

									F	A			
<u> </u>	H =		14.0		17	75			14.0		17	75	
Series 800	H =		14.8 IFH		1/.	75 1FH for ladder	rail		14.8 IFH		17.	75 1FH for ladder	rail
D=16.75	W= 31.5 in	47806			47826			47807			47827		
	W= 39.4 in	47808	47809	47810	47828	47829	47830	47811	47812	47813	47831	47832	47833
	W= 47.25 in	47814	47815	47816	47834	47835	47836	47817	47818	47819	47837	47838	47839
D=22.85	W= 31.5 in	47906			47926			47907			47927		
	W= 39.4 in	47908	47909	47910	47928	47929	47930	47911	47912	47913	47931	47932	47933
	W= 47.25 in	47914	47915	47916	47934	47935	47936	47917	47918	47919	47937	47938	47939
	Adjustable shelf inserts	-	-	-	-	-	-	-	-	-	-	-	-
	Locks / CP, CPsb	1/-	2 / CP	1 / CPsb	1/-	2 / CP	1 / CPsb	- / -	- / CP	- / CPsb	- / -	- / CP	- / CPsb





Series 800

Add-on cabinets and shelves (3 FH, wide: 31.5 - 47.3).

Element cabinet (for details, see table) in the height unit 3 FH.

Type: Shelving or wing-door add-on cabinet, some with center partition flush with the body or set back (CPsb) for horizontal body division. Optionally with pedestal for mounting a ladder rail.

Front open or consisting of 2 separately closing single-wing doors or one double-wing door (CPsb) with bow-type handles, insettype handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

								B		Ø	B		B
Contro 000					47						47		
Series 800	H =		44.3 _{3FH}		4/.	25 3FH for ladder	rail		44.3 _{3FH}		4/.	25 3FH for ladder	rail
D=16.75	W= 31.5 in	47846			47866			47847			47867		
	W= 39.4 in	47848	47849	47850	47868	47869	47870	47851	47852	47853	47871	47872	47873
	W= 47.25 in	47854	47855	47856	47874	47875	47876	47857	47858	47859	47877	47878	47879
D=22.85	W= 31.5 in	47946			47966			47947			47967		
	W= 39.4 in	47948	47949	47950	47968	47969	47970	47951	47952	47953	47971	47972	47973
	W= 47.25 in	47954	47955	47956	47974	47975	47976	47957	47958	47959	47977	47978	47979
	Adjustable shelf inserts	2	4	4	2	4	4	2	4	4	2	4	4
	Locks / CP, CPsb	1/-	2 / CP	1 / CPsb	1/-	2 / CP	1 / CPsb	- / -	- / CP	- / CPsb	- / -	- / CP	- / CPsb



Series 800 Add-on cabinets for FlexiPanel integration.

Element cabinet (see table for details) in height of 3 height units.

Type: Shelved add-on cabinet, in some cases with centre partition. With doubled top and bottom panel for attachment of FlexiPanel system rail.

Internal equipment consisting of shelf inserts or gratnells plastic boxes.

The following material groups are available: Body and bases made of chipboard: L6.

Series 800			D=16.75			D=22.85			D=16.75	
	Н					45.05 _{3FH}				
	W= 15.75 in	44880			44980					
	W= 19.7 in	44881			44981					
	W= 23.65 in	44882			44982					
	W= 28 in							44877		
	W= 31.5 in	44883			44983					
	W= 39.4 in	44884	44885	44886	44984	44985	44986			
	W= 41.55 in								44878	
	W= 47.25 in	44887	44888	44889	44987	44988	44989			
	W= 55.15 in									44879
	Adjustable shelf inserts	2	4	4	2	4	4	-	-	-
	CP, CPsb	-	CP	CPsb	-	CP	CPsb	-	-	-
	Number of boxes H=3/5.95	-	-	-	-	-	-	4/2	6/3	8/4
	Number of compartiments	-	-	-	-	-	-	2	3	4



Series 800 Niches for installation in cabinet walls

Element cabinet (see table for details) in heights of 2, 3 and 4 height units.

Type: Niche as open storage space for decorative purposes or with cushioning as comfortable sitting area.

Body consisting of two side parts, an upper and lower panel and a rear wall. The upper and lower panels are placed flush against the side parts and fixed with dowels. Sides and upper/lower panels made from 1.6 in chipboard and rear wall from 0.8 in chipboard.

Element cabinet (see table for details) in height of 1 height unit.

Type: Open shelving cabinet as substructure for niches.

Padded mats made from foam with easy-to-clean artificial leather covering, black all-round surrounding strap and non-slip bottom with hidden zip fastener. Can be used as comfortable cover for sitting niches in cabinets.

The following material groups are available: Body made of chipboard: L6; Body made of chipboard with laminate: L3; Fabric cover: S40,64,82.

]
Series 800				Nic	hes			Shelved ba	ise cabinet	Padded	mats
	H cm =	29.5	2FH	44.3	3FH	59.0	5 4FH	18.5	5 1FH		
D=18.75	W= 39.4 in	47880		47881		47882		(1x) 47884		48614	
	W= 63 in		47885		47886		47887		(2x) 47889		48615
	W= 78.75 in		47890		47891		47892		(2x) 47884		48616
D=24.85	W= 39.4 in	47980		47981		47982		(1x) 47984		48617	
	W= 63 in		47985		47986		47987		(2x) 47989		48618
	W= 78.75 in		47990		47991		47992		(2x) 47984		48619
	Shelved base cabinet	1	2	1	2	1	2				
	Cushioning									1-part	2-part



Series 800 High niches for installation in cabinet walls.

Element cabinet (see table for details) in height unit of 5 HU.

Type: Niche as open storage space for decorative purposes or with cushioning as comfortable sitting area.

Body consisting of two side parts, an upper and lower panel and a rear wall. The upper and lower panels are placed flush against the side parts and fixed with dowels. Sides and upper/lower panels made from 40-mm chipboard and rear wall from 0.8 in chipboard.

Element cabinet (see table for details) in height unit of 1 HU.

Type: Open shelving cabinet as substructure for niches.

The following material groups are available: Body made of chipboard with laminate: L3; Top made of chipboard: L4; HPL-top: L4.

Series 800		Nicl	nes
	H =	77.6	5FH
D=22.85	W= 39.4 in	47983	
	W= 78.75 in		47993

Reshape the conversation.

Mobile screens and partition walls that can be used as writing boards or for display are essential classroom fixtures. As mobile furniture elements, these create changeable learning space configurations, separating spaces both visibly and acoustically.



Mobile Screens & Partition Walls –



LinkUp

Mobile partition walls.

System of individual mobile partition walls. Several partition walls can optionally be linked together using magnetic connecting fittings.

Partitions can be arranged flush against each other to save space.

Frame made from a steel tube running all the way around on a crossbar with a filling element or an all-round fabric covering. **Filling element** made of **1**. a magnetic and writable, enameled chipboard, **2**. a cork-coated, pinnable chipboard, or **3**. a cork-and textile-coated, pinnable chipboard.

All-round fabric covering as 4. privacy screen and optionally with an acoustically effective filling.

Support elements consisting of 2 short runners, each with 2 casters.

The following material groups are available: Frame made of metal: M(arctic, black RAL 9011); Writing surface made of steel: E(white); Pinboard made of cork: K(natural cork); Pinboard made of fabric: S72; Fabric cover: S46,51,52,74,78,79,80.

								0 0	9%
LinkUp	h Total = 60.25 in	05593	05594						
	h Total = 68.15 in	05591	05592						
				07844	06962	06963	06966	07947	07896
	w in	32.3	40.2						
	d in	12	.6						
				Pen holder	Wiper	Felt cleaning	Board marker	Magnet	Pin
						cloth 10 units	4 units	1 unit	100 units
	w×h×d in			5.95×5.55×1					



Series 2000

Typ M. Functional partition.

System of mobile individual elements.

Frame construction with an all-round aluminum profile section and a filler element. Side profile section with a vertical functional rebate and an integrated pull-out plastic welt for tool-free joining of two functional screens.

Filler element 1. Melamine-resin-coated chipboard. 2. Magnetically adherent enamel-coated chipboard. 3. From a lightweight top with fabric covering. 4. Melamine-resin-coated acoustic panel with slotting. 5. Double-section panel.

Support element consisting of short and long stabilisers with castors.

Note. The maximum load must not be exceeded when integrating accessories in the function groove (see table).

The following material groups are available: Frame made of aluminum: M(anodisé); Stabiliser and foot made of aluminum: M(arctic, black RAL 9011); Writing surface made of steel: E(white); Fabric cover: S46,52,74,78,79,80; Acoustic front made of chipboard: L10; Front made of chipboard: L6.

			•		
Series 2000	Total h = 48.85	05400	05401	05402	05403
Тур М	Total h = 63.4	05405	05406	05407	05408
	Total h = 78.35	05410	05411	05412	05413
	W	31.5	35.45	39.4	47.25
	maximum load		30)	



Series 2000

Typ P. Folding screen (2/3 parts).

System consists of 2 or 3 flexibly-jointed, mobile, free-standing screen.

Construction is based on a four-sided frame of aluminum profile and a filling element. Add-on elements are connected by a flexible joint and can be easily folded together.

Filling elements: 1. Melamine-resin laminated chipboard. **2. chipboard** laminated with a vitreous-enamelled metal sheet to which magnets adhere (at level 61.05 in). **3.** From a lightweight top with fabric covering. **4.** A melamine-resin laminated sound-absorbing panel with slits. **5.** A translucent double-ribbed board.

Supporting element consists of short struts each with 2 castors and a supporting castor. For safety reasons paravent screens in kindergartens and schools must be fitted with a push-handle.

The following material groups are available: Frame made of aluminum: M(anodisé); Stabiliser and foot made of aluminum: M(arctic, black RAL 9011); Writing surface made of steel: E(white); Fabric cover: S46,52,74,78,79,80; Acoustic front made of chipboard: L10; Front made of chipboard: L6.

Series 2000	h 44.3 (with castors 48.85)	05530	05531	05532	05533	05545	05546	05547	05548
Тур Р	h 59.1 (with castors 63.4)	05535	05536	05537	05538	05550	05551	05552	05553
	w Element	31.5	35.45	39.4	47.25	31.5	35.45	39.4	47.25
	w sliding handle + connector	70.5	78.35	86.25	102	105.95	117.75	129.55	153.15
	No. of elements		2				3	·	



Series 2000

Typ P. Folding screen (4/5 parts).

System consists of 4 or 5 flexibly-jointed, mobile, free-standing screen.

Construction is based on a four-sided frame of aluminum profile and a filling element. Add-on elements are connected by a flexible joint and can be easily folded together.

Filling elements: 1. Melamine-resin laminated chipboard. **2. chipboard** laminated with a vitreous-enamelled metal sheet to which magnets adhere (at level 61.05 in). **3.** From a lightweight top with fabric covering. **4.** A melamine-resin laminated sound-absorbing panel with slits. **5.** A translucent double-ribbed board.

Supporting element consists of short struts each with 2 castors and a supporting castor. For safety reasons paravent screens in kindergartens and schools must be fitted with a push-handle.


The following material groups are available: Frame made of aluminum: M(anodisé); Stabiliser and foot made of aluminum: M(arctic, black RAL 9011); Writing surface made of steel: E(white); Fabric cover: S46,52,74,78,79,80; Acoustic front made of chipboard: L10; Front made of chipboard: L6.

Series 2000	h 44.3 (with castors 48.85)	05560	05561	05562	05563	05575	05576	05577	05578
Тур Р	h 59.1 (with castors 63.4)	05565	05566	05567	05568	05580	05581	05582	05583
	w Element	31.5	35.45	39.4	47.25	31.5	35.45	39.4	47.25
	w sliding handle + connector	141.35	157.1	172.85	204.35	176.8	196.5	216.2	255.55
	No. of elements		4	ļ			5	·	

Materials -

Plastics:			
C1	C2	C3	C4
	Hokki	Gratnells	JUMPER
Compass/Panto	Ноккі	Gratnells	JUMPER
		015, 025 anthracite	
		016, 026 translucent	
027 dark red (NCS S 2570-R)	027 dark red (NCS S 2570-R)	030, 040 dark red (NCS S 2570-R)	027 dark red (NCS S 2570-R)
029 dark blue (NCS S 6030-R80B)	029 dark blue (NCS S 6030-R80B)	031, 041 dark bl. (NCS S 6030-R80B)	029 dark blue (NCS S 6030-R80E
030 light blue (NCS S 1040-R90B)	030 light blue (NCS S 1040-R90B)	032, 042 light bl. (NCS S 1040-R90B)	030 light blue (NCS S 1040-R90E
022 lists and (NOS 6 1070 0 (0))	022 light and (NIOS & 1070, 070)		022 lister and (NOC 0 1070 0 12
033 light green (NCS S 1070-G60Y)	033 light green (NCS S 1070-G60Y)	033, 043 light gr. (NCS S 1070-G60Y)	033 light green (NCS S 1070-G60
011 turner (DAL 010, 10, 00)	041 humania (DAL 010, 10,00)	039 049 https://bal.010.40.00	041 to 200
041 turquoise (RAL 210 40 20)	041 turquoise (RAL 210 40 20)	038, 048 turquoise (RAL 210 40 20)	041 turquoise (RAL 210 40 20)
045 broom yellow (RAL 1032)	045 broom yellow (RAL 1032)	039, 049 broom yellow (RAL 1032)	045 broom yellow (RAL 1032)
UTJ DIOOTT YELOW (RAL 1032)	UTO DIOUTT YELLOW (RAL 1032)	UJ7, U47 broom yellow (KAL 1032)	Droom yellow (KAL 1032)
	037 traffic red (RAL 3020)	011, 021 traffic red (RAL 3020)	037 traffic red (RAL 3020)
	UT traine red (RAL SU2U)	VII, VZI tranic red (RAL 3020)	UT traffic red (RAL 3020)
073 black grey (RAL 7021)	073 black grey (RAL 7021)		073 black grey (RAL 7021)
DIACK BIEV (RAL 7021)	UID DIACK BIEV (RAL /UZI)		UIACK grey (RAL /UZI)
078 dolphin grey (NCS S 4500-N)			078 dolphin grey (NCS S 4500-N
••• doiphin grey (INCS 5 4500-IN)			
	1		
Information on color systems			
(e.g. NCS, RAL, Pantone)			
(e.g. NCS, RAL, Pantone)			
(e.g. NCS, RAL, Pantone)			
(e.g. NCS, RAL, Pantone)			
(e.g. NCS, RAL, Pantone)			
Information on color systems (e.g. NCS, RAL, Pantone) are always approximate values.			

C6 VS Stakki	C9 Certwood	C Other Plastics
	CL clear	017 astral silver
	TB tinted blue	
029 dark blue (NCS S 6030-R80B)		
		031 white (NCS S 1002-Y)
033 light green (NCS S 1070-G60Y)		
037 traffic red (RAL 3020)		
073 black grey (RAL 7021)		073 black grey (RAL 7021)
		078 dolphin grey (NCS S 4500-N)
		328, 090, 094 white
		800, 089, 093 black



Metal Surfaces:			
M1	M2	М	M
Epoxy Resin	Epoxy Resin	Other Epoxy Resin	Other Chrome & Aluminum
Epoxy Resin 030 terra grey (NCS S 4005-Y50R) 032 light blue (NCS S 0515-R80B) 033 light green (NCS S 1060-G70Y) 041 turquoise (RAL 210 40 20)	Epoxy Resin	Other Epoxy Resin 041 light grey (RAL 7035) 008, 018 black 009, 019 brilliant silver	Other Chrome & Aluminum
045 broom yellow (RAL 1032)			
059 arctic	059 arctic	059, 159 arctic	
063 anthracite	063 anthracite	063 anthracite	
063 anthracite	063 anthracite	063 anthracite	
063 anthracite 065 black (NCS S 8505-G20Y)	063 anthracite 065 black (NCS S 8505-G20Y)	063 anthracite 065, 165, 910 black (NCS S 8505-G20Y)	
		065, 165, 910 black	
065 black (NCS S 8505-G20Y)		065, 165, 910 black	
065 black (NCS S 8505-G20Y) 071 sapphire blue (RAL 5003) 084 oxblood (NCS S 3650-R)		065, 165, 910 black	
065 black (NCS S 8505-G20Y) 071 sapphire blue (RAL 5003)		065, 165, 910 black	049, 010, 020, 801 high polished alu
065 black (NCS S 8505-G20Y) 071 sapphire blue (RAL 5003) 084 oxblood (NCS S 3650-R)	065 black (NCS S 8505-G20Y)	065, 165, 910 black (NCS S 8505-G20Y)	049, 010, 020, 801 high polished alu 060, 011 chrome-plated
065 black (NCS S 8505-G20Y) 071 sapphire blue (RAL 5003) 084 oxblood (NCS S 3650-R)	065 black (NCS S 8505-G20Y)	065, 165, 910 black (NCS S 8505-G20Y)	
065 black (NCS S 8505-G20Y) 071 sapphire blue (RAL 5003) 084 oxblood (NCS S 3650-R) 091 white (RAL 9016)	065 black (NCS S 8505-G20Y)	065, 165, 910 black (NCS S 8505-G20Y)	060, 011 chrome-plated
065 black (NCS S 8505-G20Y) 071 sapphire blue (RAL 5003) 084 oxblood (NCS S 3650-R) 091 white (RAL 9016)	065 black (NCS S 8505-G20Y)	065, 165, 910 black (NCS S 8505-G20Y)	060, 011 chrome-plated 100 alu anodized

Board Surfaces:			
L1 LIGNOdur	L2 Laminated (CPL)	L3 Case Goods	L4 LIGNOpal 25mm, Phenolic (HPL, Case Goods
		017 astral silver	
		018 anthracite	
		019 plain black (NCS S 9000-N)	
027 natural beech laminate	027 natural beech laminate	027 natural beech laminate	027 natural beech laminate
028 natural maple laminate	028 natural maple laminate	028 natural maple laminate	028 natural maple laminate
		029 natural walnut laminate	029 natural walnut laminate
031 grey white (RAL 9002)	031 grey white (RAL 9002)	031 grey white (RAL 9002)	031 grey white (RAL 9002)
035 andes grey (RAL 7035)	035 andes grey (RAL 7035)	035 andes grey (RAL 7035)	035 andes grey (RAL 7035)
		315 orange (NCS S 0570-Y40R)	
	328 white	328 white	328 white
		340 natural oak laminate	340 natural oak laminate
		412 light blue (NCS S 0515-R80B)	
Information on color systems (e.g. NCS, RAL, Pantone) are always approximate values.		413 light green (NCS S 1060-G70Y)	
		415 terra grey (NCS S 4005-Y50R)	415 terra grey (NCS S 4005-Y50R)

L5	L6	L8	L9
Case Goods	LIGNOpal 25mm, Case Goods	Linoleum	LIGNOpal with PUR Edge
017 astral silver	017 astral silver	051 red	
018 anthracite	018 anthracite	054 ivory	
019 plain black (NCS S 9000-N)	019 plain black (NCS S 9000-N)	057 dark grey	
027 natural beech laminate	027 natural beech laminate	058 black	027 natural beech laminate
			and the second se
	028 natural maple laminate		028 Ahorn Dekor natur
	029 natural walnut laminate		
031 grey white (RAL 9002)	031 grey white (RAL 9002)		031 grey white (RAL 9002)
035 andes grey (RAL 7035)	035 andes grey (RAL 7035)		
328 white	328 white		328 white
	340 natural oak laminate		
Life construction of the second			
Information on color systems (e.g. NCS, RAL, Pantone)			
are always approximate values.			

L10 Acoustic Panels	L Other Chipboard
017 astral silver	017 astral silver 018 anthracite
027 natural beech laminate	019 plain black (NCS S 9000-N) 027 natural beech laminate
028 natural maple laminate	
031 grey white (RAL 9002)	031 grey white (RAL 9002)
328 white	328 white 331 grey white (flat)
Information on color systems (e.g. NCS, RAL, Pantone) are always approximate values.	443 white (Surface writable)

Glass Surfaces G1 TSG
002 TSG printed with stripes
003 TSG printed plain
2
G Other glass
001 TSG satin-frosted
Information on color systems

Information on color systems (e.g. NCS, RAL, Pantone) are always approximate values. **Board Surfaces:**

E1 Steel/Steel Enamel 100 blue without lineations 020 white without lineations **019** green without lineations 120 grey without lineations 001 green 1st school year 101 blue 1st school year 121 grey 1st school year 002 green 2nd school year 102 blue 2nd school year 122 grey 2nd school year 003 green 3rd school year 103 blue 3rd school year 123 grey 3rd school year 024 white 4th school year 004 green 4th school year 104 blue 4th school year 124 grey 4th school year 025 white squares 2" 005 green squares 2" 105 blue squares 2" 125 grey squares 2" 106 blue squares 4" 126 grey squares 4" 006 green squares 4" 007 green music lines 107 blue music lines 127 grey music lines 027 white music lines + 109 blue diamond grid 2" 029 white diamond grid 2" 009 green diamond grid 2" 129 grey diamond grid 2"

010 green diamond grid 4"

110 blue diamond grid 4"

130 grey diamond grid 4"


	K1 Bulletin Board	K Other Cork	S72 Cork with fabric Sonus
140 black without Lineations	081 sand (Bulletin Board 2186)	091, 092 Cork natural	254 anthracite (FHR05)
	Sand (Bulletin Board 2100)		
	000		
	082 grey (Bulletin Board 2204)		255 grey (FHU04)
141 black 1st school year			257 grey blue (FHR06)
			259 red (FHU10)
142 black 2nd school year			261 blue (FHU14)
			262 turquoise (FHU15)
143 black 3rd school year			Material: (S254, S257) 72% Poly- ester, 18% Polyamide, 10% Viscose
			Material: (S255, S259, S261, S262) 57% Polyester, 43% Polyamide
			Width; Weight: 1700 mm; 340 g/lm, 200 g/m ²
			Lightfastness: 5 (1-8) Fire resistance certifications*:
144 black 4th school year			EN 1021-1 (P-c, cigarette test),
			BS 476 Part 7 Class 1, EN 13501-1 Adhered Class B, s1, d0
			Environmental certifications: no heavy metal content
145 black squares 2″			
146 black squares 4"			
147 black music lines			
149 black diamond grid 2"			
150 black diamond grid 4"			



S46 Xtreme by Camira	S51 Blazer by Camira
290 black (YS009) 291 anthracite (YS046)	266 anthracite (CUZ67) 270 grey (CUZ1E)
293 light grey (YS094)	271 dark blue (CUZ62)
295 blue (YS005)	272 turquoise (CUZ1R)
296 dark green (YS045)	273 green (CUZ1K)
·特别的主义。	
299 red (YS079)	274 yellow green (CUZ1F)
	and the fact of the second
315 dark blue (YS026)	276 red (CUZ63)
316 light blue (YS097)	277 russet (CUZ90)
	and the second second
317 turquoise (YS160)	320 dark grey (CUZ1J)
318 green (YS159)	322 grey blue (CUZ1W)
319 dark red (YS136)	323 petrol (CUZ3B)
Material: 100% post-consumer re- cycled polyester, coated with two layers of acrylate; water-, oil- and dirt-repellent fluorocarbon impreg- nation	Material: 100% New wool Abrasion cycles; Fastness to rubbing: ≥ 50,000; 4 wet, 4 dry Width; Weight: 1400 mm; 644 g/lm, 460 g/m ² Lichtformen: (1.2)
Abrasion cycles; Fastness to rubbing: ≥ 100,000; 4 wet, 4 dry Width; Weight: 1400 mm; 435 g/lm, 310 g/m ²	Lightfastness: 5 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), 20 7172 (1 + 0) (1 + 1) (1 + 1) (1 + 1)
Lightfastness: 6 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test),	BS 7176 Low/Medium Hazard, BS 476 Part 7 Class 1, EN 13501-1, Adhered Class D, s1, d ÖNORM B 3825 & A 3800-1 B1/Q
BS 7176 Low/Medium Hazard, BS 476 Part 7 Class 1, BS 5852, DIN 4102 B1, ÖNORM B 3825 &	NF D 60-013, UNI 9175 class 1 IM, CAL 117 Environmental certifications:
	no heavy metal content
UNI 9175 class 1 IM, CAL 117	
UNI 9175 class 1 IM, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2),	
Environmental certifications:	
UNI 9175 class 1 IM, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), EU Ecolabel, recyclable, with no	

1			
S52 Nexus	S54 Xtreme	S64 Mover	S66 Polo
by Camira	by Camira	by Alonso Mercader	by FiDiVi
278 anthracite (UNY11) 279 blue (UNY03) 279 blue (UNY03) 281 green (UNY05) 302 red (UNY16) 324 grey (UNY01) 325 dark blue (UNY15)	 290 black (YS009) 293 light grey (YS094) 295 blue (YS005) 299 red (YS079) 318 green (YS159) Material: 100% post-consumer recycled polyester, coated with two layers of acrylate; water-, 	309 black (59) 310 anthracite (RAL Design 000 35 00) 311 grey brown (118) 312 blue (RAL Design 260 30 30) 313 red (124) 314 green	774 blue (77021) 775 black (77033) 776 anthracite (77030) 778 red (77040) 778 red (77040) Material: 100% Polyester Abrasion cycles; Fastness to rubbing: 150,000; 4-5 wet, 4-5 dry Width; Weight: 1400 mm; 350 g/lm, 250 g/m ² Lightfastness: 6 (1-8) Fire resistance certifications*:
326 petrol (UNY10) Material: 100% Polyester Abrasion cycles; Fastness to rubbing: ≥ 100,000; 4 wet, 4 dry Width; Weight: 1730 mm; 528 g/lm, 305 g/m ² Lightfastness: 5 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Low Hazard, BS 476 Part 7 Class 1, EN 13501-1 Adhered Class B, s2, d0, Un-adh. Class C, s1, d1, UNI 9175 class 1 IM, NFPA 260, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), recyc- lable, with no heavy metal content	oil- and dirt-repellent fluorocarbon impregnation Abrasion cycles; Fastness to rubbing: ≥ 100,000; 4 wet, 4 dry Width; Weight: 1400 mm; 435 g/lm, 310 g/m ² Lightfastness: 6 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Low/Medium Hazard, BS 476 Part 7 Class 1, BS 5852, DIN 4102 B1, ÖNORM B 3825 & A 3800-1 B1/Q1, NF D 60-013, UNI 9175 class 1 IM, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), EU Ecolabel, recyclable, with no heavy metal content Cleaning: Handwash, lukewarm water; mild detergent; leave to dry thoroughly	Material: Artificial leather, surface 100% PU-PC, substrate: 100% poly- ester Abrasion cycles: ≥ 200,000 Width; Weight: 1400 mm; 430 g/lm, 307 g/m ² Lightfastness: 6-7 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 5852 Crib 0,1, CAL 117	EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test) Environmental certifications: OEKO-TEX 100 (category 2), recyc- lable, with no heavy metal content Cleaning: Do not wash, do not bleach, iron with medium heat, clean with perchlorethylene

* All fire protection certificates documented on this page refer exclusively to the fabric itself, not to the complete furniture as upholstery composite.



S76 Mirage E S77 Mirage E by Pugi by Pugi 337 black (CSE14) 357 anthracite (6571) 364 green (6464) 360 grey blue (6378) 341 blue (CSE12) **365** dark red (6236) 358 grey (6625) 363 turquoise (6366) **366** red (6231) 355 anthracite (CSE13) 359 light grey (6629) 364 green (6464) 356 red (CSE06) 360 grey blue (6378) **367** orange (6133) **367** orange (6133) Material: 100% Polyester 368 yellow (6053) 368 yellow (6053) 361 dark blue (6333) Abrasion cycles; Fastness to **rubbing:** ≥ 100,000; 4 wet, 4 dry Width; Weight: Material: 100% Trevira CS Material: 100% Trevira CS 362 blue (6331) 1400 mm; 448 g/lm, 320 g/m² (Polyester) (Polyester) Lightfastness: 5 (1-8) Abrasion cycles: 100,000 Abrasion cycles: 100,000 Fire resistance certifications*: Width; Weight: Width; Weight: EN 1021-1 (P-c, cigarette test), 363 turquoise (6366) 1400 mm; 460 g/lm, 328 g/m² 1400 mm; 460 g/lm, 328 g/m² EN 1021-2 (P-b, match test), Lightfastness: 6 (1-8) Lightfastness: 6 (1-8) BS 7176 Low Hazard, Fire resistance certifications*: Fire resistance certifications*: EN 13501-1 Adhered Class B, s1, d0, EN 1021-1 (P-c, cigarette test), EN 1021-1 (P-c, cigarette test), Un-adh. Class C, s1, d0, EN 1021-2 (P-b, match test), EN 1021-2 (P-b, match test), NFPA 260, CAL 117 BS 5852 Crib 5, BS 5852 Crib 5, Environmental certifications: EN 13501-1 Adhered Class B, s1, d0, EN 13501-1 Adhered Class B, s1, d0, OEKO-TEX 100 (category 2), recyc-DIN 4102 B1, ÖNORM B 3825 & A DIN 4102 B1, ÖNORM B 3825 & A lable, with no heavy metal content 3800-1 B1/Q1, NF D 60-013, 3800-1 B1/Q1, NF D 60-013, CAL 117 CAL 117 Environmental certifications: Environmental certifications: OEKO-TEX 100 (category 2), OEKO-TEX 100 (category 2), recyclable recyclable * All fire protection certificates documented on this page refer exclusively to the fabric itself, not to

S75 Era by Camira

the complete furniture as uphol-

stery composite.

Fabrics:		S79 Trevi D	S80 Select
S78 Step by Gabriel		by Pugi	by Gabriel
by dubrici		~	by clasher
		(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	토토토토 중에서 중에 관계하는 것이 같아요. 것은 것은 것은 것은 것은 것은 것은 것은 것은 것이 같아요.
		1.11至2日前的人口, 211至2月日日上海北京北京市等的 一百月日前日前日前天街市市市市市市市市市市市市市市	
370 grey (60092)	388 olive green (68120)	398 black (25651)	407 black (60999)
		从正正正正正正正正	
371 melange grey (60092)	389 melange olive green (68120)	399 grey (25602)	408 grey (60134)
372 light grey (60004)	390 light green (68162)	400 blue (25302)	409 light grey (60139)
		Road and a state of a factor of the	
		MARTIN AND AND A	
373 melange light grey (60004)	391 melange light green (68162)	401 light blue (25353)	410 grey blue (67097)
374 grey blue (66148)	392 red (64013)	402 petrol (25402)	411 dark blue (66071)
		CARCING AND AND	
		and the second second second second second	
375 melange grey blue (66148)	393 melange red (64013)	403 green (25453)	412 blue (66190)
		1月1日1日(1月1日))(1月1日))(1月1日)(1月1日)(1月1日)(1月1日)(1月1日)(1月	a the factor of the state
376 marine (65018)	394 traffic red (64179)	404 red (25202)	413 light blue (66191)
		AND MADE AND	
277 malance marine (/E018)	205 and and the fifth and (4.4170)	105 annual (25102)	414
377 melange marine (65018)	395 melange traffic red (64179)	405 orange (25102)	414 petrol (66192)
		distance of	
378 blue (66151)	396 orange (63082)	406 yellow (25051)	
	2 ALC ALL ALL ALL ALL ALL ALL ALL ALL ALL		
379 melange blue (66151)	397 melange orange (63082)	Material: 100% Trevira CS	
		(Polyester)	
		Abrasion cycles: 100,000 Width; Weight:	
380 light blue (66018)	369 black (60999)	1400 mm; 630 g/lm, 450 g/m²	
		Lightfastness: 6 (1-8) Fire resistance certifications*:	
381 melange light blue (66018)	Material: 100% Trevira CS	EN 1021-1 (P-c, cigarette test),	
	(Polyester)	EN 1021-2 (P-b, match test), BS 5852 Crib 5,	
	Abrasion cycles; Fastness to rubbing: 100,000; 4-5 wet, 4-5 dry	EN 13501-1 Adhered Class B, s1, d0,	
382 turquoise (67007)	Width; Weight:	DIN 4102 B1, CAL 117 Environmental certifications:	
	1400 mm; 470 g/lm, 335 g/m ² Pilling; Lightfastness:	OEKO-TEX 100 (category 2),	
383 melange turquoise (67007)	4-5 (1-5); 5-7 (1-8)	recyclable	
	Fire resistance certifications*: EN 1021-1 (P-c, cigarette test),		
4 AU C	EN 1021-2 (P-b, match test), BS 7176 Medium Hazard,		
* All fire protection certificates documented on this page refer ex-	BS 5852 Crib 0,1,5,		
clusively to the fabric itself, not to	EN 13501-1 Adhered Class B, s1, d1, DIN 4102 B1, ÖNORM B 3825 &		
the complete furniture as uphol- stery composite.	A 3800-1 B1/Q1, NF D 60-013,		
	UNI 9175 class 1 IM, CAL 117 Environmental certifications:		
	OEKO-TEX 100 (category 2),		
	EU Ecolabel, recyclable, with no heavy metal content		
	with no neavy metal content		

415 green blue (67100)

416 dark green (67096)

A A STATE AND A STATE

417 green (68211)

418 olive green (67095)

419 red (64089)

111331113

420 salmon (64215)

Real Courses

421 pink (65117)

422 yellow (62099)

Material: 85% New Zealand wool, 15% polyamide Abrasion cycles; Fastness to rubbing: 200,000; 4-5 wet, 4-5 dry Width; Weight: 1400 mm; 510 g/lm, 364 g/m² Pilling; Lightfastness: 4 (1-5); 5-8 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test),

EN 1021-2 (P-b, match test), BS 5852 Crib 0,1,5, CAL 117 Environmental certifications:

OEKO-TEX 100 (category 2), EU Ecolabel, with no heavy metal content

* All fire protection certificates documented on this page refer exclusively to the fabric itself, not to the complete furniture as upholstery composite.

428 black (62) 429 grey (67) 430 blue (68) 431 green (59)

432 red (57)

S82 Evida

by Hornschuch


Material: Artificial leather, approx. 50% renewable raw materials, approx. 30% natural raw materials, approx. 20% mineral oilbased raw materials (Vinyl = PVC) Abrasion cycles; Fastness to rubbing: 100,000; 4-5 wet, 4-5 dry Width; Weight: 1370 mm; 1050 g/lm, 750 g/m² $\,$ Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 5852 Crib 0,1, UNI 9175 class 1 IM, NFPA 260, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2),

with no heavy metal content

by Gabriel 369 black (60999) 370 grey (60092) 372 light grey (60004) 374 grey blue (66148) 375 marine (65018) 378 blue (66151) 378 blue (66151)

S83 Step Uni

382 turquoise (67007)



396 orange (63082)

Material: 100% Trevira CS

(Polyester) Abrasion cycles; Fastness to rubbing: 100,000; 4-5 wet, 4-5 dry Width; Weight: 1400 mm; 470 g/lm, 335 g/m² Pilling; Lightfastness: 4-5 (1-5); 5-7 (1-8) Fire resistance certifications*:

EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Medium Hazard, BS 5852 Crib 0,1,5, EN 13501-1 Adhered Class B, s1, d1, DIN 4102 B1, ÖNORM B 3825 & A 3800-1 B1/Q1, NF D 60-013, UNI 9175 class 1 IM, CAL 117

Environmental certifications: OEKO-TEX 100 (category 2), EU Ecolabel, recyclable, with no heavy metal content

Sustainability

Over a century of sustainability and craft.

For over 125 years, VS has been providing outstanding educational furniture that brings visionary design concepts into the places we learn, work, and play. Although much has changed in the industry over the decades, our fundamentals stay the same. Our long-standing commitment to sustainability and quality craftsmanship remains our mission at VS.

As a company, we have always considered it our responsibility to commit to measures that benefit people, while protecting the natural environment. We offer our customers safe, healthy, long-life products, all manufactured in a way that contributes to environmental protection.

Product certifications include:







Cradle to Cradle GREENGUARD BIFMA Level 3



VS headquarters, designed by Behnisch Architekten, utilizes high-performance building and design strategies.

We deliberately control our energy consumption by keeping well below the permitted limit values in our new building projects, continuously improving our energy performance. Our gas-fired cogeneration plant covers 36 percent of our electricity consumption and also provides us with additional heating energy.



QuickShip Program

When a project requires a short turnaround time, the QuickShip Program will help get products installed faster — in-stock products ship in 10 business days or less.

Explore available products at vsamerica.com/quickship.







art no. Products 03/01/25 V01

